

# Index to Volume 125

Compiled by Leslie Cody

- Abies balsamea*, 58,107,237,298,359  
  *lasiocarpa*, 7,232  
*Abietinella abietina*, 332  
Abolit, D. and J. Gilhen. Eastern Chipmunk, *Tamias striatus*,  
  Attack on a Maritime Garter Snake, *Thamnophis sirtalis pallidulus*, at Cooks Lake, Halifax County, Nova  
  Scotia, Canada, 55  
*Acer rubrum*, 58,237,359  
  *saccharum*, 58,107,237,363  
*Achillea millefolium*, 204,303  
  *millefolium* var. *occidentalis*, 201  
*Achnatherum* sp., 317  
  *hymenoides*, 349  
*Aconitum delphinifolium*, 230  
Acorn, J., 373  
*Actaea pachypoda*, 237  
*Adropion* cf. *prorsirostre*, 24  
*Agalinis neoscotica*, 207  
*Agelaius phoeniceus*, 258  
*Aglais milberti milberti*, 302  
*Agrimonia gryposepala*, 237  
Agrimony, Tall, 237  
*Agropyron cristatum*, 133,350  
*Agrostis mertensii*, 241  
  *stolonifera*, 63,204  
Aitken, R.J., 235  
Alaska, Butterflies Recorded on Flattop Mountain, Anchorage,  
  357  
Alberta, Canada: A Preliminary Survey, Tardigrades of Fish  
  Creek Provincial Park, 22  
Alberta, Canada, Fetid Dogweed (*Dyssodia papposa*; Aster-  
  aceae) and Slender Russian Thistle (*Salsola collina*;  
  Amaranthaceae), New to, 366  
Alberta, Seasonal Moulting in Deer Mice (*Peromyscus maniculatus*) in the Rocky Mountains, 126  
Alberta, Some Observations on the Pollination of Round-  
  Leaf Orchid, *Galearis* (*Amerorchis*) *rotundifolia*, Near  
  Jasper, 47  
*Alces alces*, 194,353  
Alder, Speckled, 58,359  
*Alliaria petiolata*, 249  
*Alloctytus verrucosus*, 74  
*Alloctytus verrucosus* New to the Fish Fauna of Canada, The  
  Warty Dory, 74  
*Alnus incana*, 58  
  *incana rugosa*, 359  
*Amaranthus caudatus*, 338  
  *retroflexus*, 338  
*Ambloplites rupestris*, 16  
*Amblyscirtes vialis*, 302  
*Ambophthalmus* sp., 376  
  *eurystigmatophoros*, 376  
*Ambrosia artemisiifolia*, 63  
*Ameiurus nebulosus*, 18  
*Amelanchier alnifolia*, 300  
  *alnifolia* var. *compacta*, 299  
American Society of Mammalogists Annual Meeting 2012,  
  181  
*Amerorchis rotundifolia*, 47  
*Amerorchis*) *rotundifolia*, Near Jasper, Alberta, Some Obser-  
  vations on the Pollination of Round-Leaf Orchid,  
  *Galearis*, 47  
*Ammodramus bairdii*, 12  
  *savannarum*, 12  
*Ammophila breviligulata*, 201  
*Anaphalis margaritacea*, 204  
*Andrena alleghaniensis*, 300  
  *asteroides*, 300  
  *dunningi*, 300  
  *illinoiensis*, 300  
  *milwaukeensis*, 300  
  *nasonii*, 300  
  *vicina*, 300  
*Andromeda polifolia*, 243  
*Andropogon hallii*, 349  
*Anemone cylindrica*, 303  
*Anguilla rostrata*, 18  
*Anomodon minor*, 332  
  *rostratus*, 332  
*Antennaria* sp., 303  
  *monocephala*, 228  
*Anthoxanthum monticola*, 241  
  *odoratum*, 204  
*Anthus spragueii*, 12  
*Antrozous pallidus*, 216  
*Aphragmus eschscholtzianus*, 228  
*Apis mellifera*, 300  
*Aplodontia rufa*, 216  
*Apocynum cannabinum*, 303  
*Apodemus semotus*, 127  
*Aquilegia canadensis*, 303  
*Arabis hirsuta*, 303  
*Arctagrostis latifolia*, 309  
Arctic, White-veined, 357  
*Arctophila fulva*, 234  
*Arctostaphylos uva-ursi*, 47,299  
*Arenaria lateriflora*, 204  
  *serpyllifolia*, 303  
*Aristida purpurea* var. *longiseta*, 349  
*Aronia prunifolia*, 204  
*Artemisia* sp., 317  
  *cana*, 12  
  *norvegica*, 228  
Ash, 237  
  Black, 237  
  Green, 317  
  Red, 249  
*Asio flammeus*, 307  
*Asio flammeus*, Ecology on Arctic Tundra, Yukon, Canada,  
  Some Observations of Short-eared Owl, 307  
Aspen, 162  
  Trembling, 7,22,107,249,317,328

- Aster macrophyllus*, 303  
 Aster, 249  
   Arrow-leaved, 237  
   New England, 250  
   White Heath, 249  
*Astragalus negelecta*, 303  
*Athalamia hyalina*, 331  
*Augochlora aurata*, 300  
*Augochloropsis metallica*, 300  
*Aulacomnium palustre*, 332  
 Avens, Wood, 249  
*Aythya americana*, 61  
   *collaris*, 61  
 Azalea, Alpine, 242
- Badger, American, 197,216  
*Balsamorhiza* sp., 51  
 Baneberry, White, 237  
*Barbula convoluta*, 335  
*Barilius nelsoni*, 374  
 Barker, O.E., 255  
 Barley, Wild, 350  
 Bass, Largemouth, 18  
   Rock, 16  
   Smallmouth, 253  
 Bat, 257  
   Brazilian Free-tailed, 258  
   Pallid, 216  
   Spotted, 214  
 Bat Mortality, Consumption of Bats (*Myotis* spp.) by Raccoons (*Procyon lotor*) During an Outbreak of White-Nose Syndrome in New Brunswick, Canada: Implications for Estimates of, 257
- Bats (*Myotis* spp.) by Raccoons (*Procyon lotor*) During an Outbreak of White-Nose Syndrome in New Brunswick, Canada: Implications for Estimates of Bat Mortality, Consumption of, 257
- Bayberry, Northern, 201  
 Beachgrass, American, 201  
 Bear, American Black, 117,158,194  
   Grizzly, 216,310  
   Polar, 140,197,216  
 Bear (*Ursus maritimus*) Tracks by Inuit Hunters: Inter-rater Reliability and Inferences Concerning Accuracy, Interpretations of Polar, 140
- Bearberry, 47  
 Beaver, 159  
   American, 194,253  
   Mountain, 216  
 Bee, 48,297  
 Beech, American, 58,359  
 Beechfern, Long, 246  
 Bees and Butterflies in Burned and Unburned Alvar Woodland: Evidence for the Importance of Postfire Succession to Insect Pollinator Diversity in an Imperiled Ecosystem, 297  
 Bellflower, Arctic, 241  
*Bembrops cadenati*, 374  
   *morelandi*, 376  
   *nelsoni*, 374  
 Bendell, J., Review by, 266  
 Bentgrass, Carpet, 205  
   Northern, 241  
 Beslin, W., 359
- Betula* sp., 47  
   *alleghaniensis*, 58,237,359,363  
   *nana-Pentaphylloides*, 232  
   *papyrifera*, 237,328,359  
   *pumila*, 241  
 Bindweed, Field, 133  
 Birch, 47  
   Bog, 241  
   Paper, 237,328,359  
   Yellow, 58,237,359,363  
*Bison bison*, 350  
   *bison athabascaae*, 216  
   *bison bison*, 216  
 Bison, 350  
   Plains, 216  
   Wood, 216  
 Bizecki Robson, D. Rarity Status Assessments of Bugseeds (Amaranthaceae: *Corispermum*) in Manitoba, 338  
 Bladderpod, Great Plains, 349  
 Blue, Arctic, 357  
   Cranberry, 357  
   Northern, 357  
 Bluebell, 242  
 Blueberry, Bog, 241  
   Lowbush, 201  
 Bluebird, Eastern, 318  
   Mountain, 318  
 Bluegrass, 133  
   Kentucky, 203,250  
 Bluestem, Little, 351  
   Sand, 349  
 Boag, P.T., 140  
 Bobcat, 117,163,194  
 Bohrman, J.A., S.S. Stevens, and T.L. Serfass. Long-term Survival and Reproduction in a North American River Otter (*Lontra canadensis*) with an Intra-peritoneal Radio-Transmitter, 252  
*Boloria alaskensis alaskensis*, 357  
   *bellona*, 302  
   *chariclea butleri*, 357  
*Bombus* sp., 52,301  
   *bimaculatus*, 300  
   *impatiens*, 300  
   *melanopygus*, 48  
   *ternarius*, 300  
   *terricola*, 300  
*Bonasa umbellus*, 72  
*Bonasa umbellus*, from Northwestern Ontario, A Brief Survey of Mycophagy in Ruffed Grouse, 72  
*Bos taurus*, 200  
 Botfly Larva, Diptera: *Cuterebridae*, North American Deer Mouse, *Peromyscus maniculatus*, Consuming a Parasitizing, 65  
*Botrychium lunaria*, 114  
*Bouteloua* sp., 317  
   *gracilis*, 12  
 Boutin, S., 158  
 Bowles, J.M., 366  
*Brachyelytrum* sp., 237  
*Brachypodium* sp., 238  
   *pinnatum*, 238  
   *sylvaticum*, 235  
*Brachypodium sylvaticum*, (Poaceae), an Invasive Grass New to Ontario, Canada, Slender False Brome, 235  
*Brachythecium* sp., 336

- acuminatum*, 333  
*collinum*, 331  
*laetum*, 331  
*salebrosum*, 333  
 Bramble, Five-leaved, 7  
*Branta canadensis*, 62,311  
 Brinker, S.R., 241  
 British Columbia, Canada, Verification of a Forest Rating System to Predict Fisher, *Martes pennanti*, Winter Distribution in Sub-boreal Forests of, 7  
 British Columbia, Including Two Species New to the Province, Alpine Plant Range Extensions for Northern, 227  
 Brome, Hairy Woodland, 238  
   Heath False, 238  
   Slender False, 235  
   Smooth, 249  
 Brome (*Brachypodium sylvaticum*, Poaceae), an Invasive Grass New to Ontario, Canada, Slender False, 235  
*Bromus* sp., 238  
   *inermis*, 249  
   *pubescens*, 238  
   *ectorum*, 133  
 Broomrape, Louisiana, 349  
 Brunton, D, 1  
 Brunton, D.F. A Tribute to Hubert ("Hue") Norman MacKenzie, 1922 2009, 76  
*Bryoerythrophyllum recurvirostre*, 335  
*Bryophytes*, 207  
*Bryum caespiticium*, 333  
*Bryum pseudotriquetrum*, 333  
*Bubo scandiacus*, 308  
 Buckthorn, Common, 249  
   Glossy, 102  
 Buckwheat, Yellow, 349  
 Buffalo-Berry, Russett, 47  
 Bugseed, 338  
   American, 341  
   Hairy, 341  
   Hooker's, 341  
   Pallas', 341  
 Bugseeds (Amaranthaceae: *Corispermum*) in Manitoba, Rarity Status Assessments of, 338  
 Bullhead, Brown, 18  
 Bulrush, Alpine, 243  
   American, 206  
   Tufted, 242  
 Bumblebee, 48  
 Burke, B.L., 154  
 Burro, 207  
 Bush-honeysuckle, Northern, 237  
*Buteo lagopus*, 308  
 Butterflies in Burned and Unburned Alvar Woodland: Evidence for the Importance of Postfire Succession to Insect Pollinator Diversity in an Imperiled Ecosystem, Bees and, 297  
 Butterflies Recorded on Flattop Mountain, Anchorage, Alaska, 357  
 Butterfly, 297,357  
  
*Calamagrostis rubescens*, 7  
*Calcarius lapponicus*, 308  
*Calidris bairdii*, 308  
   *melanotos*, 308  
   *pusilla*, 308  
  
 Callaghan, C. The Importance of Natural History and *The Canadian Field-Naturalist* to Natural Science, 2  
*Callophrys henrici*, 302  
   *niphon*, 302  
   *polios*, 302  
*Caltha leptosepala*, 230  
*Calyso bulbosa*, 52  
   *bulbosa* var. *americana*, 106  
*Calystegia sepium*, 204  
   *spithamea*, 303  
*Campanula rotundifolia*, 242,303  
   *uniflora*, 241  
 Campbell (1943 2011): Biologist, Conservationist, Pastor, Robert (Bob) Ronald, 370  
*Campyllum chrysophyllum*, 332  
   *hispidulum*, 332  
 Canada: A Preliminary Survey, Tardigrades of Fish Creek Provincial Park, Alberta, 22  
 Canada, A Second Amelanic Eastern Red-backed Salamander, *Plethodon cinereus*, from Nova Scotia, 359  
 Canada Awards 2011, Alliance of Natural History Museums of, 393  
 Canada: Disease Management Implications, Home Range, Movements, and Habitat Utilization of Striped Skunk (*Mephitis mephitis*) in Scarborough, Ontario, 27  
 Canada, Eastern Chipmunk, *Tamias striatus*, Attack on a Maritimer Garter Snake, *Thamnophis sirtalis pal-lidulus*, at Cooks Lake, Halifax County, Nova Scotia, 55  
 Canada, Evidence Confirms the Presence of Cougars (*Puma concolor*) in Ontario, 116  
 Canada, Fetid Dogweed (*Dyssodia papposa*; Asteraceae) and Slender Russian Thistle (*Salsola collina*; Amaranthaceae), New to Alberta, 366  
 Canada, from the Sutton Ridges, Hudson Bay Lowland Ecoregion, Additions to the Vascular Flora of Ontario, 241  
 Canada: Implications for Estimates of Bat Mortality, Consumption of Bats (*Myotis* spp.) by Raccoons (*Procyon lotor*) During an Outbreak of White-Nose Syndrome in New Brunswick, 257  
 Canada, Major Threats Facing Terrestrial Mammals in, 213  
 Canada, Slender False Brome (*Brachypodium sylvaticum*, Poaceae), an Invasive Grass New to Ontario, 235  
 Canada, Some Observations of Short-eared Owl, *Asio flammeus*, Ecology on Arctic Tundra, Yukon, 307  
 Canada, The Recent Spread and Potential Distribution of *Phragmites australis* subsp. *australis* in, 95  
 Canada, The Warty Dory, *Allocyttus verrucosus* New to the Fish Fauna of, 74  
 Canada, Two Amelanic Eastern Red-backed Salamanders (*Plethodon cinereus*) from Eastern, 58  
 Canada, Verification of a Forest Rating System to Predict Fisher, *Martes pennanti*, Winter Distribution in Sub-boreal Forests of British Columbia, 7  
 Canada, Verified by Trail Camera Photographs Between 2008 and 2010, Presence of Mammals in Ontario, 193  
*Canadian Field-Naturalist*, Advice for Contributors to *The*, 94  
*Canadian Field-Naturalist* Instructions for Authors, *The*, 190, 294,412  
*Canadian Field-Naturalist* Online, *The*, 5  
*Canadian Field-Naturalist*, *The*, 1

- Canadian Field-Naturalist* to Natural Science, The Importance of Natural History and *The*, 2
- Canadian Herpetologist (TCH) 1(2), Fall 2011, The, 393
- Canadian Orchids Benefit from Woodland Hiking Trails and the Implications, Some Wild, 105
- Caners, R.T. Saxicolous Bryophytes of an Ordovician Dolomite Escarpment in Interlake Manitoba, with New Species Records for the Province, 327
- Canis familiaris*, 67  
*latrans*, 32,117,158,194  
*lupus*, 67,117,158,162,194,353  
*lupus dingo*, 132,159  
*lupus familiaris*, 132  
*lupus lycaon*, 216  
*lupus pallipes*, 159
- Canis lupus*, Carry and Cache the Collars of Radio-collared White-tailed Deer, *Odocoileus virginianus*, they Killed, Wolves, 67
- Canis lupus*, Killing and Caching of an Adult White-tailed Deer, *Odocoileus virginianus*, by a Single Gray Wolf, 162
- Canis lupus*) Movements and Behavior Around a Kill Site and Implications for GPS Collar Studies, Gray Wolf, 353
- Canis lupus*, Pup Mortality: Interspecific Predation or Non-Parental Infanticide?, Wolf, 158
- Cardamine bellidifolia*, 228
- Carex* sp., 230,308,317  
*arctata*, 237  
*bigelowii*, 242  
*capillaris*, 47  
*capitata*, 242  
*deflexa*, 241  
*gracillima*, 237  
*gynocrates*, 243  
*microchaeta*, 227  
*pedunculata*, 237  
*podocarpa*, 228  
*pyrenaica*, 229  
*rariflora*, 244  
*richardsonii*, 299  
*scirpoidea*, 241  
*silicea*, 204
- Caribou, 163,197,354  
 Barren-ground, 216  
 Peary, 216  
 Woodland, 214
- Carterocephalus palaemon skada*, 357
- Cassiope* sp., 232  
*tetragona*, 230
- Castor canadensis*, 159,194,253
- Catling, P.M., 200,297
- Catling, P.M. and B. Kostiuk. Some Observations on the Pollination of Round-Leaf Orchid, *Galearis (Ameorochis) rotundifolia*, Near Jasper, Alberta, 47
- Catling, P.M. and B. Kostiuk. Some Wild Canadian Orchids Benefit from Woodland Hiking Trails and the Implications, 105
- Catling, P.M. and G. Mitrow. The Recent Spread and Potential Distribution of *Phragmites australis* subsp. *australis* in Canada, 95
- Catling, P.M. and M.J. Oldham. Recent Expansion of *Spiranthes cernua* (Orchidaceae) into Northern Ontario due to Climate Change?, 34
- Catling, P.M., Reviews by, 86,277
- Catostomus* sp., 374  
*commersoni*, 16
- Cattail, Broadleaf, 58
- Cedar, Eastern White, 107,237
- Celastrina ladon* ssp. *lucia*, 302
- Celosia* sp., 338
- Centunculus minimus*, 207
- Cerastium fontanum* var. *vulgatum*, 204
- Ceratina calcarata*, 300  
*dupla*, 300
- Ceratoides lanata*, 12
- Cercyonis pegala*, 302
- Cervus elaphus*, 163,194
- Chaetodipus hispidus*, 321
- Chamaesyce geyeri*, 349  
*serpens*, 133
- Cheatgrass, 133
- Chenopodium album*, 350  
*quinoa*, 338  
*subglabrum*, 338
- Cherry, Pin, 359
- Chipmunk, Eastern, 55,154,198
- Chipmunk, *Tamias striatus*, Attack on a Maritime Garter Snake, *Thamnophis sirtalis pallidulus*, at Cooks Lake, Halifax County, Nova Scotia, Canada, Eastern, 55
- Choke-cherry, 249
- Cinquefoil, Shrubby, 47
- Circus cyaneus*, 308
- Cirsium discolor*, 303  
*vulgare*, 303
- Cladina* sp., 244  
*rangiferina*, 204
- Clark, H.O. Jr., Reviews by, 90,167
- Claytonia* sp., 232  
*sarmentosa*, 228
- Clethrionomys gapperi*, 126
- Cliffbrake, Gastony's, 327  
 Western Dwarf, 327
- Clinopodium vulgare*, 237,303
- Cloudberry, 244
- Clover, Hairy Prairie, 338
- Clubmoss, Stiff, 244
- Coad, B.W., 74
- Cockscomb, 338
- Coenonympha tullia inornata*, 302
- Colaptes auratus*, 318
- Colias eurytheme*, 302  
*philodice*, 302  
*philodice vitabunda*, 357
- Colletes inaequalis*, 300
- Coltsfoot, Palmate, 7
- Conardia compacta*, 332
- Conium maculatum*, 133
- Conover, M.R., 132
- Conservation and Biology of Tortoises and Freshwater Turtles Annual Symposium 2012, 282
- Convolvulus arvensis*, 133
- Copablepharon longipenne*, 338
- Copper, Dorcas, 357
- Corallorhiza maculata*, 110  
*trifida*, 110
- Cordgrass, Marshhay, 206
- Corispermum* sp., 338

- americanum*, 339  
*americanum* var. *americanum*, 341  
*hookeri*, 339  
*hookeri* var. *hookeri*, 341  
*hyssopifolium*, 341  
*nitidum*, 347  
*pallasii*, 339  
*villosum*, 339  
*Corispermum* in Manitoba, Rarity Status Assessments of Bugseeds (Amaranthaceae), 338  
*Cornus sericea* ssp. *sericea*, 303  
*stolonifera*, 249,303  
*Corvus brachyrhynchos*, 45  
*corax*, 45,159,308  
*Corydalis pauciflora*, 228  
Cottongrass, 308  
Tussock, 243  
Cottontail, Eastern, 130,194,321  
Nuttall's, 216  
*Cottunculus nudus*, 376  
Cougar, 116,193  
Eastern, 116  
Cougars (*Puma concolor*) in Ontario, Canada, Evidence Confirms the Presence of, 116  
Cow, 200  
Coyote, 32,117,158,194  
Cranberry, 205  
Crane, Sandhill, 308  
Crappie, Black, 18  
*Creedia alleni*, 376  
*partimsquamigera*, 376  
Cress, Aleutian, 228  
Crow, American, 45  
Crowberry, Black, 201,241  
Crown-vetch, Purple, 249  
*Crystallodytes pauciradiatus*, 376  
*Culaea inconstans*, 374  
Currant, Skunk, 246  
*Cuterebra americana*, 66  
*fontinella*, 66  
*Cycloloma atriplicifolium*, 349  
*Cynanchum rossicum*, 249  
*Cynomys ludovicianus*, 154,216  
*Cyperus schweinitzii*, 349  
*squarrosus*, 349  
Cypress, Summer, 350  
*Cypripedium acaule*, 76,114  
*arietinum*, 108,327  
*parviflorum* var. *pubescens*, 108  
*Cystopteris fragilis*, 241  
  
*Dactylorhiza* sp., 51  
*sambucina*, 53  
Daisy, Oxeye, 237  
*Dalea villosa* var. *villosa*, 338  
*Danaus plexippus*, 302  
*Danthonia spicata*, 204,237,299  
Darter, Smoothbelly, 253  
*Dasiphora fruticosa* ssp. *floribunda*, 47  
Deer, Mule, 121  
White-tailed, 67,117,162,194,239,353  
Deer, *Odocoileus virginianus*, by a Single Gray Wolf, *Canis lupus*, Killing and Caching of an Adult White-tailed, 162  
Deer, *Odocoileus virginianus*, they Killed, Wolves, *Canis lupus*, Carry and Cache the Collars of Radio-collared White-tailed, 67  
Deermouse, 255  
*Delphinium* sp., 232  
*brachycentrum*, 232  
*chamissonis*, 232  
*glareosum*, 232  
*glaucum*, 232  
Derbowka, D., 213  
*Deschampsia flexuosa*, 204  
*Descurainia sophia*, 133  
Dezhi, L. and Q. Aili, Reviews by, 89,270,271,274,383,384, 386,387  
*Diadophis punctatus*, 69  
*punctatus edwardsii*, 69  
*Diadophis punctatus edwardsii*, on Big Tancook Island, Mahone Bay, Nova Scotia, The Brown Morph of the Northern Ringneck Snake, 69  
*Diapensia lapponica*, 242  
Diapensia, Lapland, 242  
*Dicranum polysetum*, 299  
*Dicrostoyx* sp., 255,311  
*groenlandicus*, 308  
*Didelphis virginiana*, 194  
*Didymodon rigidulus* var. *rigidulus*, 331  
*Diervilla lonicera*, 63,237,303  
Dingo, 132,159  
*Diphascon* sp., 24  
*granifer*, 24  
*pingue*, 24  
*prorsirostre*, 24  
*Dipodomys ordii*, 216  
*Dissostichtus eleginoides*, 75  
*Distichium capillaceum*, 333  
*Distichlis spicata*, 133  
*Ditrichum flexicaule*, 333  
Dog, 67  
African Wild, 159  
Domestic, 132  
Dogweed, Fetid, 366  
Dogweed (*Dyssodia papposa*; Asteraceae) and Slender Russian Thistle (*Salsola collina*; Amaranthaceae), New to Alberta, Canada, Fetid, 366  
Dogwood, Red-osier, 249  
Dory, Warty, 74]
Dory, *Allocyttus verrucosus* New to the Fish Fauna of Canada, The Warty, 74  
Douglas-fir, 7  
Doyle, F.I, 307  
*Draba reptans*, 349  
*Dreissena* sp., 20  
Dryas, 308  
*drummondii*, 48  
*integrifolia*, 232  
*Dryopteris expansa*, 246  
Duck, Ring-necked, 61  
Durden, L.A. Butterflies Recorded on Flattop Mountain, Anchorage, Alaska, 357  
*Dyssodia papposa*, 366  
*Dyssodia papposa*; Asteraceae) and Slender Russian Thistle (*Salsola collina*; Amaranthaceae), New to Alberta, Canada, Fetid Dogweed, 366

- Ebinania australiae*, 376  
*macquariensis*, 376  
*malacocephala*, 376  
*Echiniscus granulatus*, 24  
*Echium vulgare*, 303  
 Editor's Report for Volume 124 (2010), 187  
 Eedy 1944 2003, Dr. J (John) Wilson, 181  
 Eel, American, 18  
 Eider, Common, 41  
 Eider, *Somateria mollissima*, Collisions with Power Transmission Lines and Shortwave Communication Towers on the Tantramar Marsh in Southeastern New Brunswick, Migrant Common, 41  
*Elaeagnus commutata*, 47  
*Eleocharis* sp., 207  
 Elk, American, 163  
     North American, 194  
*Empetrum nigrum*, 201,232,241  
*Encalypta procera*, 333  
     *rhaptocharpa*, 333  
*Enhydra lutris*, 252  
*Enodia anhedon*, 302  
*Eoseristalis hirta*, 48  
     *rupium*, 48  
*Epilobium anagallidifolium*, 229  
     *angustifolium*, 232  
     *parviflorum*, 250  
*Epipactis helleborine*, 106,237  
*Equus africanus asinus*, 207  
     *caballus*, 200  
*Erethizon dorsatus*, 194  
*Erigeron peregrinus*, 232  
     *philadelphicus*, 303  
*Eriogonum flavum*, 349  
*Eriophorum* sp., 228  
     *vaginatum*, 243,308  
*Eriozona laxus*, 48  
*Eristalis* sp., 48  
     *hirta*, 48  
     *rupium*, 48  
 Ermine, 194,216  
*Erodium cicutarium*, 133  
 Errata *The Canadian Field-Naturalist* 125(1): 53, 182  
*Erynnis icelus*, 302  
     *juvenalis*, 302  
     *lucilius*, 302  
     *persius*, 48  
     *persius* ssp. *borealis*, 48  
*Erythronium americanum*, 249  
*Esox americanus americanus*, 19  
     *americanus vermiculatus*, 19  
     *lucius*, 16,255  
     *masquinongy*, 20  
     *niger*, 16  
*Esox niger* in Ontario: Possible Range Expansion from New York Waters of Eastern Lake Ontario, First Occurrence of Chain Pickerel, 16  
*Etheostoma* sp., 253  
*Euderma maculatum*, 214  
*Eumetopias jubatus*, 252  
*Eupeodes lapponicus*, 48  
*Eurhynchium pulchellum*, 333  
*Eurycea bislineata*, 363  
     *bislineata* × *cirrigera*, 363  
*Eurycea bislineata* in Algonquin Provincial Park, Ontario, Communal Oviposition in the Northern Two-lined Salamander, 363  
*Euthamia graminifolia*, 303  
*Evylaeus foxii*, 304  
  
*Fagus grandifolia*, 58,359  
*Falco peregrinus*, 308  
     *rusticolus*, 311  
     *sparverius*, 321  
 Falcon, Peregrine, 308  
 Fekken, C., 140  
*Felis concolor*, 116  
     *concolor cougar*, 116  
 Fenton, B., Review by, 80  
 Feral Horses on Vegetation of Sable Island, Nova Scotia, Effects of Feral, 200  
 Fern, Bracken, 237  
     Fragile, 241  
     Oak, 7  
*Festuca altaica*, 230  
     *rubra*, 63,204  
 Filaree, Red-stem, 133  
 Fir, Balsam, 58,107,237,359  
     Subalpine, 7  
 Fisher, 7,117,194  
 Fisher, G., 74  
 Fisher, *Martes pennanti*, Winter Distribution in Sub-boreal Forests of British Columbia, Canada, Verification of a Forest Rating System to Predict, 7  
*Fissidens bryoides*, 333  
 Fitzsimmons, J.M. *The Canadian Field-Naturalist* Online, 5  
 Flatsedge, Awned, 349  
     Schweinitz's, 349  
 Flicker, Northern, 318  
 Flixweed, 133  
 Forbes, G.J., 257  
 Forget-me-not, 309  
 Fox, Arctic, 198,308  
     Grey, 216  
     Red, 32,67,117,132,159,194,308  
     Swift, 216  
*Fragaria virginiana*, 204,303  
     *virginiana* ssp. *glauca*, 47  
*Frangula alnus*, 102,303  
*Fraxinus* sp., 237  
     *nigra*, 237  
     *pennsylvanica*, 249,317  
 Freedman, B. 63  
 Freedman, B., P.M. Catling, and Z. Lucas. Effects of Feral Horses on Vegetation of Sable Island, Nova Scotia, 200  
 Fritillary, Mormon, 357  
     Mountain, 357  
     Purplish, 357  
 Frog, Boreal Chorus, 220  
     Western Chorus, 220  
 Frog (*Pseudacris triseriata*) Declined in Western Ottawa, Ontario?, Has the Western Chorus, 220  
*Frullania inflata*, 332  
  
*Galearis* sp., 49  
     *rotundifolia*, 47  
     *spectabilis*, 53,105

- Galearis (Amerorchis) rotundifolia*, Near Jasper, Alberta, Some Observations on the Pollination of Round-Leaf Orchid, 47
- Gar, Longnose, 16
- Garbary, D., Review by, 174
- Gavia arctica*, 62  
*immer*, 61
- Gavia immer*, Additional Data and Perspectives on Interspecific Aggression in the Common Loon, 61
- Gaywings, 237
- Gentiana platypetala*, 234
- Geomyces destructans*, 257
- Geranium bicknellii*, 303
- Gerard, A., Review by, 269
- Geum urbanum*, 249
- Gibson, J.F., Review by, 168,381
- Gilhen, J., 55,58,359
- Gilhen, J. The Brown Morph of the Northern Ringneck Snake, *Diadophis punctatus edwardsii*, on Big Tancook Island, Mahone Bay, Nova Scotia, 69
- Glandweed, Yellow, 63
- Glandweed (*Parentucellia viscosa* (L.) Caruel) and Whorled Loosestrife (*Lysimachia quadrifolia* L.), Two Vascular Plants New to Nova Scotia: Yellow, 63
- Glasswort, Virginia, 133
- Glaucomya sabrinus*, 55,194  
*volans*, 55
- Glaucopsyche lygdamus*, 48,302
- Goldenrod, Canada, 237  
Rough-stemmed, 237  
Seaside, 201  
Tall, 249
- Goodyera oblongifolia*, 106  
*repens*, 106
- Goose, Canada, 62,311
- Goosefoot, Smooth, 338
- Gould, J., 366
- Gramma, Blue, 12
- Granulacanthus joenelsoni*, 374
- Grass, False Melic, 237  
Marram, 201  
Poverty Oat, 237  
Rabbitfoot, 133  
Red Three-awned, 349
- Grayling, Arctic, 255  
European, 255
- Grayling, *Thymallus arcticus*, American Pygmy Shrew, *Sorex hoyi*, Consumed by an Arctic, 255
- Grimmia teretinervis*, 331
- Grothman, G.T. Tardigrades of Fish Creek Provincial Park, Alberta, Canada: A Preliminary Survey, 22
- Groundsel, Yukon, 227
- Grouse, Ruffed, 72
- Grouse, *Bonasa umbellus*, from Northwestern Ontario, A Brief Survey of Mycophagy in Ruffed, 72
- Grove-sandwort, Blunt-leaf, 205
- Grus canadensis*, 308
- Gull, Glaucous, 309
- Gulo gulo*, 194,216,310
- Gunson, K., 220
- Gymnocarpium dryopteris*, 7
- Gymnostomum aeruginosum*, 335
- Gyrfalcon, 311
- Halibut, Greenland, 74
- Halichoerus grypus*, 200
- Halictus confusus*, 300  
*ligatus*, 300  
*rubicundus*, 300
- Hare, European, 194  
Snowshoe, 56,194
- Harrier, Northern, 308
- Hawk, Rough-legged, 308
- Heal-all, 237,249
- Hebda, R.J., 227
- Hedeoma hispida*, 303
- Hedge-parsley, Erect, 249
- Hedwigia ciliata*, 334
- Hedysaum alpinum*, 48
- Helianthus petiolaris*, 349
- Helleborine, 237  
Broadleaf, 108
- Hemerocoetes artus*, 376  
*morelandi*, 376
- Hemlock, Eastern, 359  
Poison, 133
- Hesperia sassacus*, 302
- Heydon, P.A., G.C. Miller, and M.J. Oldham. Hairy St. John's-wort (*Hypericum hirsutum* L.) in the Toronto Area, New to North America, 248
- Hieracium piloselloides*, 303  
*scabrum* 204
- Hierochloa alpina*, 228
- Hippuris montana*, 233
- Honeysuckle, Bell's, 249
- Hop-Hornbeam, Eastern, 237
- Hoplitis pilosifrons*, 300
- Hordeum jubatum*, 350
- Hornbeam, Hop, 237
- Horse, 200
- Houston, C.S., Reviews by, 85,388
- Houstonia* sp., 51
- Hoyle, J.A. and C. Lake. First Occurrence of Chain Pickerel (*Esox niger*) in Ontario: Possible Range Expansion from New York Waters of Eastern Lake Ontario, 16
- Hudak, M., 359
- Huettmann, F., Reviews by, 165,169,175,262,263,272,275
- Hutchison, L.J., 72
- Huynh, H.M., B.L. Burke, and D.F. McAlpine. Records of Melanistic American Red Squirrels (*Tamiasciurus hudsonicus*) from Nova Scotia, 154
- Hylaeus illinoensis*, 300
- Hylocomium splendens*, 299,334
- Hypericum* sp., 248  
*boreale*, 207  
*hirsutum*, 248  
*perforatum*, 248,303  
*punctatum*, 248
- Hypericum hirsutum* L.) in the Toronto Area, New to North America, Hairy St. John's-wort, 248
- Hypnum vaucheri*, 334
- Hypsibius convergens*, 24
- Icegrass, 230
- Ilex verticillata*, 204
- Imre, I., and D. Derbowka. Major Threats Facing Terrestrial Mammals in Canada, 213

- Isanthus brachiatus*, 303  
*Isatis tinctoria*, 133  
*Isohypsibius* sp., 24  
    *prosostomus*, 24  
    *lunulatus*, 24  
    *tuberculatus*, 24  
*Isopterygiopsis pulchella*, 334
- Jaeger, Long-tailed, 308  
    Parasitic, 308  
    Pomarine, 307
- Jaguar, 117,218
- John, R., Reviews by, 82,83,84,173,261,268,279,379,380,382
- Jones, S.L. Territory Size in Mixed-grass Prairie Songbirds, 12
- Juncus articulatus*, 207  
    *balticus*, 204  
    *balticus* var. *littoralis*, 203  
    *bufonius*, 207  
    *canadensis*, 207
- Jung, T.S., A. Milani, O.E. Barker, and N.P. Millar. American Pygmy Shrew, *Sorex hoyi*, Consumed by an Arctic Grayling, *Thymallus arcticus*, 255
- Juniper, Common, 201  
    Creeping, 201
- Juniperus* sp., 211  
    *communis*, 204,232,299  
    *communis* var. *megistocarpa*, 201  
    *horizontalis*, 201
- Kalmia* sp., 244  
    *polifolia*, 244  
    *procumbens*, 242
- Kelly, P., 27
- Kennedy, A.C., 41
- Kennedy, A.J., 307
- Kestrel, American, 321
- Knotweed, 133  
    Common, 350
- Kochia scoparia* ssp. *scoparia*, 350
- Koenigia islandica*, 230
- Kostiuk, B., 47,105
- Krebs, C.J., 307
- Kronland, W.J. and M. Restani. Effects of Post-Fire Salvage Logging on Cavity-Nesting Birds and Small Mammals in Southeastern Montana, 316
- Labrador Tea, Bog, 241  
    Marsh, 242
- Lactarius* sp., 72
- Ladies'-tresses, Hooded, 37  
    Nodding, 34  
    Northern Slender, 108
- Lady's-slipper, Greater Yellow, 108  
    Ram's-head, 108,327  
    Pink, 76
- Lake, C., 16
- Lamb's-quarters, 350
- Lamprey, Sea, 16
- Lapposyrphus lapponicus*, 48
- Larix laricina*, 58
- Larkspur, Northern, 232
- Larus hyperboreus*, 309
- Lastiglossum divergens*, 300  
    *foxii*, 300  
    *imitatum*, 300  
    *leucozonium*, 300  
    *rufitarsis*, 300  
    *versans*, 300  
    *versatum*, 300
- Latham, A.D.M., and S. Boutin. Wolf, *Canis lupus*, Pup Mortality: Interspecific Predation or Non-Parental Infanticide?, 158
- Lathyrus japonicus*, 204  
    *japonicus* var. *maritimus*, 201
- Laurel, Great, 359
- Legros, D.L. Communal Oviposition in the Northern Two-lined Salamander (*Eurycea bislineata*) in Algonquin Provincial Park, Ontario, 363
- Lemming, 255  
    Brown, 307  
    Northern Collared, 308
- Lemmus* sp., 311  
    *trimucronatus*, 307
- Leontodon autumnalis*, 204
- Leopard, 117
- Lepisosteus osseus*, 16
- Lepomis gibbosus*, 18  
    *macrochirus*, 20
- Lepus americanus*, 56,194  
    *europaeus*, 194
- Leskeella nervosa*, 334
- Lesquerella arenosa*, 349
- Leucanthemum vulgare*, 237
- Lichen, Reindeer, 244
- Ligusticum scoticum*, 63
- Lilium philadelphicum*, 303
- Limenitis archippus*, 302  
    *arthemis arthemis*, 302
- Limnichthys polyactis*, 376
- Linaria vulgaris*, 204,303
- Lingonberry, 241
- Linnaea borealis*, 204
- Liparis loeselii*, 38
- Liverwort, 331
- Loiseleuria* sp., 244  
    *procumbens*, 244
- Longspur, Lapland, 308
- Longstaffe, F.J., 126
- Lonicera tatarica*, 303  
    *bella*, 249
- Lontra canadensis*, 198,252  
*Lontra canadensis*) with an Intra-peritoneal Radio-Transmitter, Long-term Survival and Reproduction in a North American River Otter, 252
- Loon, Arctic, 62  
    Common, 61
- Loon, *Gavia immer*, Additional Data and Perspectives on Interspecific Aggression in the Common, 61
- Loosestrife, Bog, 206  
    Whorled, 63
- Loosestrife (*Lysimachia quadrifolia* L.), Two Vascular Plants New to Nova Scotia: Yellow Glandweed (*Parentucellia viscosa* (L.) Caruel) and Whorled, 63
- Lophocolea minor*, 332
- Love-lies-bleeding, 338
- Lucas, Z., 200
- Lupine, 309
- Luzula* sp., 227  
    *confusa*, 241

- multiflora*, 204  
*spicata*, 229  
*Lycaena dorcas arcticus*, 357  
*Lycaon pictus*, 159  
*Lycopodium annotinum*, 244  
*Lycopus uniflorus*, 207  
*Lynx canadensis*, 117,163,194  
*rufus*, 117,163,194  
Lynx, Canada, 117,163,194  
*Lysimachia quadrifolia*, 63  
*terrestris*, 206  
*Lysimachia quadrifolia* L.), Two Vascular Plants New to Nova Scotia: Yellow Glandweed (*Parentucellia viscosa* (L.) Caruel) and Whorled Loosestrife, 63  
Macdonald, M. and B. Freedman. Two Vascular Plants New to Nova Scotia: Yellow Glandweed (*Parentucellia viscosa* (L.) Caruel) and Whorled Loosestrife (*Lysimachia quadrifolia* L.), 63  
MacKenzie, A. and D. Brunton. *The Canadian Field-Naturalist*, 1  
MacKenzie, 1922-2009, A Tribute to Hubert ("Hue") Norman, 76  
MacKenzie, W.H., 227  
MacKinnon, C.M. and A.C. Kennedy. Migrant Common Eider, *Somateria mollissima*, Collisions with Power Transmission Lines and Shortwave Communication Towers on the Tantramar Marsh in Southeastern New Brunswick, 41  
*Macrobiotus harmsworthi*, 24  
*Maianthemum canadense*, 303  
*stellata*, 211  
*stellatum*, 108,204  
Malloch, D., 257  
Manitoba, Rarity Status Assessments of Bugseeds (Amaranthaceae: *Corispermum*) in, 338  
Manitoba, with New Species Records for the Province, Saxicolous Bryophytes of an Ordovician Dolomite Escarpment in Interlake, 327  
*Mannia fragrans*, 331  
*sibirica*, 331  
Maple, Red, 58,237,358  
Sugar, 58,107,237,363  
Marmot, Vancouver Island, 216  
Yellow-Bellied, 154  
*Marmota flaviventris*, 154  
*monax*, 194  
*vancouverensis*, 216  
Marr, K.L., R.J. Hebda, and W.H. MacKenzie. Alpine Plant Range Extensions for Northern British Columbia, Including Two Species New to the Province, 227  
Marten, American, 8,194,216  
*Martes americana*, 8,194  
*americana atrata*, 216  
*pennanti*, 7,117,194  
*Martes pennanti*, Winter Distribution in Sub-boreal Forests of British Columbia, Canada, Verification of a Forest Rating System to Predict Fisher, 7  
Mayweed, Fetid, 366  
McAlpine, D.F., 154  
McAlpine, D.F., K.J. Vanderwolf, G.J. Forbes, and D. Malloch. Consumption of Bats (*Myotis* spp.) by Raccoons (*Procyon lotor*) During an Outbreak of White-Nose Syndrome in New Brunswick, Canada: Implications for Estimates of Bat Mortality, 257  
McLaren, I., Review by, 389  
Mech, L.D., 67  
Mech, L.D. Gray Wolf (*Canis lupus*) Movements and Behavior Around a Kill Site and Implications for GPS Collar Studies, 353  
*Medicago lupulina*, 303  
*Megasyrphus laxus*, 48  
*Megisto cymela cymela*, 302  
*Melanerpes erythrocephalus*, 318  
*lewis*, 316  
*Melanoleuca* sp., 72  
*Mephitis mephitis*, 27,132,194  
*Mephitis mephitis* in Scarborough, Ontario, Canada: Disease Management Implications, Home Range, Movements, and Habitat Utilization of Striped Skunk, 27  
Mice (*Peromyscus maniculatus*) in the Rocky Mountains, Alberta, Seasonal Moulting in Deer, 126  
*Micromys minutus*, 130  
*Micropterus dolomieu*, 253  
*salmoides*, 18  
*Microtus* sp., 255  
*californicus*, 126  
*oconomus*, 308  
*pennsylvanicus*, 56,321  
*pinetorum*, 216  
Milani, A., 255  
Millar, J.S., 126  
Millar, N.P., 255  
Miller, B.M., R.J. Aitken, M.J. Oldham, and A.A. Reznicek. Slender False Brome (*Brachypodium sylvaticum*, Poaceae), an Invasive Grass New to Ontario, Canada, 235  
Miller, G.C., 248  
*Milnesium* sp., 25  
*tardigradum*, 24  
Minerslettuce, Bostock's, 232  
Mink, American, 194  
*Minuartia groenlandica*, 241  
Minutes of the 132nd Annual Business Meeting of The Ottawa Field-Naturalists' Club January 18, 2011, 283  
*Mitchella repens*, 204  
Mitrow, G., 95  
*Mnium ambiguum*, 334  
*spinulosum*, 334  
*thomsonii*, 334  
*Moehringia lateriflora*, 205  
Mole, Eastern, 216  
Townsend's, 216  
Montana, Effects of Post-Fire Salvage Logging on Cavity-Nesting Birds and Small Mammals in Southeastern, 316  
*Montia* sp., 232  
*bostockii*, 232  
Moonwort, Common, 114  
Moore, J.-D. and J. Gilhen. Two Amelanistic Eastern Red-backed Salamanders (*Plethodon cinereus*) from Eastern Canada, 58  
Moose, 194,353  
*Morella pensylvanica*, 201  
*Morone americana*, 18  
Morris, C.J., B.W. Coad, and G. Fisher. The Warty Dory, *Allo-cythus verrucosus* New to the Fish Fauna of Canada, 74  
*Mortierella* sp., 258  
Morton, M.L. and M.E. Pereyra. Additional Data and Perspectives on Interspecific Aggression in the Common Loon, *Gavia immer*, 61  
Moss, 331

- Spike, 12
- Moth, Dusky Dune, 338
- Mouse, Black-eared, 126  
Brush, 130  
Deer, 126,319  
Eurasian Harvest, 130  
Hispid Pocket, 321  
House, 56  
North American Deer, 65  
Olive-backed Pocket, 321  
Taiwan Field, 127  
Western Harvest, 216,321  
White-footed, 65,321
- Mouse, *Peromyscus maniculatus*, Consuming a Parasitizing Botfly Larva, Diptera: *Cuterebridae*, North American Deer, 65
- Moxostoma* sp., 18
- Mucor* sp. 258
- Murray, A.M., M.G. Sullivan, and J. Acorn. A Tribute to Joseph Schieser Nelson, 1937 2011, 373
- Mus musculus*, 56
- Muskellunge, 20
- Muskox, 353
- Muskkrat, 194
- Mussel, Quagga, 20  
Zebra, 20
- Mustard, Garlic, 249
- Mustela erminea*, 194  
*erminea haidarum*, 216  
*nivalis*, 308
- Myodes* sp., 255  
*gapperi*, 126
- Myopsaron nelsoni*, 374
- Myosotis* sp., 228  
*asiatica*, 229
- Myotis* sp., 257  
*lucifugus*, 257  
*septentrionalis*, 257
- Myotis* spp.) by Raccoons (*Procyon lotor*) During an Outbreak of White-Nose Syndrome in New Brunswick, Canada: Implications for Estimates of Bat Mortality, Consumption of Bats, 257
- Myrica pensylvanica*, 201
- Myurella julacea*, 335
- Naming Rights to Two Newly Discovered Lichens Auctioned Off as Fundraisers for Two B.C. Environmental Groups, 394
- Neckera pennata*, 335
- Needle-and-thread, 12
- Nelson, M.E. and L.D. Mech. Wolves, *Canis lupus*, Carry and Cache the Collars of Radio-collared White-tailed Deer, *Odocoileus virginianus*, they Killed, 67
- Nelson, M.E. Killing and Caching of an Adult White-tailed Deer, *Odocoileus virginianus*, by a Single Gray Wolf, *Canis lupus*, 162
- Nelson, 1937 2011, A Tribute to Joseph Schieser, 373
- Neophrynichthys angustus*, 376  
*heterospilos*, 376  
*magnicirrus*, 376
- Neotoma cinerea*, 321
- Neovison vison*, 194
- New Brunswick, Canada: Implications for Estimates of Bat Mortality, Consumption of Bats (*Myotis* spp.) by Raccoons (*Procyon lotor*) During an Outbreak of White-Nose Syndrome in, 257
- New Brunswick, Migrant Common Eider, *Somateria mollissima*, Collisions with Power Transmission Lines and Shortwave Communication Towers on the Tantramar Marsh in Southeastern, 41
- New York Waters of Eastern Lake Ontario, First Occurrence of Chain Pickerel (*Esox niger*) in Ontario: Possible Range Expansion from, 16
- North America, Hairy St. John's-wort (*Hypericum hirsutum* L.) in the Toronto Area, New to, 248
- North American Deer Mouse, *Peromyscus maniculatus*, Consuming a Parasitizing Botfly Larva, Diptera: *Cuterebridae*, 65
- North American Ornithological Conference 2012, 181
- Northeast Natural History Conference 2012, 181
- Northeast Partners in Amphibian and Reptile Conservation Annual Meeting 2012, 181
- Nova Scotia, Canada, A Second Amelanistic Eastern Red-backed Salamander, *Plethodon cinereus*, from, 359
- Nova Scotia, Canada, Eastern Chipmunk, *Tamias striatus*, Attack on a Maritime Garter Snake, *Thamnophis sirtalis pallidulus*, at Cooks Lake, Halifax County, 55
- Nova Scotia, Effects of Feral Horses on Vegetation of Sable Island, 200
- Nova Scotia, Records of Melanistic American Red Squirrels (*Tamiasciurus hudsonicus*) from, 154
- Nova Scotia, The Brown Morph of the Northern Ringneck Snake, *Diadophis punctatus edwardsii*, on Big Tan-cook Island, Mahone Bay, 69
- Nova Scotia: Yellow Glandweed (*Parentucellia viscosa* (L.) Caruel) and Whorled Loosestrife (*Lysimachia quadrifolia* L.), Two Vascular Plants New to, 63
- Nuphar lutea* ssp. *variegata*, 206
- Nuthatch, Red-breasted, 321  
White-breasted, 321
- Nymphalis antiopa*, 302  
*vaualbum j-album*, 302
- Oak, English, 359  
Red, 358
- Odocoileus virginianus*, 67,117,162,194,239,353
- Odocoileus virginianus*, by a Single Gray Wolf, *Canis lupus*, Killing and Caching of an Adult White-tailed Deer, 162
- Odocoileus virginianus*, they Killed, Wolves, *Canis lupus*, Carry and Cache the Collars of Radio-collared White-tailed Deer, 67
- Odontites vernus* ssp. *serotinus*, 63
- Oeneis bore mckinleyensis*, 357
- Oenothera parviflora*, 204
- Ogunbiyi, A., 359
- Oldham, M.J., 34,235,248
- Oldham, M.J. and S.R. Brinker. Additions to the Vascular Flora of Ontario, Canada, from the Sutton Ridges, Hudson Bay Lowland Ecoregion, 241
- Oldham, M.J., J. Gould, and J.M. Bowles. Fetid Dogweed (*Dyssodia papposa*; Asteraceae) and Slender Russian Thistle (*Salsola collina*; Amaranthaceae), New to Alberta, Canada, 366
- Oligoneuron album*, 300
- Oncorhynchus* sp., 373  
*nerka*, 373
- Ondatra zibethicus*, 194
- Ontario, A Brief Survey of Mycophagy in Ruffed Grouse, *Bonasa umbellus*, from Northwestern, 72

- Ontario, Canada: Disease Management Implications, Home Range, Movements, and Habitat Utilization of Striped Skunk (*Mephitis mephitis*) in Scarborough, 27
- Ontario, Canada, Evidence Confirms the Presence of Cougars (*Puma concolor*) in, 116
- Ontario, Canada, from the Sutton Ridges, Hudson Bay Lowland Ecoregion, Additions to the Vascular Flora of, 241
- Ontario, Canada, Slender False Brome (*Brachypodium sylvaticum*, Poaceae), an Invasive Grass New to, 235
- Ontario, Canada, Verified by Trail Camera Photographs Between 2008 and 2010, Presence of Mammals in, 193
- Ontario, Communal Oviposition in the Northern Two-lined Salamander (*Eurycea bislineata*) in Algonquin Provincial Park, 363
- Ontario due to Climate Change?, Recent Expansion of *Spiranthes cernua* (Orchidaceae) into Northern, 34
- Ontario, First Occurrence of Chain Pickerel (*Esox niger*) in Ontario: Possible Range Expansion from New York Waters of Eastern Lake, 16
- Ontario?, Has the Western Chorus Frog (*Pseudacris triseriata*) Declined in Western Ottawa, 220
- Ontario: Possible Range Expansion from New York Waters of Eastern Lake Ontario, First Occurrence of Chain Pickerel (*Esox niger*) in, 16
- Opheodrys vernalis*, 69
- Opossum, Virginia, 194
- Orchid, 105  
 Eastern Prairie Fringed, 96  
 Hooker's, 108  
 Northern Green, 108  
 Round-Leaf, 47  
 Showy, 105  
 Tall Northern Green, 38
- Orchid, *Galearis (Amerorchis) rotundifolia*, Near Jasper, Alberta, Some Observations on the Pollination of Round-Leaf, 47
- Orchids Benefit from Woodland Hiking Trails and the Implications, Some Wild Canadian, 105
- Orchis* sp., 49  
*mascula*, 51  
*purpurea*, 51  
*spitzelii*, 53
- Orobanche ludoviciana*, 349
- Orthotrichum anomalum*, 335  
*obtusifolium*, 335
- Oryzopsis asperifolia*, 7
- Osmia atriventris*, 300  
*proxima*, 48,300
- Osopsaron natalensis*, 376
- Ostrya virginiana*, 237
- Ottawa Field-Naturalists' Club Awards for 2010, Presented April 2011, The, 183
- Otter, North American River, 198,252  
 Sea, 252
- Otter (*Lontra canadensis*) with an Intraperitoneal Radio-Transmitter, Long-term Survival and Reproduction in a North American River, 252
- Ovibos moschatus*, 353
- Ovis aries*, 200
- Owl, Short-eared, 307  
 Snowy, 308
- Owl, *Asio flammeus*, Ecology on Arctic Tundra, Yukon, Canada, Some Observations of Short-eared, 307
- Oxyria* sp., 228  
*digyna*, 229
- Packera paupercula*, 300
- Page's, M., 140
- Panicum dichotomiflorum*, 207
- Panthera onca*, 117,218  
*pardus*, 117
- Papaver* sp., 229  
*alboroseum*, 228
- Papilio canadensis*, 302  
*glaucus*, 48  
*polixenes*, 302
- Paramacrobrotus cf. richtersi*, 24
- Parentucellia* sp., 63  
*viscosa*, 63
- Parentucellia viscosa* (L.) Caruel and Whorled Loosestrife (*Lysimachia quadrifolia* L.), Two Vascular Plants New to Nova Scotia: Yellow Glandweed, 63
- Pascopyrum smithii*, 12
- Passerculus sandwichensis*, 308  
*sandwichensis princeps*, 200
- Pea, Beach, 201
- Pearly-everlasting, Common, 205
- Pedicularis bracteosa*, 232
- Peeper, Spring, 222
- Pellaea gastonyi*, 327  
*glabella* ssp. *occidentalis*, 327
- Penstemon* sp., 51  
*hirsutus*, 303
- Perca flavescens*, 16
- Perch, White, 18  
 Yellow, 16
- Pereyra, M.E., 61
- Perognathus fasciatus*, 321  
*leucopus*, 321
- Peromyscus* sp., 130,255  
*boyllii*, 130  
*leucopus*, 65  
*maniculatus*, 65,126,319  
*maniculatus gracilis*, 65  
*melanottis*, 126
- Peromyscus maniculatus*, Consuming a Parasitizing Botfly Larva, Diptera: *Cuterebridae*, North American Deer Mouse, 65
- Peromyscus maniculatus*) in the Rocky Mountains, Alberta, Seasonal Moulting in Deer Mice, 126
- Petasites* sp., 230  
*frigidus*, 230
- Petromyzon marinus*, 16
- Petsites frigidus* var. *palmatus*, 7
- Phalarope, Red-necked, 308
- Phalaropus lobatus*, 308
- Phegopteris connectilis*, 246
- Phippisia* sp., 231  
*algida*, 227
- Phoca* sp., 354  
*vitulina*, 200
- Phragmites* sp., 96  
*australis*, 96,133  
*australis* ssp. *americanus*, 95  
*australis* ssp. *australis*, 95
- Phragmites australis* subsp. *australis* in Canada, The Recent Spread and Potential Distribution of, 95

- Phyciodes tharos*, 302  
*Picea* sp., 42,162  
     *engelmannii* × *glauca*, 7  
     *engelmannii*, 106,232  
     *glauca*, 22,47,58,106,154,158,298,328,346,359  
     *mariana*, 7,244  
     *rubens*, 58  
 Pickerel, Chain, 16  
     Grass, 19  
     Redfin, 19  
 Pickerel (*Esox niger*) in Ontario: Possible Range Expansion from New York Waters of Eastern Lake Ontario, First Occurrence of Chain, 16  
*Picoides arcticus*, 316  
     *dorsalis*, 316  
     *villosus*, 318  
*Pieris angelika angelika*, 357  
     *oleracea*, 302  
     *rapae*, 302  
 Pig, 200  
 Pigweed, Redroot, 338  
     Winged, 349  
 Pike, Northern, 16,255  
 Pine, Eastern White, 358  
     Jack, 106,162  
     Lodgepole, 7,106  
     Ponderosa, 316  
 Pinegrass, 7  
*Pinus banksiana*, 106,162  
     *contorta*, 7  
     *contorta* var. *latifolia*, 106  
     *ponderosa*, 316  
     *strobus*, 298,359  
*Piperia unalascensis*, 110  
 Pipit, Sprague's, 12  
*Plagiochila porreloides*, 332  
*Plagiommium cuspidatum*, 334  
     *medium*, 334  
*Plantago lanceolata*, 204  
     *major*, 207  
     *maritima*, 63  
 Plantain, Menzies' Rattlesnake, 107  
*Platanthera* sp., 53  
     *aquilonis*, 38,108  
     *hookeri*, 108  
     *hyperborea*, 38  
     *leucophaea*, 96  
*Platydictya jungermannioides*, 334  
*Plebejus glandon bryanti*, 357  
     *idas*, 357  
     *idas alaskensis*, 357  
     *optilete*, 357  
     *optilete yukona*, 357  
*Plestiodon septentrionalis*, 338  
*Plethodon cinereus*, 58,359  
*Plethodon cinereus*) from Eastern Canada, Two Amelanistic Eastern Red-backed Salamanders, 58  
*Plethodon cinereus*, from Nova Scotia, Canada, A Second Amelanistic Eastern Red-backed Salamander, 359  
 Plover, American Golden, 308  
*Pluvialis dominica*, 308  
*Poa* sp., 133,230  
     *alpina*, 228  
     *annua*, 204  
     *paucispicula*, 230  
     *pratensis*, 203,250  
*Poanes hobomok*, 302  
*Pohlia cruda*, 333  
 Polargrass, 309  
*Polemonium* sp., 228  
*Polites mystic*, 302  
     *themistocles*, 302  
*Polygala paucifolia*, 237  
     *senega*, 303  
*Polygonatum pubescens*, 237  
*Polygonia comma*, 302  
     *faunus*, 302  
     *interrogationis*, 302  
     *progne*, 302  
*Polygonum* sp., 133  
     *aviculare* ssp. *depressum*, 350  
     *hydropiper*, 207  
     *hydropiperoides*, 206  
     *viviparum*, 228  
     *monspeliensis*, 133  
*Pomoxis nigromaculatus*, 18  
 Pond-lily, Variegated Yellow, 206  
 Pondweed, Broadleaf, 206  
     Claspingleaf, 206  
     Small, 206  
 Poplar, Balsam, 22  
 Poppy, Pale, 228  
*Populus balsamifera*, 22  
     *tremuloides*, 7,22,107,162,249,298,317,328  
 Porcupine, North American, 194  
*Potamogeton pectinata*, 206  
     *perfoliatus*, 206  
     *pusillus* ssp. *tenuissimus*, 206  
*Potentilla* sp., 232  
     *biflora*, 232  
     *diversifolia*, 228  
     *elegans*, 233  
     *norvegica*, 303  
 Power, M., 27  
 Prairie Dog, Black-Tailed, 154,216  
*Procyon lotor*, 32,117,132,194,257  
*Procyon lotor*, During an Outbreak of White-Nose Syndrome in New Brunswick, Canada: Implications for Estimates of Bat Mortality, Consumption of Bats (*Myotis* spp.) by Raccoons, 257  
 Proulx, G. Verification of a Forest Rating System to Predict Fisher, *Martes pennanti*, Winter Distribution in Sub-boreal Forests of British Columbia, Canada, 7  
*Prunella vulgaris*, 237,249,303  
*Prunus pensylvanica*, 359  
     *virginiana*, 249,299  
*Pseudacris crucifer*, 222  
     *maculata*, 220  
     *triseriata*, 220  
*Pseudacris triseriata*) Declined in Western Ottawa, Ontario?, Has the Western Chorus Frog, 220  
*Pseudoleskeella tectorum*, 334  
*Pseudoroegneria* sp. 317  
*Pseudotsuga menziesii*, 7  
*Psychrolutes microporos*, 376  
     *sio*, 376  
*Pteridium aquilinum*, 237  
*Pteropsaron heemstrai*, 376  
*Puma concolor*, 116,193  
     *concolor cougar*, 116

- Puma concolor*) in Ontario, Canada, Evidence Confirms the Presence of Cougars, 116
- Pungitius pungitius*, 374
- Pylaisiella polyantha*, 334
- Quercus robur*, 359
- rubra*, 359
- Quinoa, 338
- Raccoon, 32,132,194,257
- Common, 117
- Raccoons (*Procyon lotor*) During an Outbreak of White-Nose Syndrome in New Brunswick, Canada: Implications for Estimates of Bat Mortality, Consumption of Bats (*Myotis* spp.) by, 257
- Radula complanata*, 332
- Ramazottius oberhaeuseri*, 24
- Rangifer tarandus*, 163,198,354
- tarandus caribou*, 214
- tarandus groenlandicus*, 216
- tarandus pearyi*, 216
- Ranunculus* sp., 230
- eschschooltzii*, 229
- flammula*, 207
- pygmaeus*, 230
- repens*, 207
- Rat, Ord's Kangaroo, 216
- Rattlesnake-plantain Dwarf, 106
- Raven, Common, 45,159,308
- Redhead, 61
- Redhorse, 18
- Reed, Common, 95,133
- Reid, D.G., F.I. Doyle, A.J. Kenney, and C.J. Krebs. Some Observations of Short-eared Owl, *Asio flammeus*, Ecology on Arctic Tundra, Yukon, Canada, 307
- Reinhardtius hippoglossoides*, 74
- Reithrodontomys megalotis*, 321
- megalotis dychei*, 216
- megalotis megalotis*, 216
- Renaud, C.B. Robert (Bob) Ronald Campbell (1943 2011): Biologist, Conservationist, Pastor, 370
- Restani, M., 316
- Reznicek, A.A., 235
- Rhamnus cathartica*, 249,303
- frangula*, 102
- Rhinanthus* sp., 63
- crista-galli*, 204
- Rhodobryum ontariense*, 333
- Rhododendron groenlandicum*, 241
- lapponicum*, 241
- maximum*, 359
- tomentosum*, 242
- Rhus aromatica*, 303
- rydbergii*, 303
- typhina*, 303
- Ribes glandulosum*, 246
- Ricegrass, Indian, 349
- Rough-leaved, 7
- Rosa* sp., 300
- acicularis*, 303
- blanda*, 303
- virginiana*, 204
- virginiana* var. *virginiana*, 201
- Rosatte, R. Evidence Confirms the Presence of Cougars (*Puma concolor*) in Ontario, Canada, 116
- Rosatte, R., P. Kelly and M. Power. Home Range, Movements, and Habitat Utilization of Striped Skunk (*Mephitis mephitis*) in Scarborough, Ontario, Canada: Disease Management Implications, 27
- Rosatte, R. Presence of Mammals in Ontario, Canada, Verified by Trail Camera Photographs Between 2008 and 2010, 193
- Rose, Virginia, 201
- Rosebay, Lapland, 241
- Rosemary, Bog, 243
- Rubus* sp., 51,304
- arcuans*, 204
- chamaemorus*, 244
- idaeus* ssp. *strigosus*, 303
- odoratus*, 303
- pedatus*, 7
- Rumex acetosella*, 204
- Rush, Baltic, 205
- Russell, R.W., W. Beslin, M. Hudak, A. Ogunbiyi, A. Withrow, and J. Gilhen. A Second Amelanistic Eastern Red-backed Salamander, *Plethodon cinereus*, from Nova Scotia, Canada, 359
- Russula* sp., 72
- Ruzicka, R.E., and M.R. Conover. Influence of Wind and Humidity on Foraging Behavior of Olfactory Mesopredators, 132
- Sagina procumbens*, 207
- Salamander, Eastern Red-backed, 58,358
- Northern Two-lined, 363
- Salamander (*Eurycea bislineata*) in Algonquin Provincial Park, Ontario, Communal Oviposition in the Northern Two-lined, 363
- Salamander, *Plethodon cinereus*, from Nova Scotia, Canada, A Second Amelanistic Eastern Red-backed, 359
- Salamanders (*Plethodon cinereus*) from Eastern Canada, Two Amelanistic Eastern Red-backed, 58
- Salicornia virginica*, 133
- Salix* sp., 22
- artica*, 232
- glauca*, 312
- polaris*, 227
- pulchra*, 312
- reticulata*, 228
- richardsonii*, 308
- stolonifera*, 228
- vestita*, 241
- Salmo* sp., 373
- trutta*, 255
- Salmon, Kokanee, 373
- Salsola* sp., 366
- collina*, 366
- kali* ssp. *kali*, 366
- tragus*, 338,366
- Salsola collina*; (Amaranthaceae), New to Alberta, Canada, Fetid Dogweed (*Dyssodia papposa*; Asteraceae) and Slender Russian Thistle, 366
- Saltgrass, Inland, 133
- Saltwort, Common, 366
- Sander vitreus*, 16
- Sander-Regier, R., Reviews by, 81,90,265
- Sandmat, Matted, 133
- Sandpiper, Baird's, 308
- Pectoral, 308
- Semipalmated, 308

- Sanguisorba canadensis*, 232  
*Sarcobatus vermiculatus*, 12  
*Saxifraga bronchialis*, 232  
    *ferruginea*, 230  
    *lyallii*, 230  
    *nelsoniana*, 228  
    *rivularis*, 244  
    *rivularis* ssp. *arctolitoralis*, 246  
    *rivularis* ssp. *rivularis*, 246  
Saxifrage, Alpine Brook, 244  
*Scalopus aquaticus*, 216  
*Scapanus townsendii*, 216  
*Schistidium frigidum*, 331  
*Schizachne purpurascens*, 237  
*Schizachyrium scoparium*, 351  
*Schoenoplectus americanus*, 206  
*Scirpus americanus*, 206  
*Sciurus carolinensis*, 55,154,194  
    *niger*, 154  
*Scutellaria parvula*, 303  
Seal, 354  
    Gray, 200  
    Harbor, 200  
Sea Lion, California, 252  
    Steller, 252  
Seburn, D., Reviews by, 172,382  
Seburn, D.C. and K. Gunson. Has the Western Chorus Frog (*Pseudacris triseriata*) Declined in Western Ottawa, Ontario?, 220  
*Securigera varia*, 249  
Sedge, 308  
    Bigelow's, 242  
    Capitate, 242  
    Drooping Woodland, 237  
    Graceful, 237  
    Hair-Like, 47  
    Long-stalked, 237  
    Loose-flowered Alpine, 244  
    Northern, 241  
    Northern Bog, 243  
    Northern Single-spike, 241  
*Selaginella densa*, 12,327  
*Seligeria donniana*, 331  
*Senecio triangularis*, 232  
    *yukonensis*, 228  
Serfass, T.L., 252  
Sheep, 200  
*Shepherdia canadensis*, 7,47,303  
*Shinnersoseris rostrata*, 349  
Shorthusk, 237  
Shrew, 255  
    American Pygmy, 255  
    Common, 255  
    Dusky, 255  
    Masked, 255  
    Pacific Water, 216  
Shrew, *Sorex hoyi*, Consumed by an Arctic Grayling, *Thymallus arcticus*, American Pygmy, 255  
*Sialia currucoides*, 318  
    *sialis*, 318  
*Silene acaulis*, 229  
    *antirrhina*, 303  
Silver-Berry, American, 47  
*Sisyrinchium montanum*, 303  
*Sitta canadensis*, 321  
    *carolinensis*, 321  
Skeletonweed, Annual, 349  
Skink, Prairie, 338  
Skipperling, Arctic, 357  
Skunk, Striped, 27,132,194  
Skunk (*Mephitis mephitis*) in Scarborough, Ontario, Canada: Disease Management Implications, Home Range, Movements, and Habitat Utilization of Striped, 27  
Slipper, Fairy, 106  
Smartweed, Swamp, 206  
Smith, H., 140  
Snake, Eastern Smooth Green, 69  
    Garter, 56  
    Maritime Garter, 55,69  
    Northern Redbelly, 56,69  
    Ringneck, 69  
Snake, *Diadophis punctatus edwardsii*, on Big Tancook Island, Mahone Bay, Nova Scotia, The Brown Morph of the Northern Ringneck, 69  
Snake, *Thamnophis sirtalis pallidulus*, at Cooks Lake, Halifax County, Nova Scotia, Canada, Eastern Chipmunk, *Tamias striatus*, Attack on a Maritime Garter, 55  
*Solidago* sp., 300  
    *altissima*, 249  
    *canadensis*, 237,250,303  
    *juncea*, 303  
    *nemoralis*, 300  
    *rugosa*, 204,237  
    *sempervirens*, 201  
Solomon's Seal, False, 108  
    Hairy, 237  
*Somateria mollissima*, 41  
    *mollissima dresseri*, 41  
*Somateria mollissima*, Collisions with Power Transmission Lines and Shortwave Communication Towers on the Tantramar Marsh in Southeastern New Brunswick, Migrant Common Eider, 41  
Soopalie, 7  
*Sorex* sp., 255  
    *araneus*, 255  
    *bendirii*, 216  
    *cinereus*, 255  
    *hoyi*, 255  
    *monticolus*, 255  
*Sorex hoyi*, Consumed by an Arctic Grayling, *Thymallus arcticus*, American Pygmy Shrew, 255  
Sorrel, Common Sheep, 205  
Sparrow, Baird's, 12  
    Grasshopper, 12  
    Ipswich, 200  
    Savannah, 200,308  
*Spartina patens*, 206  
    *pectinata*, 204  
*Spermophilus parryii*, 154  
    *tridecemlineatus*, 154,321  
*Speyeria aphrodite*, 302  
    *cybele*, 302  
    *mormonia bischoffii*, 357  
*Sphagnum* sp., 58,207,232  
Sphagnum, 58  
Spikemoss, Prairie, 327  
Spinach, 338  
*Spinacia oleracea*, 338  
*Spiranthes cernua*, 34  
    *lacera*, 108

- romanzoffiana*, 37
- Spiranthes cernua* (Orchidaceae) into Northern Ontario due to Climate Change?, Recent Expansion of, 34
- Spruce, 42,162  
Black, 7,244  
Engelmann's, 106  
Red, 58  
White, 7,22,47,58,106,154,158,328,346,359
- Spurge, Geyer's, 349
- Squirrel, American Red, 154  
Arctic Ground, 154  
Eastern Fox, 154  
Eastern Gray, 55,154,194  
Gray, 154  
Northern Flying, 55,194  
Red, 55,154,194  
Southern Flying, 55  
Thirteen-lined Ground, 154,321
- Squirrels (*Tamiasciurus hudsonicus*) from Nova Scotia, Records of Melanistic American Red, 154
- St. John's-wort, 248  
Common, 248  
Hairy, 248  
Spotted, 248
- St. John's-wort (*Hypericum hirsutum* L.) in the Toronto Area, New to North America, Hairy, 248
- Starling, European, 318
- Stellaria graminea*, 204
- Stercorarius longicaudus*, 308  
*parasiticus*, 308  
*pomarinus*, 307
- Stevens, S.S., 252
- Stewart, F.E.C. North American Deer Mouse, *Peromyscus maniculatus*, Consuming a Parasitizing Botfly Larva, Diptera: *Cuterebridae*, 65
- Stewart, 1936-2011, Dr. Kenneth William, 282
- Stickleback, Brook, 374  
Ninespine, 374
- Stipa comata*, 12
- Stitchwort, Greenland, 241
- Storeria occipitomaculata occipitomaculata*, 56
- Strawberry, 47  
Virginia, 205
- Streptopus amplexifolius*, 7
- Stuckenia pectinata*, 206
- Sturnus vulgaris*, 318
- Sucker, White, 16
- Sullivan, M.G., 373
- Sulphur, Clouded, 357
- Sunfish, Bluegill, 20  
Pumpkinseed, 18
- Sunflower, Prairie, 349
- Sus scrofa*, 200
- Swallow-wort, European, 249
- Sweetgrass, Alpine, 241
- Sylvilagus floridanus*, 130,194,321  
*nuttallii nuttallii*, 216
- Symphytotrichum* sp., 249  
*albus*, 299  
*ciliolatum*, 303  
*ericoides*, 249  
*lanceolatum*, 250  
*novae-angliae*, 250  
*urophyllum*, 237  
*novi-belgii*, 204
- Syntrichia norvegica*, 331
- ruralis*, 331
- Tabacaru, C.A., J.S. Millar, and F.J. Longstaffe. Seasonal Moulting in Deer Mice (*Peromyscus maniculatus*) in the Rocky Mountains, Alberta, 126
- Tadarida brasiliensis*, 258
- Tamarack, 58
- Tamarisk, 133
- Tamarix* sp., 133
- Tamias striatus*, 55,154,198
- Tamias striatus*, Attack on a Maritime Garter Snake, *Thamnophis sirtalis pallidulus*, at Cooks Lake, Halifax County, Nova Scotia, Canada, Eastern Chipmunk, 55
- Tamiasciurus hudsonicus*, 55,154,194
- Tamiasciurus hudsonicus*) from Nova Scotia, Records of Melanistic American Red Squirrels, 154
- Tanney, J.B. and L.J. Hutchison. A Brief Survey of Mycophagy in Ruffed Grouse, *Bonasa umbellus*, from Northwestern Ontario, 72
- Taraxacum officinale*, 207,303
- Taxidea taxus*, 197  
*taxus jacksoni*, 216  
*taxus jeffersonii*, 216
- Taxus canadensis*, 359
- Taylor, A.N. and P.M. Catling. Bees and Butterflies in Burned and Unburned Alvar Woodland: Evidence for the Importance of Postfire Succession to Insect Pollinator Diversity in an Imperiled Ecosystem, 297
- Tephrosia* sp., 228  
*frigida*, 228  
*kjellmanii*, 228  
*lindstroemii*, 228  
*tundricola*, 228  
*yukonensis*, 227
- Tetropium fuscum*, 359
- Thalictrum pubescens*, 204
- Thamnophis sirtalis*, 56  
*sirtalis pallidulus*, 55,69
- Thamnophis sirtalis pallidulus*, at Cooks Lake, Halifax County, Nova Scotia, Canada, Eastern Chipmunk, *Tamias striatus*, Attack on a Maritime Garter Snake, 55
- Thistle, Prickly Russian, 366  
Russian, 338,350  
Slender Russian, 366
- Thistle (*Salsola collina*; Amaranthaceae), New to Alberta, Canada, Fetid Dogweed (*Dyssodia papposa*; Asteraceae) and Slender Russian, 366
- Thorybes pylades*, 302
- Thuidium recognitum*, 335
- Thuja occidentalis*, 107,237,298
- Thymallus arcticus*, 255  
*thymallus*, 255
- Thymallus arcticus*, American Pygmy Shrew, *Sorex hoyi*, Consumed by an Arctic Grayling, 255
- Thymelicus lineola*, 302
- Toothfish, Patagonian, 75
- Torilis japonica*, 249
- Tortella fragilis*, 332  
*tortuosa*, 335
- Tortula mucronifolia*, 335
- Toxicodendron rydbergii*, 303
- Tragopogon dubius*, 303
- Trichophorum alpinum*, 243  
*cespitosum*, 242
- Trientalis borealis*, 204
- Trifolium* sp., 51

- aureum*, 63  
*hybridum*, 303  
*repens*, 204  
*Trisetum* sp., 228  
   *spicatum*, 232  
*Troglodytes aedon*, 320  
 Trout, Brown, 255  
 Trout-lily, Yellow, 249  
*Tsuga canadensis*, 359  
*Tundrius* sp., 312  
 Turbot, 74  
 Tussock, 309  
 Twayblade, Loesel's, 38  
 Twistedstalk, Claspingleaved, 7  
*Typha* sp., 96  
   *latifolia*, 58,100  
  
*Urocyon cinereoargenteus*, 216  
*Ursus americanus*, 117,158,194  
   *arctos*, 216,310  
   *maritimus*, 140,197,216  
*Ursus maritimus*) Tracks by Inuit Hunters: Inter-rater Reliability and Inferences Concerning Accuracy, Interpretations of Polar Bear, 140  
  
*Vaccinium angustifolium*, 201  
   *macrocarpon*, 204  
   *uliginosum*, 241  
   *vitis-idaea*, 241  
 Van Coeverden de Groot, P., 140  
 Vanderwolf, K.J., 257  
*Vanessa cardui*, 302  
*Verbascum thapsus*, 303  
*Verbena bracteata*, 349  
 Vervain, Large-bracted, 349  
 Vetch, 308  
   Tufted, 250  
*Viburnum nudum*, 204  
*Vicia cracca*, 250  
 Vine, Dog-strangling, 249  
*Viola adunca*, 303  
   *labradorica*, 237  
   *lanceolata*, 207  
   *nephrophylla*, 303  
 Violet, 237  
 Vole, California, 126  
   Meadow, 56,321  
   Southern Red-backed, 126  
   Tundra, 308  
   Woodland, 216  
*Vulpes lagopus*, 198,308  
   *velox*, 216  
   *vulpes*, 32,67,117,132,159,194,308  
  
*Waldsteinia fragarioides*, 303  
*Wallengrenia egeremet*, 302  
  
 Walleye, 16  
 Weasel, Least, 308  
 Wheatgrass, Crested, 133,350  
   Western, 12  
 White, Arctic, 357  
 Whitlow-grass, Carolina, 349  
 Wild-basil, 237  
 Willow, 22,312  
   Arctic, 308  
   Hairy, 241  
   Richardson's, 308  
 Willowherb, Small-flowered, 250  
 Withrow, A., 359  
 Woad, Dyer's, 133  
 Wolf, 67,117,158  
   Eastern, 216  
   Gray, 158,162,194,353  
   Indian, 159  
 Wolf, *Canis lupus*, Killing and Caching of an Adult White-tailed Deer, *Odocoileus virginianus*, by a Single Gray, 162  
 Wolf (*Canis lupus*) Movements and Behavior Around a Kill Site and Implications for GPS Collar Studies, Gray, 353  
 Wolf, *Canis lupus*, Pup Mortality: Interspecific Predation or Non-Parental Infanticide?, 158  
 Wolverine, 194,216,310  
 Wolves, *Canis lupus*, Carry and Cache the Collars of Radio-collared White-tailed Deer, *Odocoileus virginianus*, they Killed, 67  
 Wong, P.B.Y., P. Van Coeverden de Groot, C. Fekken, H. Smith, M. Pagès, and P.T. Boag. Interpretations of Polar Bear (*Ursus maritimus*) Tracks by Inuit Hunters: Inter-rater Reliability and Inferences Concerning Accuracy, 140  
 Woodchuck, 194  
 Woodfern, Spreading, 246  
 Woodpecker, American Three-toed, 316  
   Black-backed, 316  
   Hairy, 318  
   Lewis's, 316  
   Red-headed, 318  
 Woodrat, Bushy-tailed, 321  
 Woodrush, Northern, 241  
*Woodsia ilvensis*, 241  
 Woodsia, Rusty, 241  
 World Congress of Herpetology 7, 181  
 Wren, House, 320  
  
 Yarrow, Common, 201  
 Yew, Canada, 359  
 Youngman: 1927 2011, Phillip Merrill, 394  
 Yukon, Canada, Some Observations of Short-eared Owl, *Asio flammeus*, Ecology on Arctic Tundra, 307  
  
*Zalophus californianus*, 252

## Index to Book Reviews

### Botany

- Daoming, G. Coastal Wetland Ecosystem Spartina Salt Marsh and Its Management in China, 89
- Dong, P. and L. Xinzheng. Walnut Germplasm Resources in China, 386
- Guohang, T. and Z. Tianbang. Cactus Plant Resources and Utilization, 385
- Hudson, P. A Field Guide to Alpine Flowers of the Pacific Northwest, 173
- Hudson, R. A Field Guide to Gemstones of the Pacific Northwest, 173
- Lindeberg, M.R. and S.C. Lindstrom. Field Guide to the Seaweeds of Alaska, 174
- Liuyan, Y.Y. and X. Lin. Outbreak, Harm and Control of Algal Blooms in Lakes of China, 270
- Riley, J. Wetlands of the Hudson Bay Lowlands: An Ontario Review, 173
- Sharma, R. North American Native Orchid Conservation Preservation, Propagation, and Restoration, 86

### Environment

- Benson, E. Wired Wilderness: Technologies of Tracking and the Making of Modern Wildlife, 90
- Morse, S. Sustainability: A Biological Perspective, 90

### Other

- Dickinson, E.C., L.K. Overstreet, R.J. Dowsett and M.D. Bruce. !Priority! The Dating of Scientific Names in Ornithology: A Directory to the Literature and its Reviewers, 390
- Liao B., M. Li, Y. Chen, W. Guan. Techniques for Restoration and Reconstruction of Mangrove Forests in China, 389
- Pauly, D. 5 Easy Pieces – The Impact of Fisheries on Marine Ecosystems, 275
- Rice, S.A. Life of Earth – Portrait of A Beautiful, Middle-Aged, Stressed-Out World, 274
- Riley, J.L. Wetlands of the Ontario Hudson Bay Lowland: A Regional Overview, 277
- Riley, J. Wetlands of the Ontario Hudson Bay Lowlands: An Ontario Review, 279
- Rustamov, E. and A. Rustamov. Biodiversity Conservation in Central Asia: On the Example of Turkmenistan, 175
- Shucheng, X., Y. Hongfu, S. Xiaoying. Interactions and Co-evolution of Life and Earth Environment, 388
- UNESCO Publishing. Climate Change and Arctic Sustainable Development: Scientific, Social, Cultural and Educational Challenges, 272
- Watson, A. A Zoologist on Baffin Island – 1953, 391
- Zhiyun, O. and Z. Chunquan. Atlas of Biodiversity and Conservation in the Yangtze River Basin, 271

### Zoology

- Alexander, B. Natural History. The Ultimate Visual Guide to Everything on Earth, 84
- Arlott, N. Birds of North America and Greenland, 261
- Brown, B.V., A. Borkent, J.M. Cumming, D.M. Wood, N.E. Woodley, and M.A. Zumbado. Manual of Central American Diptera, Volumes 1 and 2, 168
- Bavington, D. Managed Annihilation: An Unnatural History of the Newfoundland Cod Collapse, 262
- Belgrano, A. and C.W. Fowler. Ecosystem Based Management for Marine Fisheries: An Evolving Perspective, 263
- Coonan, T.J., C.A. Schwemm, and D.K. Garcelon, with L. Munson and C. Asa. Decline and Recovery of the Island Fox: A Case Study for Population Recovery, 265
- Crossley, R. The Crossley ID Guide: Eastern Birds, 82
- del Hoyo, J., A. Elliott, and D.A. Christie. Handbook of the Birds of the World. Volume 15. Weavers to New World Warblers, 83
- del Hoyo, J., A. Elliott and D. Christie. Handbook of Birds of the World. Volume 16, 381
- Dunn, J.L. and J. Alderfer. National Geographic Field Guide to the Birds of North America Sixth Edition, 382
- Ernst, C.H. and E.M. Ernst. Venomous Reptiles of the United States, Canada, and Northern Mexico. Volume 2. Crocotalus, 384
- Gibson, D. and G.V. Byrd. Birds of the Aleutian Islands, 165
- Hill, G.E. Bird Color Mysteries Explained, 82
- Howell, S.N.G. Petrels, Albatrosses and Storm Petrels of North America, 384
- Hunter, L. Carnivores of the World, 382
- Jackson, D.C. Life in a Shell: A Physiologist's View of a Turtle, 172
- Kenefick, M., R. Restall, and F. Hayes. Field Guide to the Birds of Trinidad and Tobago, 261
- Knick, S.T. and J.W. Connelly. Greater Sage-Grouse, Ecology and Conservation of a Landscape Species and Its Habitats, 266
- McDaniel, N. A Field Guide to Sea Stars of the Pacific Northwest, 269
- Packer, L. Keeping the Bees: Why All Bees Are at Risk and What We Can Do to Save Them, 81
- Price, P.W., R.F. Denno, M.D. Eubanks, D.L. Finke, and I. Kaplan. Insect Ecology: Behavior, Populations and Communities, 383
- Richardson, P. Bats, 80
- Scott, G. Essential Ornithology, 85
- Stokes, D.W. and L.Q. Stokes. The Stokes Field Guide to the Birds of North America, 167
- Wilson, D.E. and R.A. Mittermeier. Handbook of the Mammals of the World. Volume 2. Hoofed Mammals, 268
- Woodley, K. Godwits: Long-haul Champions, New Zealand to the World One Bird's Voyage, 169

