

# Index to Volume 117

Compiled by Leslie Cody

- Abies amabilis*, 213  
  *balsamea*, 72,532,590  
  *balsamifera*, 362  
  *lasiocarpa*, 40,44,61,353,362,566
- Abietinaria abietina*, 557  
  *kincaidi*, 561  
  *pulchra*, 559  
  *thuiarioides*, 561
- Accipiter gentilis*, 12,479  
  *striatus*, 12
- Acer* spp., 378  
  *pensylvanicum*, 535  
  *rubrum*, 185,436,469,532,590,622  
  *saccharinum*, 470  
  *saccharum*, 389,532,590,622  
  *saccharum* ssp. *nigrum*, 649  
  *saccharum* ssp. *saccharum*, 649
- Acesta angolensis*, 440  
  *bullisi*, 440  
  *columbiana*, 440  
  *excavata*, 440
- Acesta excavata* (Bivalvia: Pectinoidea: Limidae), in the Northwest Atlantic, First record of the European Giant File Clam, 440
- Achillea millefolium*, 198,260
- Acipenser fulvescens*, 541  
  *oxyrynchus*, 59
- Acipenser fulvescens*, in a Natural Reach of the Ottawa River, Movement of Lake Sturgeon, 541
- Aconitum delphinifolium* ssp. *paradoxum*, 278
- Actaea pachypoda*, 650  
  *rubra*, 650
- Actinemys*, 415
- Actitis macularia*, 13
- Adams, J.D., 415
- Adiantum pedatum*, 650
- Adoxa moschatellina*, 278,448
- Aechmophorus occidentalis*, 11
- Aegolius acadicus*, 14  
  *funereus*, 14
- Aethia cristatella*, 14  
  *psittacula*, 13
- Agelaius phoeniceus*, 16,169  
  *tricolor*, 311
- XAgrohordeum macounii*, 283
- Agropyron cristatum*, 168  
  *dasystachum*, 262  
  *intermedium*, 283  
  *pectiniforme*, 280  
  *sibiricum*, 280  
  *smithii*, 25,168,262  
  *subsecundum*, 262
- Agrostis alba*, 168  
  *borealis*, 452  
  *capillaris*, 536  
  *exarata*, 278
- gigantea*, 280  
  *mertensii* ssp. *mertensii*, 278,448  
  *palustris*, 536  
  *scabra*, 535  
  *scabra* var. *geminata*, 278  
  *stolonifera*, 536  
  *tenuis*, 536
- Aix sponsa*, 608
- Alaska, A Northern Hawk Owl, *Surnia ulula*, Nest on a Man-made Structure in, 306
- Alaska, Heavy Metal Concentrations in Arctic Foxes, *Alopex lagopus*, in the Prudhoe Bay Oil Field, 119
- Albatross, Black-footed, 11
- Alberta, Documenting Pronghorn Antelope, *Antilocapra americana*, in the Peace River Grasslands, 657
- Alberta, Northern Harrier, *Circus cyaneus*, Attacks on Greater Sage-Grouse, *Centrocercus urophasianus*, in Southern, 479
- Alberta, Seasonal Dynamics and Defoliation Impact on Herbage Yield in Aspen Boreal Habitats of, 196
- Alces alces*, 7,316,357,400,547,591  
  *alces andersoni*, 7  
  *alces gigas*, 7
- Alder, Green, 203,290,455  
  Grey, 290  
  Sitka, 215  
  Speckled, 378,417
- Aldridge, C.L., 479
- Aldridge, C.L. and R.M. Brigham. Distribution, Abundance, and Status of the Greater Sage-Grouse, *Centrocercus urophasianus*, in Canada, 25
- Alectoria*, 39,44  
  *ochroleuca*, 66  
  *sarmentosa*, 39,46,62,354
- Alewife, 59
- Alfalfa, Yellow, 459
- Aldredge, A.W., 316
- Allium tricoccum*, 650
- Alnus crispa*, 203,215,448  
  *crispa* ssp. *crispa*, 278  
  *incana*, 417  
  *incana* ssp. *tenuifolia*, 178  
  *rubra*, 213  
  *rugosa*, 378
- Alopecurus geniculatus*, 278
- Alopex lagopus*, 119,424,430
- Alopex lagopus*, Energy Cost of Running in an Arctic Fox, 430
- Alopex lagopus*, in the Prudhoe Bay Oil Field, Alaska, Heavy Metal Concentrations in Arctic Foxes, 119
- Alosa pseudoharengus*, 59  
  *sapidissima*, 59
- Alvo, R. and S. Ponomarenko. Vegetation Classification Standard for Canada Workshop: 31 May–2 June 2000, 125
- Amanita*, 380

- Ambrosia psilostachya*, 645  
*Ambystoma jeffersonianum*, 19  
*Ammodramus maritimus*, 654  
     *nelsoni*, 169  
*Ammodytes hexapterus*, 53  
*Amphibian Voice*, 166,677  
*Amphicarpa bracteata*, 650  
*Amphipacifica: Journal of Aquatic Systematic Biology* 3(3), 164  
*Anas acuta*, 12,605  
     *americana*, 11  
     *clypeata*, 12  
     *crecca*, 12  
     *cyanoptera*, 12  
     *discors*, 12,227,314  
     *penelope*, 11  
     *platyrhynchos*, 11,254  
     *rubripes*, 11  
     *strepera*, 11,608  
*Anas acuta*, Initiate Rapid Follicular Growth During Spring Migration?, Do Female Northern Pintails, 605  
 Anderson, E.M., 419  
 Anderson, S.H., 308  
*Andromeda polifolia*, 278  
*Andropogon gerardii*, 218  
     *hallii*, 645  
*Androsace septentrionalis*, 262  
*Anemone acutiloba*, 650  
     *canadensis*, 103  
     *multifida*, 278  
     *patens*, 260  
*Anemone*, Cut-leaf, 291  
*Angelica lucida*, 449  
*Angelica*, Seacoast, 461  
*Anguilla rostrata*, 59  
*Anser albifrons*, 11  
*Antelope, Antilocapra americana*, in the Peace River Grasslands, Alberta, Documenting Pronghorn, 657  
*Antelope*, Pronghorn, 657  
*Antennaria rosea* ssp. *confinis*, 278  
*Anthus rubescens*, 15  
*Antilocapra americana*, 309,657  
*Antilocapra americana*, in the Peace River Grasslands, Alberta, Documenting Pronghorn Antelope, 657  
 Aoki, K.A.A. and R.A. Bodaly, Sympatric Presence of Low and High Gillraker Forms of Cisco, *Coregonus artedii*, in Lake Athapapuskow, Manitoba, 49  
*Apargidium*, 214  
*Aphelocoma californica*, 311  
*Aphriza virgata*, 13  
*Apocynum cannabinum* var. *glaberrimum*, 449  
     *sibiricum*, 462  
*Apodemus sylvaticus*, 245  
 Applegate, D.R., 122  
 Applegate, R.D., 645  
 Applegate, R.D. and D.R. Applegate, Winter Occurrence of Harlan's, *Buteo jamaicensis harlani*, and Krider's, *B. j. borealis*, Hawks in Eastern Kansas, 122  
*Aptenodytes forsteri*, 231,430  
 Aquadro, C.F., 184  
*Aquila chrysaetos*, 12,31,479,566  
*Aquilegia formosa*, 278  
*Arabis boivinii*, 278  
     *codyi*, 278  
     *holboellii* var. *retrofracta*, 279  
     *kamtschatica*, 279  
*Aralia* spp., 594  
*Arceuthobium campylopodum*, 306  
 Archibold, O.W., E.A. Ripley, and L. Delanoy, Effects of Season of Burning on the Microenvironment of Fescue Prairie in Central Saskatchewan, 257  
*Arcoscappelium mitchellotianum*, 441  
*Arctagrostis latifolia*, 449  
*Arctanthemum integrifolium*, 66  
*Ardea alba*, 11  
     *herodias*, 11,603  
*Arenaria interpres*, 13  
     *melanocephala*, 13  
*Arnica angustifolia* ssp. *attenuata*, 279  
     *chamissonis* ssp. *chamissonis*, 279  
     *griscornii* ssp. *frigida*, 279  
*Arnica*, Alpine, 299  
     Meadow, 299  
*Aronia melanocarpa*, 395  
 Arrowhead, 168  
 Arsenaault, A., 61  
*Artemisia borealis*, 463  
     *campestris*, 449  
     *cana*, 25  
     *dracunculus*, 279  
     *filifolia*, 645  
     *frigida*, 25,262  
     *ludoviciana*, 258  
     *tillesii*, 449  
 Arthurs, W., Review by, 669  
 Ash, Black, 590  
     Green, 218  
     White, 649  
*Asio flammeus*, 14,466  
 Aspen, 362,582  
     Largetooth, 436  
     Trembling, 76,91,196,378,395,436,590,652  
 Aspen Boreal Habitats of Alberta, Seasonal Dynamics and Defoliation Impact on Herbage Yield in, 196  
 Asphodel, Sticky False, 213  
*Aster falcatus*, 258  
     *laevis*, 103,258  
     *modestus*, 279  
     *sagittifolius*, 198  
     *sibiricus*, 449  
     *spathulatus*, 449  
     *umbellatus*, 538  
 Aster, 258,463  
     Arctic, 463  
     Western Bog, 299  
*Astragalus aboriginum*, 459  
     *australis*, 449  
     *bodinii*, 279  
     *cicer*, 280  
     *goniatus*, 262  
     *tenellus*, 279  
*Athyrium filix-femina* var. *angustum*, 650  
 Atkinson, J., Reviews by, 158,508,674  
 Auditor's Report, 518  
 Auklet, Cassin's, 13  
     Crested, 14  
     Parakeet, 13  
     Rhinoceros, 14  
*Aulacomnium turgidum*, 66  
*Aulichnites*, 578

- Avens, Hooker's Mountain, 294  
     Three-flowered, 258  
 Awlwort, 294,458  
*Aythya affinis*, 12,582  
     *americana*, 12  
     *collaris*, 12,585,608  
     *marila*, 12,582  
     *valisineria*, 12,608  
*Aythya affinis*, Reproductive Rates Declined in Parkland Man-  
 itoba?, Have Lesser Scaup, 582  
 Azalea, False, 214  
  
 Badger, 308  
     American, 348  
     Eurasian, 243  
 Bailey, M., Review by, 660  
*Balanus improvisus*, 555  
 Ballard, W.B., 424,468,645  
 Ballard, W.B., M.A. Cronin, M.D. Robards, and W.A. Stub-  
 blefield. Heavy Metal Concentrations in Arctic Foxes,  
*Alonex lagopus*, in the Prudhoe Bay Oil Field, Alaska,  
 119  
 Baneberry, Red, 650  
     White, 650  
*Bartramia longicauda*, 13  
 Basswood, 590  
     American, 650  
 Bat, Big Brown, 652  
     Eastern Red, 651  
     Hoary, 652  
     Little Brown, 17,652  
     Silver-haired, 652  
 Bat, *Lasiurus borealis*, from Cypress Hills Provincial Park,  
 Saskatchewan: A Response to Climate Change?, New  
 Records of the Eastern Red, 651  
 Bear, American Black, 18  
     Black, 113,193,407,566,591,621,626  
     Brown, 242  
     Florida Black, 113  
     Grizzly, 18,566  
     Louisiana Black, 113  
     North American Black, 236  
     Plains Grizzly, 30  
     Polar, 433,648  
     Svalbard Polar, 120  
 Bear, *Ursus americanus*, Denning Chronology and Den Site  
 Selection in the Northeastern Cascades of Washing-  
 ton, Black, 626  
 Bear, *Ursus maritimus*, in northeast Saskatchewan, Extra-  
 limital Sighting of a Polar, 648  
 Bears, *Ursus americanus*, Associated with Elevated Train  
 Trestles, Mortality of Black, 113  
 Bears, *Ursus americanus*, in Difficult Locations, Methods  
 for Capturing Free-Ranging, 621  
 Bears, *Ursus americanus*, Phenotypic Variation in Skull Size  
 and Shape Between Newfoundland and Mainland  
 Populations of North American Black, 236  
 Beaudoin, A.B., Review by, 670  
 Beaver, 115,192,365,378,590  
     American, 17  
 Bedstraw, Northern, 258  
     Small, 298  
 Beech, 185,394,538,590  
     American, 389  
 Beggarticks, Nodding, 299  
  
 B elanger, L., 167  
 Belant, J.L. and S.K. Windels. Small Mammal Abundance  
 and Diversity in Forests with and without Canada  
     Yew, *Taxus canadensis*, 389  
 Bell, Yellow, 304  
 Bellwort, Large-flowered, 650  
 Bennett, B., 278  
 Bennett, R., Review by, 674  
 Bergenske, J., 352  
 Bernier, C., 190  
*Betula* spp., 395  
     *allegahaniensis*, 532,590  
     *cordifolia*, 532  
     *glandulosa*, 203,307  
     *lenta*, 622  
     *neoalaskana*, 279  
     *occidentalis*, 279  
     *papyrifera*, 61,279,362,378,532,590  
     *pendula*, 393  
     *populifolia*, 393  
*Betula pendula*, on the Hydrology of Wainfleet Bog, Ontario,  
 Lack of Evidence for Impact of the European White  
 Birch, 393  
*Bidens cernua*, 279  
 Bider, J.R., 377  
*Bimeria brevis*, 561  
 Birch, 395  
     Alaska, 290  
     Black, 622  
     Bog, 307  
     Dwarf, 203  
     European White, 393  
     Mountain, 532  
     Paper, 290,362  
     Water, 290  
     White, 378,532,590  
     Yellow, 532,590  
 Birch, *Betula pendula*, on the Hydrology of Wainfleet Bog,  
 Ontario, Lack of Evidence for Impact of the Euro-  
 pean White, 393  
 Bishop's Cap, Two-leaved, 650  
*Bison bison*, 18,657  
 Bison, 657  
     American, 7  
 Bitterbrush, 628  
 Bitter-cress, Little Western, 292  
 Bittern, American, 11  
 Blackbird, Red-winged, 7,169  
     Rusty, 16  
     Tricolored, 311  
 Bladderpod, Arctic, 294  
 Bladderwort, Lesser, 298  
*Blarina brevicauda*, 246,390  
*Blechnum spicant*, 211  
 Blue-joint, 282  
 Blueberry, Bog, 213  
     Oval-leaved, 461  
 Bluebird, Mountain, 7,110  
 Bluebirds, *Sialia currucoides*, and Tree Swallows, *Tachycineta*  
*bicolor* with Monthly Air Temperatures, Comparison  
 of Spring Return Dates of Mountain, 110  
 Bluegrass, 196  
     Bog, 285  
     Canada, 285  
     Kentucky, 168,196,258

- Rough, 285  
 Sandberg, 285  
 Bluestem, Big, 218  
 Little, 218  
 Old World, 425  
 Sand, 645  
 Bobcat, 193,361,472  
 Bobcats, *Lynx rufus*, and Raccoons, *Procyon lotor*, Relative to Home Range Boundaries, Capture Locations of Coyotes, *Canis latrans*, 472  
 Bobolinks, 169  
 Bodaly, R.A., 49  
 Boertmann, D. Distribution and Conservation of the Harlequin Duck, *Histrionicus histrionicus*, in Greenland, 249  
 Bog-laurel, 296  
 Boles, S.R., 469  
*Boletus*, 380  
*Bombycilla cedrorum*, 15,177  
   *garrulus*, 15  
*Bonasa umbellus*, 12,177,313,365  
 Boreal Dip Ner: Newsletter of the Canadian Amphibian and Reptile Conservation Network, *The*, 343  
 Bork, E.W., 196  
*Botaurus lentiginosus*, 11  
*Bothriochloa* spp., 425  
*Botrychium lunaria*, 449  
*Bougainvillia* sp., 557  
 Bourgeois, J.-C., 377,605  
 Bousfield, E.L., 140  
*Bouteloua curtipendula*, 218,425  
   *gracilis*, 25,425,645  
*Brachyramphus brevirostris*, 13  
   *marmoratus*, 13,53  
 Bramble, Five-leafed, 214  
 Brambling, 16  
 Brant, 11  
*Branta bernicla*, 11  
   *canadensis*, 11,227  
 Breton, L., 399,546  
 Brigham, R.M., 25,651  
 British Columbia, and its Palaeobotanical Implications, An Occurrence of the Hawkweed-Leaved Saxifrage, *Saxifraga hieraciifolia*, in Southern, 304  
 British Columbia, Bald Eagles, *Haliaeetus leucocephalus*, Feeding on Spawning Plainfin Midshipman, *Porichthys notatus*, at Crescent Beach, 601  
 British Columbia, Characteristics of Early-Winter Caribou, *Rangifer tarandus caribou*, Feeding Sites in the Southern Purcell Mountains, 352  
 British Columbia Coast, The Shoreline Fringe Forest and Adjacent Peatlands of the Southern Central, 209  
 British Columbia, Notes on the *Populus* "Dripzone Effect" on Lichens in Well-ventilated Stands in East-central, 61  
 British Columbia, Seasonal Habitat Use and Movements of Mountain Goats, *Oreamnos americanus*, in East-central, 565  
 British Columbia, Sightings of Vagrant Pacific Alcids in Desolation Sound, 53  
 Brome, California, 282  
 Smooth, 168,197  
 Bromegrass, 196  
 Smooth, 196  
*Bromus carinatus*, 280  
   *inermis*, 168,196  
   *secalinus*, 536  
 Brooks, R.T., 190  
 Browning, M., 393  
 Brunjes, J.H. IV and W.D. Webster. Marsh Rice Rat, *Oryzomys palustris*, Predation on Forster's Tern, *Sterna forsteri*, Eggs in Coastal North Carolina, 654  
 Brunton, D.F. A Tribute to Clarence Frankton 1906-2000, 481  
*Bryoria* spp., 39,44,352  
   *capillaris*, 45,62  
   *chalybeiformis*, 45  
   *fremontii*, 39,45  
   *fuscescens*, 39,45,62  
   *glabra*, 39,45  
   *implexa*, 45  
   *lanestrus*, 45  
   *pseudofuscescens*, 39,45  
   *simplicior*, 45  
   *tortuosa*, 45  
 (*Bryoria*) in High-Elevation Oldgrowth Conifer Forests, On the Dispersal of Hair Lichens, 44  
 (*Bryoria*) in the Canopies of High-elevation Oldgrowth Conifer Forests, On the Vertical Zonation of Hair Lichens, 39  
*Bubo virginianus*, 14,227,479  
*Bucephala albeola*, 12  
   *clangula*, 12  
   *islandica*, 12  
*Buchloe dactyloides*, 425,645  
 Buckbean, 297,436,462  
 Buckleberry, 352  
 Budworm, Spruce, 531  
 Buffalograss, 425  
 Bufflehead, 12  
*Bufo americanus*, 380,477  
 Bugseed, 455  
 Bulrush, 103  
   Common Great, 453  
   Hardstem, 226  
 Bunchberry, 214,352  
 Bunting, Snow, 7,177  
 Bur-reed, Giant, 168  
   Small, 281  
 Burbot, 59  
 Burke, A.M. Sandhill Crane, *Grus canadensis*, Nesting in the Yorkton Wetland Complex, Saskatchewan, 224  
 Burnet, Canadian, 295  
   Great, 213  
 Bush, Flowering, 103  
*Buteo jamaicensis*, 12,122,179,479  
   *jamaicensis borealis*, 122  
   *jamaicensis harlani*, 122  
   *lagopus*, 12  
   *regalis*, 479  
   *swainsoni*, 12,479  
*Buteo jamaicensis borealis*, Hawks in Eastern Kansas, Winter Occurrence of Harlan's, *Buteo jamaicensis harlani*, and Krider's, 112  
*Buteo jamaicensis harlani*, and Krider's, *B. j. borealis*, Hawks in Eastern Kansas, Winter Occurrence of Harlan's, 122  
*Butomus umbellatus*, 103  
 Butter-and-eggs, 298  
 Buttercup, Birdfoot, 292

- Dwarf, 457  
 Pallas', 457  
 Snow, 457  
 Subalpine, 292  
 Sulphur, 457  
 White Water, 292  
 Butterweed, Rayless Mountain, 299
- Cabanac, A.J. Physical Condition of an Animal, Using as an Example the Common Eider, *Somateria mollissima*, 230
- Cabbage, Deer, 213
- Cadorette, S., Review by, 662
- Calamagrostis canadensis*, 168,535  
*canadensis* ssp. *canadensis*, 279  
*canadensis* ssp. *langsдорffii*, 279  
*purpurascens* var. *purpurascens*, 279  
*stricta* ssp. *inexpansa*, 279
- Calamovilfa longifolia*, 645
- Calcarius lapponicus*, 16  
*pictus*, 16
- Calder, D.R. Subtidal Hydroids (Cnidaria) of Northumberland Strait, Atlantic Canada, with Observations on Their Life Cycles and Distributions, 555
- Calidris alba*, 13  
*alpina*, 13  
*bairdii*, 13  
*canutus*, 13  
*mauri*, 13  
*melanotos*, 13  
*minutilla*, 13  
*ptilocnemis*, 13  
*pusilla*, 13  
*ruficollis*, 13
- Caligus clemensi*, 634
- Caloplaca holocarpa*, 62
- Caltha natans*, 449  
*palustris* ssp. *arctica*, 449
- Calycella syringa*, 557
- Calypte anna*, 14
- Calyptospadix cerulea*, 561
- Campanula rotundifolia*, 260
- Campanularia gelatinosa*, 561  
*groenlandica*, 557  
*hincksii*, 561  
*volubilis*, 559
- Campbell, C.E., 477
- Campbell, G.D., 589
- Campion, Arctic, 291  
 Bladder, 260  
 Moss, 291  
 Taimyr, 291
- Canada\*, A Review of the Canada Lynx, *Lynx canadensis*, in, 360
- Canada, Distribution, Abundance, and Status of the Greater Sage-Grouse, *Centrocercus urophasianus*, in, 25
- Canada, *Dryopteris goldiana* × *D. intermedia*, a Natural Fern Hybrid New to, 649
- Canada Lynx, *Lynx canadensis*, in Canada\*, A Review of the, 360
- Canada, *Malaxis monophyllos* var. *brachypoda*, One-leaved Malaxis, new to the Northwest Territories, 302
- Canada, Patterns of Nestling Feeding in Harris's Sparrows, *Zonotrichia querula* and White-crowned Sparrows, *Z. leucophrys*, in the Northwest Territories, 203
- Canada, Supposed Periodicity of Redpoll, *Carduelis* sp., Winter Visitations in Atlantic, 611
- Canada, II, Additions and Range Extensions to the Vascular Plant Flora of the Continental Northwest Territories and Nunavut, 448
- Canada, with Observations on Their Life Cycles and Distributions, Subtidal Hydroids (Cnidaria) of Northumberland Strait, Atlantic, 555
- Canada Workshop: 31 May–2 June 2000, Vegetation Classification Standard for, 125
- Canada Yew, *Taxus canadensis*, Small Mammal Abundance and Diversity in Forests with and without, 389
- Canadian Atlantic Ichthyofauna, The Chain Dogfish, *Scyliorhinus retifer* (Garman, 1881), New to the, 475
- Canadian Field-Naturalist*, Advice for Contributors to *The*, 522
- Canadian Species at Risk, 166,513
- Canis familiaris*, 123,380
- Canis latrans*, 17,30,123,242,308,364,468,472,645  
*latrans-lupus*, 589  
*lupus*, 17,30,120,242,357,364,400,419,468,469,550,566  
*lupus ligoni*, 7  
*lupus nubilus*, 7  
*lupus occidentalis*, 7  
*lupus X latrans*, 589  
*lupus-lycaon*, 589  
*lycaon*, 589  
*mesomelas*, 424  
*rufus*, 589
- Canis familiaris*, Kill Coyote, *Canis latrans*, Feral Dogs, 123
- Canis latrans*, Bobcats, *Lynx rufus*, and Raccoons, *Procyon lotor*, Relative to Home Range Boundaries, Capture Locations of Coyotes, 472
- Canis latrans*, Feral Dogs, *Canis familiaris*, Kill Coyote, 123
- Canis latrans* – Rio Grand Turkey, *Meleagris gallopavo intermedia*, interactions, Coyote, 645
- Canis lupus*, in Porcupine, *Erethizon dorsatum*, Dens in Wisconsin, Death of Gray Wolves, 469
- Canis lupus*, Pack Structure: Conservation Implications for Recovering Populations, Limits to Plasticity in Gray Wolf, 419
- Canis lupus* × *latrans* Hybrid Zone, Southeastern Ontario, Landscape Influence on *Canis* Morphological and Ecological Variation in a Coyote-Wolf, 589
- Canvasback, 12,608
- Capelin, 70
- Capreolus capreolus*, 242
- Cardamine oligosperma* ssp. *kamtschatica*, 292  
*umbellata*, 279
- Cardinal, Northern, 177
- Cardinalis cardinalis*, 177
- Carduelis* sp., 611  
*flammea*, 16,611  
*hornemanni*, 16,611  
*pinus*, 16,177  
*tristis*, 179
- Carduelis* sp., Winter Visitations in Atlantic Canada, Supposed Periodicity of Redpoll, 611
- Carex* spp., 103,210  
*arcta*, 279,449  
*atherodes*, 103,279  
*atrofusca*, 279  
*bicolor*, 279  
*bonanzensis*, 279  
*brunnescens*, 279

- buxbaumii*, 279  
*capillaris* ssp. *capillaris*, 279  
*concima*, 279  
*deflexa*, 279  
*disperma*, 449  
*eleocharis*, 262  
*eleusinoides*, 279  
*filifolia*, 197  
*flava*, 279  
*franklinii*, 279  
*garberi* ssp. *bifaria*, 279  
*glacialis*, 279  
*heliophila*, 258  
*hoodii*, 448  
*lanuginosa*, 103  
*leporina*, 536  
*magellanica* ssp. *irrigua*, 279  
*maritima*, 449  
*media*, 279  
*microglochis*, 279  
*microptera*, 448  
*misandra*, 67  
*nardina*, 67  
*obtusata*, 258,279  
*pachystachya*, 279  
*pauciflora*, 214  
*pedunculata*, 650  
*petasata*, 448  
*phaeocephala*, 279  
*plantaginea*, 650  
*platyphylla*, 650  
*rostrata*, 103,279  
*scirpoidea*, 67  
*tenuiflora*, 449  
*trisperma*, 537  
*viridula*, 279  
*williamsii*, 279  
 Caribou, 18,120,253,399  
   Barren-ground, 7,39  
   Mountain, 39,44,356  
   Woodland, 7,39,44,352,546  
 Caribou, *Rangifer tarandus caribou*, An Aerial Survey Technique for the Forest-Dwelling Ecotype of Woodland, 546  
 Caribou, *Rangifer tarandus caribou*, Feeding Sites in the Southern Purcell Mountains, British Columbia, Characteristics of Early-Winter, 352  
 Caribou, *Rangifer tarandus*, in Quebec, Historical Changes and Current Distribution of, 399  
 Carlson, J., W.A. Gough, J.D. Karagatzides, and L.J.S. Tsuji. Canopy Interception of Acid Deposition in Southern Ontario, 523  
*Carpodacus purpureus*, 16  
*Carya* spp., 19,622  
   *cordiformis*, 218,649  
*Cassiope mertensiana*, 354  
   *tetragona*, 66  
*Castilleja caudata*, 298  
   *pallida* var. *caudata*, 279  
*Castor canadensis*, 17,115,192,365,378,590  
 Cat, Domestic, 380  
   Feral, 380  
*Catostomous catostomous*, 59  
*Cathartes aura*, 11  
*Catharus guttatus*, 15  
   *minimus*, 15  
   *ustulatus*, 15  
 Catling, P.M. *Dryopteris goldiana* × *D. intermedia*, a Natural Fern Hybrid New to Canada, 649  
*Catostomous commersoni*, 59  
 Cattail, 103,168  
*Caulophyllum thalictroides*, 650  
 Cedar, Eastern White, 590  
   Western Red, 214  
   White, 470  
   Yellow, 213  
*Celtis occidentalis*, 218  
*Centrocercus* spp., 25  
   *urophasianus*, 25,308,479  
*Centrocercus urophasianus*, in Canada, Distribution, Abundance, and Status of the Greater Sage-Grouse, 25  
*Centrocercus urophasianus*, in Southern Alberta, Northern Harrier, *Circus cyaneus*, Attacks on Greater Sage-Grouse, 479  
*Centrocercus urophasianus*, Nest Predators Using Remote Sensing Cameras, Direct Identification of Northern Sage-grouse, 308  
*Cephaloziella* spp., 535  
*Cephus columba*, 13,54  
*Cerastium alpinum*, 67  
   *arvense*, 260,279  
*Ceratophyllum demersum*, 279  
*Cerorhinca monocerata*, 14  
*Certhia americana*, 15,177  
*Cervus elaphus*, 196,309,357  
   *elaphus nelsoni*, 316  
*Cervus elaphus nelsoni*, During the Calving Season Toward Mule Deer, *Odocoileus hemionus*, in Central Colorado, Aggressive Interactions of Rocky Mountain Elk, 316  
*Ceryle alcyon*, 14  
*Chaetura vauxi*, 14  
*Chamaecyparis nootkatensis*, 212  
*Chamaedaphne calyculata*, 436,449  
 Chamberlain, M.J., 113  
*Chamerion latifolium*, 67  
 Char, Arctic, 59,254,634  
*Chara* spp., 273  
*Charadrius semipalmatus*, 12  
   *vociferus*, 11,311  
 Chardine, J.W., 70  
*Chelydra serpentina serpentina*, 415  
*Chen caerulescens*, 11,226  
   *caerulescens atlantica*, 608  
   *caerulescens caerulescens*, 608  
   *canagica*, 11  
 Cherry, Black, 19,395  
 Chickadee, Black-capped, 15,179  
   Boreal, 15  
   Chestnut-backed, 7  
   Gray-headed, 15  
   Mountain, 15,76  
 Chickadees, *Poecile gambeli*, to Playback of Different Song Types, Response of Male Mountain, 76  
 Chickweed, 291  
   Field, 260,290  
   Long-leaved, 291  
*Chiloscyphus* spp., 535  
 Chinook, 639  
 Chipmunk, Eastern, 246,591  
   Least, 7,309

- Chlidonias niger*, 13  
 Choke-cherry, 417  
*Chondestes grammacus*, 16  
*Chordeiles minor*, 14  
*Chorilia longipes*, 118  
*Choristoneura fumiferana*, 531  
*Chrysanthemum integrifolium*, 66,279,449  
     *leucanthemum*, 536  
*Chrysemys picta picta*, 415  
*Chrysosplenium tetrandrum*, 449  
*Chrysothamnus* sp., 645  
 Chub, Lake, 59  
 Chum, 638  
*Cicuta maculata* var. *angustifolia*, 279  
*Cinclus mexicanus*, 15  
*Cinna latifolia*, 279  
 Cinquefoil, Snow, 295  
     Three-toothed, 459  
     White, 260  
*Circaea alpina* ssp. *alpina*, 279  
*Circus cyaneus*, 12,227,479  
*Circus cyaneus*, Attacks on Greater Sage-Grouse, *Centrocercus urophasianus*, in Southern Alberta, Northern Harrier, 479  
 Cirriped, Stalked, 441  
*Cirsium* spp., 103  
     *arvense*, 198,536  
     *vulgare*, 536  
 Cisco, 49  
     Shortjaw, 49,642  
 Cisco, *Coregonus artedi*, in Lake Athapuskow, Manitoba, Sympatric Presence of Low and High Gillraker Forms of, 49  
*Cistothorus palustris*, 169,348,654  
*Cladina mitis*, 66  
*Cladonia* spp., 352,535  
 Cladonia, 352  
 Clam, *Acesta excavata* (Bivalvia: Pectinoidea: Limidae), in the Northwest Atlantic, First record of the European Giant File, 440  
 Clam, European Giant File, 440  
*Clangula hyemalis*, 12,254  
*Clava leptostyla*, 561  
     *multicornis*, 561  
*Clemmys*, 415  
     *guttata*, 436  
     *insculpta*, 377  
*Clemmys guttata*, Near their Northern Limit: an 18-Year Follow-up, Population Structure, Growth, and Age Estimation of Spotted Turtles, 436  
*Clethrionomys* spp., 246,348  
     *gapperi*, 246,390  
     *rutilus*, 17  
 Clover, 168  
     Red, 296  
     White, 197  
     White Sweet, 459  
 Club-moss, Alpine, 280  
     Common, 280,450  
     Flatbranch, 280,450  
     Running, 214  
 Clubrush, Tufted, 213,288  
*Clytia hemisphaerica*, 559  
 Coad, B.W., 475  
 Coad, B.W., Reviews by, 151,318,319,323,324  
*Coccolithus vespertinus*, 177  
 Cody, W.J., Reviews by, 329,330,496,669  
 Cody, W.J. and V. Johnston. *Malaxis monophyllos* var. *brachypoda*, One-leaved Malaxis, new to the Northwest Territories, Canada, 302  
 Cody, W.J., C.E. Kennedy, B. Bennett, and J. Staniforth. New Records of Vascular Plants in the Yukon Territory V, 278  
 Cody, W.J., K.L. Reading, and J.M. Line. Additions and Range Extensions to the Vascular Plant Flora of the Continental Northwest Territories and Nunavut, Canada, II, 448  
*Coelopleurum gmelinii*, 461  
 Coho, 638  
 Cohosh, Blue, 650  
*Colaptes auratus*, 14  
 Colorado, Aggressive Interactions of Rocky Mountain Elk, *Cervus elaphus nelsoni*, During the Calving Season Toward Mule Deer, *Odocoileus hemionus*, in Central, 316  
 Coltsfoot, Arrow-leaved, 464  
     Sweet, 464  
*Columba fasciata*, 14  
     *livia*, 14,176  
 Columbine, Western, 291  
*Comandra umbellata* ssp. *pallida*, 279  
 Comandra, Pale, 290  
*Contopus cooperi*, 14  
     *sordidulus*, 14  
 Cook, F.R., Reviews by, 490,491,492,493,494,495,509  
 Cooke, S.J., Reviews by, 156,499  
 Coot, American, 12  
 Coral, 440  
*Corallorhiza trifida*, 449  
 Coralroot, Yellow, 454  
 Cordgrass, Smooth, 654  
*Cordylophora caspia*, 561  
     *lacustris*, 561  
*Coregonus*, 49  
     *artedi*, 49  
     *clupeaformis*, 59,642  
     *zenithicus*, 49,642  
*Coregonus artedi*, in Lake Athapuskow, Manitoba, Sympatric Presence of Low and High Gillraker Forms of Cisco, 49  
*Corispermum hookeri*, 448  
     *ochotense*, 448  
     *orientale* var. *emarginatum*, 455  
     *villosum*, 448  
 Cormorant, Double-crested, 11  
     Pelagic, 11  
*Cornus canadensis*, 211,352,535  
*Corvus brachyrhynchos*, 30,227  
     *caurinus*, 15,602  
     *corax*, 15,30,227,308  
*Corymorpha pendula*, 558  
 Cosgrove, J.A. An *in situ* Observation of Webover Hunting by the Giant Pacific Octopus, *Enteroctopus dofleini* (Wülker, 1910), 117  
 Cotton-grass, 395  
     Arctic, 288  
     Scheuchzer's, 288  
     Short-anthered, 287  
 Cottontail, 314  
     Eastern, 591,645

- Cottus bairdi*, 59  
*cognatus*, 59  
*Coturnix japonica*, 348  
*Couesius plumbeus*, 59  
 Cougar, 7,357,566  
 Courtois, R., A. Gingras, C. Dussault, L. Breton and J.-P. Ouellet. An Aerial Survey Technique for the Forest-Dwelling Ecotype of Woodland Caribou, *Rangifer tarandus caribou*, 546  
 Courtois, R., J.-P. Ouellet, A. Gingras, C. Dussault, L. Breton and J. Maltais. Historical Changes and Current Distribution of Caribou, *Rangifer tarandus*, in Quebec, 399  
 Couture, R., 605  
 Cow, Domestic, 309  
 Cowbird, Brown-headed, 16,348  
 Coyote, 17,30,123,227,242,308,364,468,472,645  
 Coyote, *Canis latrans*, Feral Dogs, *Canis familiaris*, Kill, 123  
 Coyote, *Canis latrans* – Rio Grand Turkey, *Meleagris gallopavo intermedia*, interactions, 645  
 Coyote-Wolf, 589  
 Coyote-Wolf, *C. lupus* × *latrans* Hybrid Zone, Southeastern Ontario, Landscape Influence on *Canis* Morphological and Ecological Variation in a, 589  
 Coyotes, *Canis latrans*, Bobcats, *Lynx rufus*, and Raccoons, *Procyon lotor*, Relative to Home Range Boundaries, Capture Locations of, 472  
 Crab, 117  
 Crab-Apple, Pacific, 215  
 Craig, T., 306  
 Cranberry, Bog, 213,461  
   Large, 436  
   Small, 436  
 Crane, Sandhill, 12,224  
   Whooping, 224  
 Crane, *Grus canadensis*, Nesting in the Yorkton Wetland Complex, Saskatchewan, Sandhill, 224  
*Crassostrea virginica*, 555  
*Crassula aquatica*, 449  
*Crataegus* sp., 311  
 Creeper, Brown, 7,177  
*Crepis tectorum*, 448  
 Cress, Garden, 294  
 Crocus, Prairie, 260  
 Cronin, M.A., 119  
 Crossbill, Red, 16  
   White-winged, 16  
 Crow, American, 30,227  
   Northwestern, 7,602  
 Crowberry, 213  
 Curatorial Reports on Natural History Topics: Nova Scotia Museum of Natural History, 165  
 Curlew, Bristle-thighed, 13  
*Cuspidella humilis*, 557  
*Cyanocitta cristata*, 179,193  
   *stelleri*, 15  
*Cyclopterus lumpus*, 254  
*Cygnus buccinator*, 11  
   *columbianus*, 11  
*Cyperus esculentus*, 106  
   *rotundus*, 106  
*Cystophora cristata*, 121  
*Cystopteris fragilis*, 279,449  
   *montana*, 279,449  
 Dace, Longnose, 57  
   Pearl, 59  
 Dace, *Rhinichthys cataractae*, in Newfoundland and Labrador, Range Extensions of Logperch, *Percina caprodes*, and Longnose, 57  
*Dactylis glomerata*, 278  
 Daigle, C., 377  
 Daisy, Entire-leaved, 66,299,463  
 Daisy, *Hulteniella integrifolia* (Asteraceae), in Québec, Eco-geographical and Cytological Notes on the Entire-leaved, 66  
 Danby, R.K. Birds and Mammals of the St. Elias Mountain Parks: Checklist Evidence for a Biogeographic Convergence Zone, 1  
 Dandelion, 197  
*Danthonia intermedia*, 449  
   *spicata*, 448  
 Davies, J.-A., 352  
 Deer, European Roe, 242  
   Mule, 7,309,316,357,657  
   Red, 309  
   White-tailed, 309,316,357,389,407,567,590  
 Deer, *Odocoileus hemionus*, in Central Colorado, Aggressive Interactions of Rocky Mountain Elk, *Cervus elaphus nelsoni*, During the Calving Season Toward Mule, 316  
 DeGraaf, R.M., 190  
 Delaney, L., 257  
*Delphinium glaucum*, 279  
*Dendragapus obscurus*, 12  
*Dendranthema integrifolium*, 66  
*Dendroica caerulescens*, 389  
   *coronata*, 15  
   *palmarum*, 15  
   *petechia*, 15,206,309  
   *striata*, 15  
   *townsendi*, 15  
*Dennstaedtia punctilobula*, 535  
*Deparia acrostichoides*, 650  
*Deschampsia elongata*, 448  
*Descurainia incisa* var. *incisa*, 448  
   *sophioides*, 279  
*Desmognathus fuscus*, 19  
   *ochrophaeus*, 19  
 Diamond, J., M. Browning, A. Williams, and J. Middleton. Lack of Evidence for Impact of the European White Birch, *Betula pendula*, on the Hydrology of Wainfleet Bog, Ontario, 393  
*Dicoryne conferta*, 558  
*Dicranum* sp., 214  
   *elongatum*, 66  
   *ontariense*, 535  
*Dicrostonyx*, 466  
 Dignard, N. and C. Gervais. Eco-geographical and Cytological Notes on the Entire-leaved Daisy, *Hulteniella integrifolia* (Asteraceae), in Québec, 66  
 Dion, N., K.A. Hobson and S. Larivière. Does Removal of Duck Nest Predators Affect the Temporal Patterns of Predation for Simulated Nests of Grassland Songbirds?, 347  
*Diphasia fallax*, 557  
   *kincaidi*, 561  
*Diplazium pycnocarpon*, 650  
 Dipper, American, 15  
 Dobony, C.A., 313

- Dock, Western, 103  
 Dockrill, C.W., 479  
*Dodecatheon pulchellum*, 304  
 Dog, 380  
   Feral, 123  
 Dogbane, Common, 462  
 Dogfish, Chain, 475  
 Dogfish, *Scyliorhinus retifer* (Garman, 1881), New to the Canadian Atlantic Ichthyofauna, The Chain, 475  
 Dogs, *Canis familiaris*, Kill Coyote, *Canis latrans*, Feral, 123  
*Dolichonyx oryzivorus*, 169  
 Dombrowski, P., J.-C. Bourgeois, R. Couture, and C. Linard. Do Female Northern Pintails, *Anas acuta*, Initiate Rapid Follicular Growth During Spring Migration?, 605  
 Donkor, N.T., M.M. Okello, R.J. Hudson and E.W. Bork. Seasonal Dynamics and Defoliation Impact on Herbage Yield in Aspen Boreal Habitats of Alberta, 196  
 Doolittle, C.J.T., 469  
 Dove, Mourning, 14,177  
   Rock, 14,176  
 Dowitcher, Long-billed, 13  
   Short-billed, 13  
*Draba albertina*, 279  
   *alpina*, 449  
   *borealis*, 279  
   *cana*, 279  
   *cinerea*, 279,449  
   *glabella*, 449  
   *incerta*, 279  
   *kananaskis*, 278,293  
   *lactea*, 449  
   *macounii*, 279  
   *porsildii*, 279  
   *scotteri*, 279  
   *stenoloba*, 448  
 Draba, Alpine, 457  
   Macoun's, 294  
   Northern, 293  
   Slender, 293  
 Dropseed, 645  
   Sand, 425  
*Drosera rotundifolia*, 213  
 Drury, C.F., 267  
*Dryas crenulata*, 279  
   *hookeriana*, 279  
   *integrifolia*, 66  
*Dryopteris campyloptera*, 535  
   *carthusiana*, 651  
   *celsa*, 650  
   *clintoniana*, 650  
   *clintoniana* × *goldiana*, 651  
   *correllii*, 651  
   *cristata*, 650  
   *disjuncta*, 451  
   *expansa*, 279  
   *goldiana*, 649  
   *goldiana* × *intermedia*, 651  
   *intermedia*, 649  
   *marginalis*, 390  
   × *mickelii*, 651  
   *spinulosa*, 535  
*Dryopteris goldiana* × *D. intermedia*, a Natural Fern Hybrid New to Canada, 649  
*Dryopteris intermedia*, a Natural Fern Hybrid New to Canada,  
   *Dryopteris goldiana* ×, 649  
 Duck, American Black, 11  
   Harlequin, 12,249  
   Long-tailed, 7,254  
   Ring-necked, 7,585,608  
   Ruddy, 12  
   Wood, 608  
 Duck, *Histrionicus histrionicus*, in Greenland, Distribution and Conservation of the Harlequin, 249  
 Dunlin, 13  
 Dussault, C., 399,546  
*Dynamena pumila*, 561  
 Eagle, Bald, 12,601  
   Golden, 12,31,479,566  
 Eagles, *Haliaeetus leucocephalus*, Feeding on Spawning Plainfin Midshipman, *Porichthys notatus*, at Crescent Beach, British Columbia, Bald, 601  
*Ectopleura crocea*, 561  
   *larynx*, 558  
 Editor's Report for Volume 116 (2002), 345  
 Edwards, J.W., 313  
 Edwards, M.A. and G.J. Forbes. Food Habits of Ermine, *Mustela erminea*, in a Forested Landscape, 245  
 Eedy, W., Reviews by, 160,342  
 Eel, American, 59  
 Eelgrass, 655  
 Egret, Great, 11  
 Eider, Common, 12,230,608  
   King, 12  
 Eider, *Somateria mollissima*, Physical Condition of an Animal, Using as an Example the Common, 230  
 Elderberry, Red, 538  
*Eleocharis acicularis*, 449  
   *pauciflora* var. *fernaldii* 453  
   *quinqueflora*, 449  
 Elk, 357  
   American, 309  
   Rocky Mountain, 316  
 Elk, *Cervus elaphus nelsoni*, During the Calving Season Toward Mule Deer, *Odocoileus hemionus*, in Central Colorado, Aggressive Interactions of Rocky Mountain, 316  
 Elliott, J.E., 601  
 Elliott, K.H., C.L. Struik and J.E. Elliott. Bald Eagles, *Haliaeetus leucocephalus*, Feeding on Spawning Plainfin Midshipman, *Porichthys notatus*, at Crescent Beach, British Columbia, 601  
 Elm, American, 218  
   White, 590  
*XElyhordeum macounii*, 279  
*Elymus canadensis*, 449  
   *elongatus* ssp. *ponticus*, 280  
   *glaucus*, 279  
   *hispidus*, 280  
   *junceus*, 278  
   *macounii*, 283  
   *macrourus*, 279  
   *trachycaulus* ssp. *andinus*, 279  
   *trachycaulus* ssp. *glaucus*, 279  
   *trachycaulus* ssp. *novae-angliae*, 279  
   *trachycaulus* ssp. *subsecundus*, 279  
   *trachycaulus* ssp. *trachycaulus*, 279  
   *trachycaulus* ssp. *violaceus*, 279

- Elytrigia intermedia*, 283  
*Empetrum nigrum*, 211  
*Empidonax alnorum*, 14  
     *difficilis*, 14  
     *flaviventris*, 14  
     *hammondii*, 14  
     *minimus*, 14  
     *oberholseri*, 14  
*Emydoidea blandingii*, 415  
*Enhydra lutris*, 3  
*Enterocotopus dofleini*, 117  
*Enterocotopus dofleini* (Wülker, 1910), An *in situ* Observation of Webover Hunting by the Giant Pacific Octopus, 117  
*Epilobium anagalidifolium*, 449  
     *angustifolium*, 535  
     *arcticum*, 449  
     *davuricum*, 449  
     *davuricum* var. *arcticum*, 460  
     *hornemannii*, 279,449  
     *leptophyllum*, 449  
     *palustre*, 279,449  
*Eptesicus fuscus*, 652  
*Equisetum arvense*, 449  
     *fluviale*, 103  
     *palustre*, 449  
     *scirpoides*, 449  
     *variegatum*, 449  
     *variegatum* ssp. *variegatum*, 279  
*Eragrostis trichodes*, 645  
*Eremophila alpestris*, 15  
*Erethizon dorsatum*, 17,469  
*Erethizon dorsatum*, Dens in Wisconsin, Death of Gray Wolves, *Canis lupus*, in Porcupine, 469  
*Erignathus barbatus*, 121  
*Eriophorum angustifolium*, 211  
     *brachyantherum*, 279  
     *callitrix*, 279  
     *scheuchzeri*, 279  
     *vaginatum*, 395  
     *viridi-carinatum*, 449  
*Eritrichium splendens*, 279  
Ermine, 18,193,245  
Ermine, *Mustela erminea*, in a Forested Landscape, Food Habits of, 245  
Erskine, A.J. and R. McManus, Jr. Supposed Periodicity of Redpoll, *Carduelis* sp., Winter Visitations in Atlantic Canada, 611  
*Erysimum cheiranthoides*, 279  
     *coarctatum*, 448  
*Erythronium grandiflorum*, 304  
*Esox lucius*, 59  
*Eudendrium album*, 558  
     *dispar*, 557  
     *ramosum*, 557  
*Eupatorium rugosum*, 650  
*Euphagus carolinus*, 16  
*Eutamias minimus*, 309  
  
*Fagus*, 394  
     *grandifolia*, 185,389,535,590  
*Falcipectis canadensis*, 12  
*Falco columbarius*, 12  
     *peregrinus*, 12  
     *rusticolus*, 12,479  
     *sparverius*, 12  
     *tinnunculus*, 424  
Falcon, Peregrine, 12  
Falsebox, 352  
*Fauria crista-galli*, 211  
*Felis concolor*, 18,357  
     *domestica*, 380  
Felwort, Marsh, 462  
Ferguson, T.A. Documenting Pronghorn Antelope, *Antilocapra americana*, in the Peace River Grasslands, Alberta, 657  
Fern, Bracken, 214  
Deer, 213  
Evergreen Wood, 649  
Fragile, 280,450  
Goldie's, 649  
Mountain Bladder, 281,450  
Northern Lady, 650  
Northern Maidenhair, 650  
Northern Wood, 281  
Oak, 281,451,650  
Silvery Glade, 650  
Fescue, Hard, 284  
Mountain Rough, 89  
Plains Rough, 89,258  
Red, 168,284  
Richardson's, 284  
Tundra, 284  
Fescue Prairie in Central Saskatchewan, Effects of Season of Burning on the Microenvironment of, 257  
*Festuca altaica*, 262  
     *altaica* ssp. *hallii*, 258  
     *campestris*, 89  
     *hallii*, 89  
     *lenensis*, 279  
     *richardsonii*, 279  
     *rubra*, 168,279  
     *tenuifolia*, 536  
     *trachyphylla*, 280  
*Filellum serpens*, 559  
Filion, B., 167  
Finch, Purple, 7  
Fir, Balsam, 72,362,532,590  
     Douglas, 45,91,353,362,628  
     Subalpine, 40,44,353,362,566  
Fireweed, 538  
Fisher, 193,590  
*Flavocetraria nivalis*, 66  
Fletcher, Q.E., C.W. Dockrill, D.J. Saher, and C.L. Aldridge. Northern Harrier, *Circus cyaneus*, Attacks on Greater Sage-Grouse, *Centrocercus urophasianus*, in Southern Alberta, 479  
Flicker, Northern, 14  
Flycatcher, Alder, 14  
     Dusky, 7  
     Hammond's, 14  
     Least, 14  
     Olive-sided, 14  
     Pacific-slope, 7  
     Scissor-tailed, 14  
     Yellow-bellied, 14  
Foamflower, 352  
Fogfruit, 650  
Forbes, G.J., 245  
Ford, W.M., 313

- Forget-me-not, Showy Alpine, 297
- Fox, Arctic, 119,424,430  
 Gray, 468  
 Kit, 123,424,468  
 Red, 17,30,123,227,308,348,365,380,424,468,472,586, 591  
 Swift, 30,123,424,468
- Fox, *Alopex lagopus*, Energy Cost of Running in an Arctic, 430
- Foxes, *Vulpes velox*, White Color Phase of the Swift, 468
- Foxes, *Alopex lagopus*, in the Prudhoe Bay Oil Field, Alaska, Heavy Metal Concentrations in Arctic, 119
- Foxes, *Vulpes velox*, in Northwestern Texas, Den Site Activity Patterns of Adult Male and Female Swift, 424
- Fragaria* sp., 380  
*virginiana* ssp. *glauca*, 279
- Frankton 1906-2000, A Tribute to Clarence, 481
- Fratercula arctica*, 70  
*cirrhatta*, 14  
*corniculata*, 14
- Fratercula arctica*, in North America, Status of the Largest Breeding Concentration of Atlantic Puffins, 70
- Fraxinus americana*, 649  
*nigra*, 590  
*pennsylvanica*, 218
- Freedman, B., 531
- Fringilla montifringilla*, 16
- Fritillaria pudica*, 304
- Frog, Chorus, 477  
 Green, 477  
 Mink, 477  
 Northern Leopard, 477  
 Wood, 477
- Frog, *Rana septentrionalis*, from Insular Newfoundland, First Record of Mink, 477
- Froglog: Newsletter of the Declining Amphibian Populations Task Force, 164,343,513,677
- Fuglei, E. and N.A. Oritsland. Energy Cost of Running in an Arctic Fox, *Alopex lagopus*, 430
- Fulica americana*, 12
- Fuller, T.K., 190
- Fulmar, Northern, 11
- Fulmarus glacialis*, 11
- Fumagalli, L., 82
- Gadwall, 7,608
- Gagnon, J.-M. and R.L. Haedrich. First record of the European Giant File Clam, *Acesta excavata* (Bivalvia: Pectinoidea: Limidae), in the Northwest Atlantic, 440
- Gaines, W.L. Black Bear, *Ursus americanus*, Denning Chronology and Den Site Selection in the Northeastern Cascades of Washington, 626
- Gale, Sweet, 213
- Galeopsis tetrahit*, 103,536
- Galium boreale*, 258  
*trifidum*, 279
- Galliformes*, ssp., 365
- Gallinago gallinago*, 13,169
- Gardali, T. and J.D. White. Autumn and Winter Breeding Records for the American Robin, *Turdus migratorius*, 311
- Garveia brevis*, 561  
*franciscana*, 555
- Gasterosteus aculeatus*, 59
- Gaultheria shallon*, 211
- Gavia adamsii*, 11  
*immer*, 11,254  
*pacifica*, 11  
*stellata*, 11
- Gawn, M., Review by, 322
- Gehring, J.L., 419
- Gehring, T.M., B.E. Kohn, J.L. Gehring, and E.M. Anderson. Limits to Plasticity in Gray Wolf, *Canis lupus*, Pack Structure: Conservation Implications for Recovering Populations, 419
- Gentian, Spurred, 462
- Gentiana propinqua*, 462
- Gentianella propinqua* ssp. *propinqua*, 449
- Geothlypis trichas*, 16
- Gervais, C., 66
- Geum triflorum*, 258
- Gilhen, J., 415
- Gilhen, J., B.W. Coad and A. Hebda. The Chain Dogfish, *Scyliorhinus retifer* (Garman, 1881), New to the Canadian Atlantic Ichthyofauna, 475
- Gingras, A., 399,546
- Ginns, J., Review by, 328
- Gipson, P.S., 123,218,645
- Gipson, P.S. and J.F. Kamler. Capture Locations of Coyotes, *Canis latrans*, Bobcats, *Lynx rufus*, and Raccoons, *Procyon lotor*, Relative to Home Range Boundaries, 472
- Giroux, J.-F., 167
- Glaucomyss* spp., 193,365  
*sabrinus*, 17
- Gleditsia triacanthos*, 218
- Glyptemys*, 415  
*insculpta*, 377,415
- Glyptemys insculpta*, at River Denys: A Second Population for Cape Breton Island, Nova Scotia, The Wood Turtle, 415
- Glyptemys insculpta*, Population at the Northern Limit of its Range in Québec, Ecological Aspects of a Wood Turtle, 377
- Goat, Mountain, 7,565
- Goats, *Oreamnos americanus*, in East-central British Columbia, Seasonal Habitat Use and Movements of Mountain, 565
- Godfrey, 1910–2002, A Tribute to William Earl, 140
- Godwit, Bar-tailed, 13  
 Hudsonian, 13  
 Marbled, 13
- Golden-Plover, American, 12  
 Pacific, 12
- Goldeneye, Barrow's, 12  
 Common, 12
- Goldenrod, 538  
 Canada, 300  
 Northern, 300  
 Stiff, 260
- Goldfinch, American, 179
- Gonothyræa loveni*, 557
- Goodyear, M.A. Extralimital Sighting of a Polar Bear, *Ursus maritimus*, in northeast Saskatchewan, 648
- Goose, Canada, 11,227  
 Emperor, 11  
 Great White-fronted, 11  
 Greater Snow, 608  
 Lesser Snow, 608  
 Snow, 11,226

- Gordia*, 578  
 Goshawk, Northern, 12,479  
 Gosselin, M., E.L. Bousfield, and S.D. MacDonald. A Tribute to William Earl Godfrey, 1910–2002, 140  
 Gough, W.A., 523  
 Goward, T. On the Dispersal of Hair Lichens (*Bryoria*) in High-Elevation Oldgrowth Conifer Forests, 44  
 Goward, T. On the Vertical Zonation of Hair Lichens (*Bryoria*) in the Canopies of High-elevation Oldgrowth Conifer Forests, 39  
 Goward, T. and A. Arsenault. Notes on the *Populus* “Drip-zone Effect” on Lichens in Well-ventilated Stands in East-central British Columbia, 61  
 Grama, Blue, 25,425,645  
 Sideoats, 218,425  
*Grammaria abietina*, 561  
*gracilis*, 557  
 Grass, 213  
 Alpine Holy, 284  
 Arctic Blue, 452  
 Buffalo, 645  
 Creeping Bent, 281  
 Giant Reed, 103  
 Hair, 453  
 Indian, 218  
 June, 25  
 Narrow-Leafed Cotton, 213  
 Nuttall’s Alkali, 285  
 Orchard, 282  
 Polar Alkali, 285  
 Red Bent, 281,452  
 Reed Canary, 103,168,284,452  
 Spreading Alkali, 285  
 Western Porcupine, 260  
 Western Rye, 283  
 Grass-of-Parnassus, Fringed, 294  
 Grebe, Horned, 11  
 Pied-billed, 11  
 Red-necked, 11  
 Western, 11  
 Greenland, Distribution and Conservation of the Harlequin Duck, *Histrionicus histrionicus*, in, 249  
 Greenling, Painted, 118  
 Grèf, A., J. Gilhen and J.D. Adams. The Wood Turtle, *Glyptemys insculpta*, at River Denys: A Second Population for Cape Breton Island, Nova Scotia, 415  
 Grosbeak, Evening, 177  
 Pine, 16  
 Ground-cone, 298  
 Groundhog, 591  
 Groundsel, Common, 300  
 Rocky Mountain, 300  
 Grouse, 365  
 Blue, 7  
 Red, 480  
 Ruffed, 12,177,313,365  
 Sharp-tailed, 12,227,479  
 Spruce, 12  
 Grouseberry, 355  
 Grove, C., 190  
*Grus americana*, 224  
*canadensis*, 12,224  
*Grus canadensis*, Nesting in the Yorkton Wetland Complex, Saskatchewan, Sandhill Crane, 224  
 Guillemot, Pigeon, 13,53  
 Gull, Black-headed, 13  
 Bonaparte’s, 13  
 Glaucous, 13  
 Glaucous-winged, 13,604  
 Great Black-backed, 70  
 Herring, 13,70  
 Ivory, 13  
 Mew, 13  
 Ring-billed, 13  
 Ross’s, 13  
 Sabine’s, 13  
 Thayer’s, 13  
*Gulo gulo*, 18,357,364,566  
*Gutierrezia sarothrae*, 645  
*Gymnocarpium dryopteris*, 650  
*dryopteris* ssp. *dryopteris*, 279,449  
*jessoense* ssp. *parvulum*, 450  
 Gyrfalcon, 7,479  
  
*Habenaria hyperborea*, 454  
*obtusata*, 454  
 Hackberry, 218  
 Haedrich, R.L., 440  
*Haematopus bachmani*, 13  
 Hairgrass, Mountain, 452  
 Slender, 452  
 Hake, Silver, 475  
*Halecium beanii*, 658  
*curvicaule*, 561  
*halecinum*, 558  
*labrosum*, 558  
*lankesteri*, 557  
*muricatum*, 557  
*scutum*, 559  
*sessile*, 559  
*undulatum*, 559  
*Halenia deflexa*, 448  
*Haliaeetus leucocephalus*, 12,601  
*Haliaeetus leucocephalus*, Feeding on Spawning Plainfin Midshipman, *Porichthys notatus*, at Crescent Beach, British Columbia, Bald Eagles, 601  
 Hare, Snowshoe, 17,246,306,314,360,591  
 Harebell, 260  
 Harrier, Northern, 12,227,479  
 Harrier, *Circus cyaneus*, Attacks on Greater Sage-Grouse, *Centrocercus urophasianus*, in Southern Alberta, Northern, 479  
 Harris, I.W.E., C.F. Drury, R.R. Simard, and T.Q. Zhang. Density and Richness of Benthic Invertebrate Populations in the North Sydenham River of Southwestern Ontario (1996–2000) Compared with Those of the St. Clair River (1990–1995), 267  
 Harris, S.A. An Occurrence of the Hawkweed-Leaved Saxifrage, *Saxifraga hieraciifolia*, in Southern British Columbia, and its Palaeobotanical Implications, 304  
*Hartlaubella gelatinosa*, 561  
 Hawk, Eastern Red-tailed, 122  
 Ferruginous, 479  
 Harlan’s, 122  
 Krider’s, 122  
 Red-tailed, 7,122,179,479  
 Rough-legged, 12  
 Sharp-shinned, 12  
 Swainson’s, 12,479

- Hawks in Eastern Kansas, Winter Occurrence of Harlan's, *Buteo jamaicensis harlani*, and Krider's, *B. j. borealis*, 122
- Hawk's-beard, Annual, 464
- Hawkweed, White, 299
- Hawthorn, 311
- Haxton, T. Movement of Lake Sturgeon, *Acipenser fulvescens*, in a Natural Reach of the Ottawa River, 541
- Heal-all, 297
- Heard, D.C. 565
- Heather, 354  
Pink Mountain, 461
- Hebda, A., 475
- Hedysarum boreale* ssp. *mackenzii*, 279  
*boreale* ssp. *mackenzii* f. *niveum*, 295
- Helictotrichon hookeri*, 262
- Hellebore, White, 288
- Helminthoidichnites*, 578
- Hemidactylum scutatum*, 19
- Hemlock, 362  
Coastal Western, 130  
Eastern, 590,622  
Interior Western, 130  
Mountain, 1,130  
Western, 1,215,353,566
- Hepatica, Sharp-lobed, 650
- Herbertus* sp., 214
- Heron, Great Blue, 7,603
- Heteroscelus incanus*, 13
- Hickory, 19,622  
Bitternut, 218,649
- Hieracium albiflorum*, 278  
*aurantiacum*, 536  
*caespitosum*, 536  
*florentinum*, 536  
*pilosella*, 536
- Hierochloa alpina*, 67  
*alpina* ssp. *alpina*, 279
- Hirundo rustica*, 15
- Histrionicus histrionicus*, 12,249
- Histrionicus histrionicus*, in Greenland, Distribution and Conservation of the Harlequin Duck, 249
- Hobson, K.A., 347
- Holloran, M.J. and S.H. Anderson. Direct Identification of Northern Sage-grouse, *Centrocercus urophasianus*, Nest Predators Using Remote Sensing Cameras, 308
- Holt, D.W., M.T. Maples, and C. Savok. Black Color Morph of the Brown Lemming, *Lemmus trimucronatus* = *L. sibiricus*, 466
- Hookeria* sp., 211
- Horehound, Northern Water, 463
- Hornwort, 291
- Horsetail, 103  
Field, 450  
Marsh, 450  
Variegated, 280,450
- Houston, C.S., Reviews by, 326,336,337,338
- Huckleberry, Red, 214
- Hudson, R.J., 196
- Huettmann, F., 53
- Huettmann, F., Reviews by, 154,321,325,330,332,334,500, 507,662,664,667
- Hulteniella integrifolia*, 66  
*Hulteniella integrifolia* (Asteraceae), in Québec, Eco-geographical and Cytological Notes on the Entire-leaved Daisy, 66
- Hummingbird, Anna's, 14  
Rufous, 7
- Hutchinson, R. and H. Goulet, Review by, 487
- Hydractinia carica*, 561  
*minuta*, 561  
*polyclina*, 557
- Hydrallmania falcata*, 557
- Hydroids (Cnidaria) of Northumberland Strait, Atlantic Canada, with Observations on Their Life Cycles and Distributions, Subtidal, 555
- Hylocomium splendens*, 210,535
- Hypericum perforatum*, 536
- Hypogymnia austerodes*, 62  
*imshaugii*, 62  
*occidentalis*, 62  
*physodes*, 62,535  
*tubulosa*, 62
- Iris setosa* ssp. *interior*, 279
- Iris, Wild, 288
- Ironwood, 650
- Ixoreus naevius*, 15
- Jackal, Blackbacked, 424
- Jackrabbit, White-tailed, 309
- Jacob's-ladder, Northern, 462  
Tall, 297
- Jaeger, Long-tailed, 13  
Parasitic, 7  
Pomarine, 13
- Jay, Blue, 179,193  
Gray, 14  
Stellar's, 7
- John, R., Reviews by, 151,153,320,335,489,659,663,668
- Johnston, V., 302
- Joyce, T.L., 57
- Juglans nigra*, 218
- Junco hyemalis*, 16,179
- Junco, Dark-eyed, 16,179
- Juncus* spp., 103  
*balticus* ssp. *alaskanus*, 449  
*balticus* var. *littoralis*, 279  
*filiformis*, 449  
*triglumis* ssp. *albescens*, 279
- Juniper, Common, 213  
Ground, 451
- Juniperus communis*, 211,449
- Jutras, J., 377
- Kaiser, G., 53
- Kalmia microphylla*, 211  
*polifolia*, 279
- Kamler, J.F., 472
- Kamler, J.F. and P.S. Gipson. Space and Habitat Use by Male and Female Raccoons, *Procyon lotor*, in Kansas, 218
- Kamler, J.F. and W.B. Ballard. White Color Phase of the Swift Fox, *Vulpes velox*, 468
- Kamler, J.F., K. Keeler, G. Wiens, C. Richardson, and P.S. Gipson. Feral Dogs, *Canis familiaris*, Kill Coyote, *Canis latrans*, 123

- Kansas, Space and Habitat Use by Male and Female Raccoons, *Procyon lotor*, in, 218
- Kansas, Winter Occurrence of Harlan's, *Buteo jamaicensis harlani*, and Krider's, *B. j. borealis*, Hawks in Eastern, 122
- Karagatzides, J.D., 523
- Keeler, K., 123
- Kennedy, C.E., 278
- Keratosum maximum*, 557
- Kestrel, 424  
American, 12
- Killdeer, 7,311
- Kindbergia* sp., 211
- Kingbird, Eastern, 14,169
- Kingfisher, Belted, 14
- Kinglet, Golden-crowned, 7,177  
Ruby-crowned, 15
- Kinley, T.A., J. Bergenske, J.-A. Davies and D. Quinn. Characteristics of Early-Winter Caribou, *Rangifer tarandus caribou*, Feeding Sites in the Southern Purcell Mountains, British Columbia, 352
- Kirstein, F., 531
- Kittiwake, Black-legged, 13
- Knot, Red, 13
- Knotweed, Common, 290  
Striate, 290
- Kobresia hyperborea*, 453  
*myosuroides*, 449  
*siberica*, 449  
*simpliciuscula*, 279
- Kobresia*, Simple, 288
- Koeleria cristata*, 262  
*macrantha*, 25
- Koenigia islandica*, 449
- Koenigia*, Iceland, 455
- Kohn, B.E., 419
- Koons, D.N. and J.J. Rotella. Have Lesser Scaup, *Aythya affinis*, Reproductive Rates Declined in Parkland Manitoba?, 582
- Labrador, Range Extensions of Logperch, *Percina caprodes*, and Longnose Dace, *Rhinichthys cataractae*, in Newfoundland and, 57
- Labrador-tea, 461
- Lafoea dumosa*, 557  
*fruticosa*, 561  
*gracillima*, 557
- Lafoeina tenuis*, 557
- Lagopus* spp., 365  
*lagopus*, 12,480  
*leucurus*, 12  
*mutus*, 12
- Lamb, E.G. and W. Megill. The Shoreline Fringe Forest and Adjacent Peatlands of the Southern Central British Columbia Coast, 209
- Lamprey, Sea, 59
- Lane, R.K. and M. Pearman. Comparison of Spring Return Dates of Mountain Bluebirds, *Sialia currucoides*, and Tree Swallows, *Tachycineta bicolor* with Monthly Air Temperatures, 110
- Lanius excubitor*, 14
- Laomedea neglecta*, 559
- Lapointe, S., L. Bélanger, J.-F. Giroux, B. Filion. Effects of Plant Cover Improvements for Nesting Ducks on Grassland Songbirds, 167
- Lappula occidentalis*, 279
- Larch, 436  
Alpine, 353
- Larivière, S., 347
- Larivière, S., Review by, 504
- Larix laricina*, 436,590  
*lyalli*, 353
- Lark, Horned, 15,169
- Larkspur, Tall, 292
- Larus argentatus*, 13,70  
*canus*, 13  
*delawarensis*, 13  
*glaucescens*, 13,604  
*hyperboreus*, 13  
*marinus*, 70  
*philadelphia*, 13  
*ridibundus*, 13  
*thayeri*, 13
- Lasionycteris noctivigans*, 652
- Lasiurus borealis*, 651  
*cinereus*, 652
- Lasiurus borealis*, from Cypress Hills Provincial Park, Saskatchewan: A Response to Climate Change?, New Records of the Eastern Red Bat, 651
- Lathyrus sativus*, 198
- Lauff, R., Review by, 488
- Laurel, Bog, 213  
Western Bog, 214
- Leather-leaf, 436,461
- Ledum groenlandicum*, 211,449
- Leech, 380
- Leek, Wild, 650
- Lein, M.R., 76
- Lemming, Brown, 7,466  
Northern Bog, 17  
Norwegian, 467  
Siberian, 17
- Lemming, *Lemmus trimucronatus* = *L. sibiricus*, Black Color Morph of the Brown, 466
- Lemmus lemmus*, 467  
*sibiricus*, 17,466  
*trimucronatus*, 466
- Lemmus sibiricus*, Black Color Morph of the Brown Lemming, *Lemmus trimucronatus*, 466
- Lemmus trimucronatus* = *L. sibiricus*, Black Color Morph of the Brown Lemming, 466
- Lemons, P.R., W.B. Ballard, R.M. Sullivan, and M.A. Sovada. Den Site Activity Patterns of Adult Male and Female Swift Foxes, *Vulpes velox*, in Northwestern Texas, 424
- Leonard, T.D., 477
- Leopardbane, Snow, 299
- Lepeophtheirus salmonis*, 634
- Lepeophtheirus salmonis*, Infestation on Juvenile Pink Salmon, *Oncorhynchus gorbuscha*, in Nearshore Habitat, First Report of a Sea Louse, 634
- Lepidium sativum*, 280
- Lepidozia reptans*, 535
- Leptarrhena pyrolifolia*, 279
- Leptogium saturminum*, 62
- Lepus americanus*, 17,246,306,314,360,591  
*townsendii*, 309
- Lesquerella arctica* ssp. *arctica*, 279  
*calderi*, 279
- Leucanthemum integrifolium*, 66

- Leuckartiara octona*, 561  
*Leucosticte tephrocotis*, 16  
 Lice, Sea, 636  
 Lichen, 61  
     Hair, 39,44  
     Horsehair, 352  
 Lichens (*Bryoria*) in High-Elevation Oldgrowth Conifer Forests, On the Dispersal of Hair, 44  
 Lichens (*Bryoria*) in the Canopies of High-elevation Oldgrowth Conifer Forests, On the Vertical Zonation of Hair, 39  
 Lichens in Well-ventilated Stands in East-central British Columbia, Notes on the *Populus* "Dripzone Effect" on, 61  
 Lily, Alp, 288  
     Glacier, 304  
 Lily-of-the-valley, False, 214,288  
 Lim, B.K., Reviews by, 487,672  
*Limnodromus griseus*, 13  
     *scolopaceus*, 13  
*Limosa fedoa*, 13  
     *haemastica*, 13  
     *lapponica*, 13  
 Linard, C., 605  
*Linaria vulgaris*, 280  
 Lindgren, C.J. A Brief History of Purple Loosestrife, *Lythrum salicaria*, in Manitoba and its Status in 2001, 100  
 Lindquist, E.S., C.F. Aquadro, D. McLearn, and K.J. McGowan. Field Identification of the Mice *Peromyscus leucopus noveboracensis* and *P. maniculatus gracilis* in Central New York, 184  
 Line, J.M., 448  
 Lingonberry, 213  
*Linnaea borealis*, 211,352  
     *borealis* var. *americana*, 449  
*Listera*, 210  
 Liverwort, 214  
     Leafy, 214  
*Lloydia serotina*, 279  
*Lobaria hallii*, 64  
     *pulmonaria*, 61,352  
*Lobarion*, 63  
*Lobelia dortmanna*, 449  
 Lobelia, Water, 463  
 Locoweed, Blackish, 295  
     Yellow, 260  
 Locust, Honey, 218  
 Logperch, 57  
 Logperch, *Percina caprodes*, and Longnose Dace, *Rhinichthys cataractae*, in Newfoundland and Labrador, Range Extensions of, 57  
*Lomatogonium rotatum* ssp. *rotatum*, 449  
 Longspur, Lapland, 7  
     Smith's, 7  
*Lontra canadensis*, 35,380  
 Loon, Common, 11,254  
     Pacific, 11  
     Red-throated, 7  
     Yellow-billed, 11  
 Loosestrife, Purple, 100  
 Loosestrife, *Lythrum salicaria*, in Manitoba and its Status in 2001, A Brief History of Purple, 100  
*Lophodytes cucullatus*, 12  
*Lota lota*, 59  
*Lotus corniculatus*, 278  
 Lougheed, C., 53  
 Lougheed, L., 53  
 Louise, Sea, 634  
 Louse, *Lepeophtheirus salmonis*, Infestation on Juvenile Pink Salmon, *Oncorhynchus gorbuscha*, in Nearshore Habitat, First Report of a Sea, 634  
 Lousewort, Woolly, 298,463  
 Lovegrass, Sand, 645  
*Loxia curvirostra*, 16  
     *leucoptera*, 16  
 Lumpsucker, 254  
 Lungwort, 352  
     Drummond's, 462  
*Lutra canadensis*, 18,115  
*Lutra canadensis*, in a Highly Urbanized Area, Incidence of Mink, *Mustela vison*, and River Otter, 115  
*Lycopodium alpinum*, 279  
     *clavatum*, 214  
     *clavatum* var. *monostachyon*, 279,449  
     *complanatum*, 279,449  
*Lycopus americanus*, 103  
     *uniflorus*, 449  
*Lynx canadensis*, 360  
     *canadensis canadensis*, 360  
     *canadensis subsolanus*, 360  
     (*Felis*) *lynx*, 360  
     *lynx*, 18  
     *rufus*, 193,361,472  
 Lynx, 18  
     Canada, 360  
     Eurasian, 360  
*Lynx canadensis*, in Canada\*, A Review of the Canada Lynx, 360  
 Lynx, *Lynx canadensis*, in Canada\*, A Review of the Canada, 360  
*Lynx rufus*, and Raccoons, *Procyon lotor*, Relative to Home Range  
 Boundaries, Capture Locations of Coyotes, *Canis latrans*, Bobcats, 472  
*Lysimachia thyrsiflora*, 103  
*Lythrum* spp., 106  
     *salicaria*, 100  
*Lythrum salicaria*, in Manitoba and its Status in 2001, A Brief History of Purple Loosestrife, 100  
 Maass, W., 531  
 MacDonald, S.D., 140  
 MacNaughton, R.B. Planispiral Burrows from a Recent Lacustrine Beach, Gander Lake, Newfoundland, 577  
 MacPherson, A., Review by, 666  
*Madrepora oculata*, 440  
 Magpie, Black-billed, 15,30,308  
 Mahoney, S.P., 236  
*Maianthemum canadense*, 535  
     *dilatatum*, 211,280  
     *racemosum*, 650  
     *trifolium*, 449  
*Malaxis brachypoda*, 302  
     *monophyllos* var. *brachypoda*, 302  
     *monophyllos* var. *monophyllos*, 302  
 Malaxis, One-leaved, 302  
*Malaxis monophyllos* var. *brachypoda*, One-leaved Malaxis, new to the Northwest Territories, Canada, 302  
 Malaxis, new to the Northwest Territories, Canada, *Malaxis monophyllos* var. *brachypoda*, One-leaved, 302

- Mallard, 11,254  
*Mallotus villosus*, 70  
 Maltais, J., 399  
*Malus fusca*, 213  
 Manitoba and its Status in 2001, A Brief History of Purple Loosestrife, *Lythrum salicaria*, in, 100  
 Manitoba, First record of the Deepwater Sculpin, *Myoxocephalus thompsonii*, from George Lake in Whiteshell Provincial Park, 642  
 Manitoba?, Have Lesser Scaup, *Aythya affinis*, Reproductive Rates Declined in Parkland, 582  
 Manitoba, Sympatric Presence of Low and High Gillraker Forms of Cisco, *Coregonus artedii*, in Lake Athapuskow, 49  
 Maple, 378  
   Black, 649  
   Red, 185,436,469,532,590,622  
   Silver, 470  
   Sugar, 389,532,590,622,649  
 Maples, M.T., 466  
*Marine Turtle Newsletter*, 166,344,513,678  
 Marmot, Alaskan, 7  
   Hoary, 17  
*Marmota broweri*, 17  
   *caligata*, 17  
   *monax*, 17,247,591  
 Marsh-marigold, 456  
   Floating, 456  
 Marten, 246,591  
   American, 18,35,190  
 Marten, *Martes americana*, Reintroduction in Vermont, Assessing an American, 190  
*Martes americana*, 18,35,190,246,591  
   *pennanti*, 193,591  
*Martes americana*, Reintroduction in Vermont, Assessing an American Marten, 190  
 Masse, D., 377  
*Matricaria perforata*, 280  
 Mawhinney, K., 236  
 Mayweed, Scentless, 299  
 McCarthy, J., Review by, 502  
 McClearn, D., 184  
 McDonald, J.E. Jr. Methods for Capturing Free-Ranging Black Bears, *Ursus americanus*, in Difficult Locations, 621  
 McFarlane-Tranquilla, L., F. Huettmann, C. Lougheed, L. Lougheed, N. Parker, and G. Kaiser. Sightings of Vagrant Pacific Alcids in Desolation Sound, British Columbia, 53  
 McGowan, K.J., 184  
 McManus, R., Jr., 611  
 McNicholl, M.K., Review by, 505  
 McPherson, M., 82  
 Meadow-foxtail, Water, 282  
 Meadowlark, Eastern, 169,177  
   Western, 16  
 Meadowrue, Alpine, 292  
   Few-flowered, 292  
 Mech, L.D. Incidence of Mink, *Mustela vison*, and River Otter, *Lutra canadensis*, in a Highly Urbanized Area, 115  
*Medicago sativa* ssp. *falcata*, 448  
 McGill, W., 209  
*Melandrium taimyrense*, 456  
*Melanella subaurifera*, 62  
*Melanerpes formicivorus*, 311  
*Melanitta fusca*, 12  
   *nigra*, 12  
   *perspicillata*, 12  
*Meleagris gallopavo*, ssp. 609,645  
   *gallopavo intermedia*, 645  
*Meleagris gallopavo intermedia*, interactions, Coyote, *Canis latrans* – Rio Grand Turkey, 645  
*Meles meles*, 243  
 Melic, False, 285  
*Melilotus alba*, 450  
   *officinalis*, 168  
*Melospiza lincolni*, 16,169  
   *melodia*, 16,169,179  
*Mentha arvensis*, 103  
*Menyanthes trifoliata*, 279,436,449  
*Menziesia ferruginea*, 214  
*Mephitis mephitis*, 30,227,348,380  
*Mercenaria mercenaria*, 555  
 Merganser, Common, 12  
   Hooded, 7  
   Red-breasted, 12  
*Mergus merganser*, 12  
   *serrator*, 12  
 Merlin, 12  
*Merluccius bilinearis*, 475  
*Mertensia drummondii*, 449  
 Mice *Peromyscus leucopus noveboracensis* and *P. maniculatus gracilis* in Central New York, Field Identification of the, 184  
*Microseris borealis*, 214  
*Microtus* spp., 245,348,466  
   *chrotorrhinus*, 246  
   *longicaudus*, 17  
   *miurus*, 17  
   *oeconomus*, 17  
   *pennsylvanicus*, 17,246,466  
   *xanthognathus*, 17  
 Middleton, J., 393  
 Midshipman, Plainfin, 601  
 Midshipman, *Porichthys notatus*, at Crescent Beach, British Columbia, Bald Eagles, *Haliaeetus leucocephalus*, Feeding on Spawning Plainfin, 601  
 Milk-vetch, Indian, 459  
   Bodin's, 295  
   Chick-pea, 295  
   Pulse, 295  
*Mimulus guttatus*, 279  
 Mink, 115,227,586,591  
   American, 18,35,348  
 Mink, *Mustela vison*, and River Otter, *Lutra canadensis*, in a Highly Urbanized Area, Incidence of, 115  
 Mink, *Mustela vison*, Populations under Varying Harvest Regimes, Age Structure Differences in American, 35  
*Minuartia dawsonensis*, 279  
   *elegans*, 279  
   *obtusiloba*, 279  
   *rossii*, 449  
   *rubella*, 449  
   *yukonensis*, 279  
*Miramichi estuary*, 562  
 Mistletoe, 306  
*Mitella* spp., 352  
   *diphylla*, 650  
 Mitrewort, 352

- Molothrus ater*, 16,348  
 Monkeyflower, Yellow, 298  
 Monkshood, Mountain, 291  
*Monobrachium parasiticum*, 562  
     *parasitum*, 562  
 Montgomery, K., Review by, 505  
 Moonwort, 450  
 Moose, 7,316,357,400,547,591  
     Alaskan, 7  
 Morton, A.B. and R. Williams. First Report of a Sea Louse, *Lepeophtheirus salmonis*, Infestation on Juvenile Pink Salmon, *Oncorhynchus gorbuscha*, in Nearshore Habitat, 634  
*Morus rubra*, 218  
 Moruzzi, T.L., K.J. Royar, C. Grove, R.T. Brooks, C. Bernier, F.L. Thompson, Jr., R.M. DeGraaf, and T.K. Fuller. Assessing an American Marten, *Martes americana*, Reintroduction in Vermont, 190  
 Moschatel, 298,463  
 Moss, 395  
*Motacilla alba*, 15  
     *lugens*, 15  
 Mouse, 365,380  
     Deer, 7,184,246,390  
     Field, 245  
     Meadow Jumping, 17  
     Northwestern Deer, 7,17  
     Prairie Deer, 185  
     White-footed, 184,309  
     Woodland Jumping, 246  
 Mugwort, Aleutian, 463  
 Mulberry, Red, 218  
*Mulinia lateralis*, 555  
 Murray, L., M.H. Papst, and J.D. Reist. First record of the Deepwater Sculpin, *Myoxocephalus thompsonii*, from George Lake in Whiteshell Provincial Park, Manitoba, 642  
 Murre, Common, 13  
 Murrelet, Ancient, 13  
     Kittlitz's, 13  
     Marbled, 13,53  
 Mushroom, 380  
 Muskrat, 17,115,365,380,590  
 Mustard, Wormseed, 294  
*Mustela* sp., 247  
     *erminea*, 18,193,245  
     *frenata*, 193,246,313  
     *nivalis*, 18,245  
     *vison*, 18,35,115,227,348,586,591  
*Mustela erminea*, in a Forested Landscape, Food Habits of Ermine, 245  
*Mustela frenata*, Hunting Behavior in Central West Virginia, Observations of Long-tailed Weasel, 313  
*Mustela vison*, and River Otter, *Lutra canadensis*, in a Highly Urbanized Area, Incidence of Mink, 115  
*Mustela vison*, Populations under Varying Harvest Regimes, Age Structure Differences in American Mink, 35  
*Myadestes townsendi*, 15  
*Myotis lucifugus*, 17,652  
*Myoxocephalus quadricornis*, 643  
     *thompsonii*, 642  
*Myoxocephalus thompsonii*, from George Lake in Whiteshell Provincial Park, Manitoba, First record of the Deep-water Sculpin, 642  
*Myrica gale*, 211  
*Napaeozapus insignis*, 246  
 National Recovery Strategy for Species at Risk in the Sydenham River: A Ecosystem Approach, 678  
 Needle-and-Thread, 25,285  
*Neotoma cinerea*, 17  
*Nephroma resupinatum*, 62  
 New Brunswick, Comparison of the Ground Vegetation in Spruce Plantations and Natural Forest in the Greater Fundy Ecosystem, 531  
 Newfoundland and Labrador, Range Extensions of Logperch, *Percina caprodes*, and Longnose Dace, *Rhinichthys cataractae*, in, 57  
 Newfoundland and Mainland Populations of North American Black Bears, *Ursus americanus*, Phenotypic Variation in Skull Size and Shape Between, 236  
 Newfoundland, First Record of Mink Frog, *Rana septentrionalis*, from Insular, 477  
 Newfoundland, Planispiral Burrows from a Recent Lacustrine Beach, Gander Lake, 577  
 Newt, Red-spotted, 19  
 New York, Field Identification of the Mice *Peromyscus leucopus noveboracensis* and *P. maniculatus gracilis* in Central, 184  
 Nighthawk, Common, 7  
 Nightshade, Enchanter's, 296  
*Nodobryoria*, 39,44  
     *abbreviata*, 45  
     *oregana*, 39,45  
 Norment, C.J. Patterns of Nestling Feeding in Harris's Sparrows, *Zonotrichia querula* and White-crowned Sparrows, *Z. leucophrys*, in the Northwest Territories, Canada, 203  
 North America, Status of the Largest Breeding Concentration of Atlantic Puffins, *Fratercula arctica*, in, 70  
 North Carolina, Marsh Rice Rat, *Oryzomys palustris*, Predation on Forster's Tern, *Sterna forsteri*, Eggs in Coastal, 654  
 Northwest Territories and Nunavut, Canada, II, Additions and Range Extensions to the Vascular Plant Flora of the Continental, 448  
 Northwest Territories, Canada, *Malaxis monophyllos* var. *brachypoda*, One-leaved Malaxis, new to the, 302  
 Northwest Territories, Canada, Patterns of Nestling Feeding in Harris's Sparrows, *Zonotrichia querula* and White-crowned Sparrows, *Z. leucophrys*, in the, 203  
*Notophthalmus viridescens*, 19  
 Nova Scotia, The Wood Turtle, *Glyptemys insculpta*, at River Denys: A Second Population for Cape Breton Island, 415  
*Nowellia curvifolia*, 535  
*Nucifraga columbiana*, 15  
*Numenius phaeopus*, 13  
     *tahitiensis*, 13  
 Nunavut, Canada, II, Additions and Range Extensions to the Vascular Plant Flora of the Continental Northwest Territories and, 448  
 Nutcracker, Clark's, 15  
 Nuthatch, Red-breasted, 7,177  
     White-breasted, 177  
 Nutsedge, Purple, 106  
     Yellow, 106  
*Nyctea scandiaca*, 14  
 Oak, 19,394  
     Bur, 218

- Chinkapin, 218  
Northern Red, 622  
Red, 590
- Oak-fern, Nahanni, 451
- Obelia geniculata*, 559  
*longissima*, 557
- Oceanodroma furcata*, 11  
*leucorhoa*, 11
- Ochotona collaris*, 17
- Octopus bimaculatus*, 117  
*briareus*, 117  
*cyanea*, 117  
*vulgaris*, 117
- Octopus, Giant Pacific, 117
- Octopus, *Enteroctopus dofleini* (Wülker, 1910), An *in situ* Observation of Webover Hunting by the Giant Pacific, 117
- Odocoileus hemionus*, 18,309,316,357,657  
*virginianus*, 309,316,357,389,407,567,590
- Odocoileus hemionus*, in Central Colorado, Aggressive Interactions of Rocky Mountain Elk, *Cervus elaphus nelsoni*, During the Calving Season Toward Mule Deer, 316
- Odontoschisma denudatum*, 535
- Oenanthe oenanthe*, 15
- Ogden, L.E., Review by, 503
- Okello, M.M., 196
- Oncorhynchus gorbusha*, 59,634  
*keta*, 638  
*kisutch*, 639  
*nerka*, 603,634  
*tshawytscha*, 639
- Oncorhynchus gorbusha*, in Nearshore Habitat, First Report of a Sea Louse, *Lepeophtheirus salmonis*, Infestation on Juvenile Pink Salmon, 634
- Ondatra zibethicus*, 17,115,365,380,590
- Onobrychis viciifolia*, 280
- Ontario, Canopy Interception of Acid Deposition in Southern, 523
- Ontario, Lack of Evidence for Impact of the European White Birch, *Betula pendula*, on the Hydrology of Wainfleet Bog, 393
- Ontario, Landscape Influence on *Canis* Morphological and Ecological Variation in a Coyote-Wolf *C. lupus* × *latrans* Hybrid Zone, Southeastern, 589
- Ontario (1996-2000) Compared with Those of the St. Clair River (1990-1995), Density and Richness of Benthic Invertebrate Populations in the North Sydenham River of Southwestern, 267
- Ontario, Winter Bird Use of Urban and Rural Habitats in, 173
- Opercularella lacerata*, 558  
*pumila*, 557
- Oporornis tolmiei*, 15
- Orchid, Northern Bog, 454  
Northern Green, 454
- Oreamnos americanus*, 18,565
- Oreamnos americanus*, in East-central British Columbia, Seasonal Habitat Use and Movements of Mountain Goats, 565
- Oregonia gracilis*, 117
- Oritsland, N.A., 430
- Orobancha fasciculata*, 279
- Orthopyxis integra*, 557
- Oryctolagus cuniculus*, 242
- Oryzomys palustris*, 654
- Oryzomys palustris*, Predation on Forster's Tern, *Sterna forsteri*, Eggs in Coastal North Carolina, Marsh Rice Rat, 654
- Osmerus mordax*, 59
- Osморhiza depauperata*, 279,449
- Osprey, 12
- Ostrea excavata*, 440
- Ostrya virginiana*, 650
- Otisorex, 82
- Ottawa Field-Naturalists' Club Awards for 2002, The, 679
- Ottawa Field-Naturalists' Club 14 January 2003, Minutes of the 124<sup>th</sup> Annual Business Meeting of The, 514
- Otter, 380  
River, 18,35,115  
Sea, 3
- Otter, *Lutra canadensis*, in a Highly Urbanized Area, Incidence of Mink, *Mustela vison*, and River, 115
- Otus kennicottii*, 14
- Ouellet, J.-P., 399,546
- Ovalipes ocellatus*, 555
- Ovis dalli*, 18  
*dalli dalli*, 7
- Owl, Boreal, 14  
Great Gray, 14  
Great Horned, 14,227,479  
Northern Hawk, 14,306  
Saw-whet, 14  
Short-eared, 14,466  
Snowy, 14
- Owl, *Surnia ulula*, Nest on a Man-made Structure in Alaska, A Northern Hawk, 306
- Oxalis montana*, 535
- Oxycoccus microcarpus*, 449  
*oxycoccus*, 213
- Oxylebius pictus*, 118
- Oxytropis arctica*, 449
- Oxytropis campestris*, 260
- Oxytropis campestris* ssp. *roaldii*, 279
- Oxytropis deflexa*, 67
- Oxytropis deflexa* ssp. *foliolosa*, 449,460
- Oxytropis nigrescens* ssp. *nigrescens*, 279
- Oxyura jamaicensis*, 12
- Oystercatcher, Black, 13
- Pachistima myrsinites*, 352
- Pagophila eburnea*, 13
- Paintbrush, Port Clarence, 298
- Pandion haliaetus*, 12
- Panicum virgatum*, 218
- Panther, Florida, 113
- Papaver keelei*, 457  
*macounii* ssp. *discolor*, 449
- Papst, M.H., 642
- Paraonis fulgens*, 578
- Parelaphostrongylus tenuis*, 407
- Parker, N., 53
- Parmelia hygrophila*, 62  
*sulcata*, 62
- Parmeliopsis ambigua*, 62  
*hyperopta*, 62
- Parnassia fimbriata*, 279  
*kotzebuei*, 449  
*palustris* var. *neogaea*, 449
- Parus major*, 424
- Passer domesticus*, 177

- Passerculus sandwichensis*, 16  
*Passerella iliaca*, 16  
 Peanut, Hog, 650  
 Pearman, M., 110  
*Pedicularis flammaea*, 449  
     *lanata*, 279,449  
     *macrodonata*, 449  
     *parviflora*, 463  
*Peltigera* spp., 352  
 Penguin, Emperor, 231,430  
     King, 231  
*Percina caprodes*, 57  
*Percina caprodes*, and Longnose Dace, *Rhinichthys cataractae*, in Newfoundland and Labrador, Range Extensions of Logperch, 57  
*Pericladium mirabile*, 560  
*Perigonimus sessilis*, 561  
*Perisoreus canadensis*, 14  
*Peromyscus* spp., 193,309,348  
     *keeni*, 17  
     *leucopus*, 184  
     *leucopus noveboracensis*, 184  
     *maniculatus*, 17,184,246,390  
     *maniculatus bairdii*, 184  
     *maniculatus gracilis*, 184  
     *maniculatus nubiterrae*, 184  
*Peromyscus leucopus noveboracensis* and *P. maniculatus gracilis* in Central New York, Field Identification of the Mice, 184  
*Peromyscus maniculatus gracilis* in Central New York, Field Identification of the Mice *Peromyscus leucopus noveboracensis* and, 184  
 Perry, R. and T.L. Joyce. Range Extensions of Logperch, *Percina caprodes*, and Longnose Dace, *Rhinichthys cataractae*, in Newfoundland and Labrador, 57  
*Persicaria vivipara*, 67  
*Petasites frigidus* ssp. *palmatus*, 449  
     *palmatus*, 464  
     *sagittatus*, 449  
 Peterson, A.P., Review by, 337  
*Petrochelidon pyrrhonota*, 15  
*Petromyzon marinus*, 59  
*Phalacrocorax auritus*, 11  
     *pelagicus*, 11  
*Phalaris arundinacea*, 103,168,279,449  
 Phalarope, Red, 13  
     Red-necked, 7  
     Wilson's, 169  
*Phalaropus fulicarius*, 13  
     *lobatus*, 13  
     *tricolor*, 169  
*Phasianus colchicus*, 479  
 Pheasant, Ring-necked, 479  
*Phenacomys ungava*, 17  
 Phillips, G.E., 316  
*Phleum pratense*, 168,198,280,536  
*Phlox hoodii*, 262,279  
 Phlox, Moss, 297  
*Phoca groenlandica*, 121  
     *hispida*, 121,433  
*Phoebastria nigripes*, 11  
 Phoebe, Eastern, 14  
     Say's, 14  
*Phragmites australis*, 103  
*Phryma leptostachya*, 650  
*Phyllodoce coerulea*, 449  
     *empetriformis*, 354,449  
     *glanduliflora*, 354  
*Phylloscopus borealis*, 15  
*Physcia aipolia*, 62  
*Pica hudsonia*, 15  
     *pica*, 30  
*Picea* spp., 61,203,306,362,394  
     *engelmannii*, 40,44,353  
     *engelmannii* x *glauca*, 61  
     *glauca*, 1,76,130,307,353,378,532,590  
     *glauca* X *engelmannii*, 566  
     *mariana*, 1,72,130,362,436,532,590  
     *rubens*, 532  
     *sitchensis*, 1,212  
*Picoides arcticus*, 14  
     *pubescens*, 14,179  
     *tridactylus*, 14  
     *villosus*, 14,177  
 Pigeon, Band-tailed, 14  
 Pigmyweed, 458  
 Pika, Collared, 7  
 Pike, Northern, 59  
 Pin-Cherry, 538  
 Pine, 19,362,394  
     Eastern White, 590,622  
     Jack, 91,130  
     Limber, 91  
     Lodgepole, 76,91,281,353,362,566  
     Ponderosa, 91,628  
     Red, 590  
     Shore, 213  
     Whitebark, 353,566  
*Pinicola enucleator*, 16  
 Pintail, Northern, 12,605  
 Pintails, *Anas acuta*, Initiate Rapid Follicular Growth During Spring Migration?, Do Female Northern, 605  
*Pinus* spp., 19,362,394  
     *albicaulis*, 353,566  
     *banksiana*, 91,130  
     *contorta*, 61,76,91,211,353,362,566  
     *contorta* ssp. *latifolia*, 279  
     *flexilis*, 91  
     *ponderosa*, 91,628  
     *resinosa*, 590  
     *strobus*, 590  
 Pipit, American, 15  
*Piranga ludoviciana*, 16  
*Placobdella* sp., 380  
*Plagiothecium* sp., 211  
*Plangtichmus*, 578  
*Planolites*, 578  
*Plantago major*, 280  
 Plantain, Common, 298  
*Platanthera aquilonis*, 449  
     *hyperborea*, 454  
     *obtusata*, 449  
*Platanus occidentalis*, 646  
*Platismatia glauca*, 62  
*Plectrophenax nivalis*, 16,177  
*Plethodon cinereus*, 22  
     *glutinosus*, 19  
     *hoffmani*, 19  
*Pleurozium schreberi*, 535  
 Plover, Black-bellied, 12

- Semipalmated, 12  
*Pluvialis dominica*, 12  
*fulva*, 12  
*squatarola*, 12  
*Poa arctica*, 67,449  
*compressa*, 280,536  
*leptocoma*, 279  
*porsildii*, 279  
*pratense*, 536  
*pratensis*, 168,196,258  
*pratensis* ssp. *alpigena*, 279  
*secunda* ssp. *secunda*, 279  
*trivialis*, 280  
*Podiceps auritus*, 11  
*grisegena*, 11  
*Podilymbus podiceps*, 11  
*Poecile atricapillus*, 15,179  
*cincta*, 15  
*gambeli*, 15,76  
*hudsonica*, 15  
*rufescens*, 15  
*Poecile gambeli*, to Playback of Different Song Types, Response of Male Mountain Chickadees, 76  
Point Pelee Natural History News, 167,343,513,677  
Polargrass, 452  
*Polemonium acutiflorum*, 279  
*boreale*, 449  
*boreale* forma *albiflorum*, 448  
*Polygonum* spp., 103  
*achoreum*, 280  
*aviculare*, 280  
*caurianum* ssp. *hudsonianum*, 455  
*fowleri*, 448  
*hudsonianum*, 449  
*hydropiper*, 536  
*ramosissimum*, 448  
*Polytrichastrum alpinum*, 66  
*Polytrichum* spp., 536  
*commune*, 535  
*formosum*, 537  
*piliferum*, 66  
*strictum*, 395  
Pondweed, Fine-leaved, 281  
Giant, 281,451  
Ponomarenko, S., 125  
Poole, K.G. A Review of the Canada Lynx, *Lynx canadensis*, in Canada\*, 360  
Poole, K.G. and D.C. Heard. Seasonal Habitat Use and Movements of Mountain Goats, *Oreamnos americanus*, in East-central British Columbia, 565  
Poplar, Balsam, 196  
*Populus*, 61  
*alba*, 536  
*balsamifera*, 196,582  
*deltoides*, 645  
*grandidentata*, 436  
*tremuloides*, 61,76,91,196,362,378,395,436,582,590,652  
*trichocarpa*, 61  
*Populus* "Dripzone Effect" on Lichens in Well-ventilated Stands in East-central British Columbia, Notes on the, 61  
Porcupine, 469  
American, 17  
Porcupine, *Erethizon dorsatum*, Dens in Wisconsin, Death of Gray Wolves, *Canis lupus*, in, 469  
*Porichthys notatus*, 601  
*Porichthys notatus*, at Crescent Beach, British Columbia, Bald Eagles, *Haliaeetus leucocephalus*, Feeding on Spawning Plainfin Midshipman, 601  
*Porzana carolina*, 12  
*Potamogeton* spp., 273  
*filiformis* var. *borealis*, 279  
*natans*, 449  
*obtusifolius*, 449  
*porsildiorum*, 451  
*richardsonii*, 449  
*vaginatus*, 279,449  
*Potentilla anserina*, 103  
*arguta*, 260  
*hyarctica*, 449  
*nivea*, 279,449  
*porsilliorum*, 449  
*recta*, 536  
*tridentata*, 449  
Powell, K.G., 477  
Primrose, Greenland, 296  
Mealy, 462  
*Primula egalikensis*, 279  
*incana*, 449  
*Procyon lotor*, 30,193,218,227,348,380,472,591  
*Procyon lotor*, in Kansas, Space and Habitat Use by Male and Female Raccoons, 218  
*Procyon lotor*, Relative to Home Range Boundaries, Capture Locations of Coyotes, *Canis latrans*, Bobcats, *Lynx rufus*, and Raccoons, 472  
Pronghorn, 309  
*Prosopium cylindraceum*, 59  
*Prunella vulgaris* ssp. *lanceolata*, 278  
*Prunus pensylvanica*, 538  
*serotina*, 19,395  
*virginiana*, 417  
*Psathyrostachys juncea*, 283  
*Pseudacris triseriata*, 477  
*Pseudevernion*, 63  
*Pseudocyphellaria anomala*, 61  
*Pseudotriton ruber*, 19  
*Pseudotsuga menziesii*, 45,61,91,353,362,628  
Ptarmigan, 365  
Rock, 12  
White-tailed, 12  
Willow, 12  
*Pteridium aquilinum*, 214  
*Ptilidium ciliare*, 66  
*Ptychoramphus aleuticus*, 13  
*Puccinellia deschampsoides*, 279  
*distans*, 280  
*nuttalliana*, 280  
Puffin, Atlantic, 70  
Horned, 14  
Tufted, 14  
Puffins, *Fratercula arctica*, in North America, Status of the Largest Breeding Concentration of Atlantic, 70  
*Puffinus carnaeipes*, 11  
*griseus*, 11  
*tenuirostris*, 11  
*Puma concolor*, 566  
*concolor coryi*, 113  
*Pungitius pungitius*, 59  
*Purshia tridentata*, 628  
*Pyrola minor*, 280,449

- Quail, Japanese, 348
- Québec, Eco-geographical and Cytological Notes on the Entire-leaved Daisy, *Hulteniella integrifolia* (Asteraceae), in, 66
- Québec, Ecological Aspects of a Wood Turtle, *Glyptemys insculpta*, Population at the Northern Limit of its Range in, 377
- Quebec, Historical Changes and Current Distribution of Caribou, *Rangifer tarandus*, in, 399
- Quercus* spp., 19,394  
*macrocarpa*, 218  
*muhlenbergii*, 218  
*rubra*, 590,622
- Quinn, D., 352
- Rabbit, European, 242
- Rabbitbrush, 645
- Raccoon, 30,193,218,227,348,380,472,591
- Raccoons, *Procyon lotor*, in Kansas, Space and Habitat Use by Male and Female, 218
- Raccoons, *Procyon lotor*, Relative to Home Range Boundaries, Capture Locations of Coyotes, *Canis latrans*, Bobcats, *Lynx rufus*, and, 472
- Racomitrium* sp., 213
- Ragweed, Mount Sheldon, 299  
 Western, 645
- Ragwort, Tundra, 300
- Ramalina thrausta*, 62
- Rana clamitans*, 477  
*pipiens*, 477  
*septentrionalis*, 477  
*sylvatica*, 477
- Rana septentrionalis*, from Insular Newfoundland, First Record of Mink Frog, 477
- Rangifer tarandus*, 18,120,253,399  
*tarandus caribou*, 7,39,44,352,546  
*tarandus granti*, 7  
*tarandus platyrhynchus*, 433
- Rangifer tarandus caribou*, An Aerial Survey Technique for the Forest-Dwelling Ecotype of Woodland Caribou, 546
- Rangifer tarandus caribou*, Feeding Sites in the Southern Purcell Mountains, British Columbia, Characteristics of Early-Winter Caribou, 352
- Rangifer tarandus*, in Quebec, Historical Changes and Current Distribution of Caribou, 399
- Ranunculus acris*, 536  
*aquatilis* var. *eradicatus*, 280  
*aquatilis* var. *hispidulus*, 450  
*eschscholtzii*, 280  
*flammula*, 280,449  
*flammula* var. *filiformis*, 449  
*nivalis*, 449  
*pallasii*, 449  
*pedatifidus* ssp. *affinis*, 280  
*pygmaeus*, 449  
*sulphureus*, 449  
*trichophyllus* var. *hipidulus*, 456
- Raspberry, 538  
 Creeping, 295  
 Dwarf, 295
- Rat, Marsh Rice, 654
- Rat, *Oryzomys palustris*, Predation on Forster's Tern, *Sterna forsteri*, Eggs in Coastal North Carolina, Marsh Rice, 654
- Rattlesnake, Massasauga, 393
- Raven, Common, 15,30,227,308
- Reading, K.L., 448
- Reakoff, J.L., 306
- Reakoff, M.L., J.L. Reakoff and T. Craig. A Northern Hawk Owl, *Surnia ulula*, Nest on a Man-made Structure in Alaska, 306
- Recovery: An Endangered Species Newsletter, 166,344,678
- Recovery Strategy for Bowhead Whales in Canadian Eastern Arctic, 678
- Redcedar, Western, 353,566
- Redhead, 7
- Redpoll, 611  
 Common, 7  
 Hoary, 16
- Redpoll, *Carduelis* sp., Winter Visitations in Atlantic Canada, Supposed Periodicity of, 611
- Redstart, American, 7,206
- Redtop, 168  
 Spike, 281
- Reedgrass, Northern, 282  
 Purple, 282
- Reeves, H.M., Review by, 661
- Regehr, H.M., 70
- Regulus calendula*, 15  
*satrapa*, 15,177
- Reindeer, Svalbard, 433
- Reist, J.D., 642
- Rhinichthys cataractae*, 57
- Rhinichthys cataractae*, in Newfoundland and Labrador, Range Extensions of Logperch, *Percina caprodes*, and Longnose Dace, 57
- Rhizocaulus verticillatus*, 557
- Rhizomnium* sp., 214
- Rhodostethia rosea*, 13
- Rhytidadelphus* sp., 211
- Richardson, C., 123
- Riparia riparia*, 15
- Ripley, E.A., 257
- Rissa tridactyla*, 13
- Rithropanopeus harrisi*, 555
- Robards, M.D., 119
- Robichaud, J., 82
- Robin, American, 15,177,311
- Robin, *Turdus migratorius*, Autumn and Winter Breeding Records for the American, 311
- Rockcress, Boivin's, 292  
 Cody's, 292  
 Holboell's, 292  
 Lyre-leaved, 292
- Rockfish, Copper, 118  
 Puget Sound, 118
- Rodway, M.S., H.M. Regehr, and J.W. Chardine. Status of the Largest Breeding Concentration of Atlantic Puffins, *Fratercula arctica*, in North America, 70
- Romo, J.T. Reintroducing Fire for Conservation of Fescue Prairie Association Remnants in the Northern Great Plains, 89
- Rosa* spp., 258  
*woodsii*, 280
- Rose, 258  
 Western, 295
- Rosemary, Bog, 296
- Rosy-Finch, Gray-crowned, 16
- Rotella, J.J., 582

- Royar, K.J., 190
- Rubus* spp., 72,533,594
- acaulis*, 459
- arcticus* ssp. *acaulis*, 449
- pedatus*, 211,280
- pubescens*, 280
- strigosus*, 535
- Rumex acetosa* ssp. *alpestris*, 280
- acetosella*, 536
- crispus*, 536
- occidentalis*, 103
- Rush, Baltic, 288
- Dwarf Scouring, 450
- Spike, 103
- Whitish, 288
- Rye, Canada Wild, 452
- Russian Wild, 283
- Thick-spike Wild, 283
- Sage, 25
- Prairie, 258
- Silver, 25
- Sage-Grouse, Greater, 25,479
- Northern, 308
- Sage-Grouse, *Centrocercus urophasianus*, in Canada, Distribution, Abundance, and Status of the Greater, 25
- Sage-Grouse, *Centrocercus urophasianus*, in Southern Alberta, Northern Harrier, *Circus cyaneus*, Attacks on Greater, 479
- Sage-grouse, *Centrocercus urophasianus*, Nest Predators Using Remote Sensing Cameras, Direct Identification of Northern, 308
- Sagebrush, 25,645
- Sagittaria* spp., 168
- Saher, D.J., 479
- Salal, 213
- Salamander, Four-toed, 19
- Jefferson, 19
- Mountain Dusky, 19
- Northern Red, 19
- Redback, 19
- Ridge, 19
- Slimy, 19
- Valley, 19
- Woodland, 19
- Salamanders Along Forest-Farmland Edges, Distribution of, and Microhabitat Use by, Woodland, 19
- Salix* spp., 103,203
- alaxensis* ssp. *longistylis*, 280
- arbusculoides*, 280
- arctica*, 66,280
- arctophila*, 280
- athabascensis*, 449
- brachycarpa* ssp. *niphoclada*, 289
- commutata*, 280
- fuscescens*, 280
- hastata*, 280
- herbacea*, 67
- lanata* ssp. *richardsonii*, 289
- lutea*, 449
- monticola*, 289
- niphoclada*, 280
- polaris*, 280,449
- polaris* ssp. *pseudopolaris*, 454
- pseudomonticola*, 280
- reticulata*, 67
- richardsonii*, 280
- rotundifolia* ssp. *rotundifolia*, 280,448
- Salmo salar*, 59,634
- trutta*, 634
- Salmon, Atlantic, 59,634
- Kokanee, 603
- Pink, 59,634
- Sockeye, 634
- Salmon, *Oncorhynchus gorbuscha*, in Nearshore Habitat, First Report of a Sea Louse, *Lepeophtheirus salmonis*, Infestation on Juvenile Pink, 634
- Salvelinus alpinus*, 59,254,634
- fontinalis*, 59
- namaycush*, 59,642
- Sambucus racemosa*, 538
- Sander vitreus*, 542
- Sander-Regier, R., Reviews by, 157,158,159,327,339,497,498
- Sanderling, 13
- Sandpiper, Baird's, 13
- Buff-breasted, 13
- Least, 7
- Pectoral, 13
- Rock, 13
- Semipalmated, 13
- Solitary, 13
- Spotted, 13
- Upland, 13
- Western, 13
- Sandreed, Prairie, 645
- Sandwort, Alpine, 291
- Boreal, 456
- Northern, 290
- Rock, 290
- Sanguisorba canadensis* ssp. *latifolia*, 280
- officinalis*, 213
- Sapsucker, Red-breasted, 7
- Yellow-bellied, 7
- Sarsia tubulosa*, 561
- Saskatchewan: A Response to Climate Change?, New Records of the Eastern Red Bat, *Lasiurus borealis*, from Cypress Hills Provincial Park, 651
- Saskatchewan, Effects of Season of Burning on the Micro-environment of Fescue Prairie in Central, 257
- Saskatchewan, Extralimital Sighting of a Polar Bear, *Ursus maritimus*, in northeast, 648
- Saskatchewan, Sandhill Crane, *Grus canadensis*, Nesting in the Yorkton Wetland Complex, 224
- Savok, C., 466
- Saxifraga aizoides*, 67
- caespitosa* ssp. *uniflora*, 449
- cernua*, 449
- foliolosa*, 449
- hieracifolia*, 304,449
- hirculus*, 449
- nelsoniana* ssp. *porsildiana*, 449
- nivalis*, 449
- oppositifolia*, 67
- punctata* ssp. *porsildiana*, 459
- Saxifraga hieracifolia*, in Southern British Columbia, and its Palaeobotanical Implications, An Occurrence of the Hawkweed-Leaved Saxifrage, 304
- Saxifrage, Alpine, 459
- Hawkweed-Leaved, 304
- Leather-leaved, 294

- Nodding, 458  
 Northern Golden, 458  
 Tufted, 458  
 Yellow Marsh, 459
- Saxifrage, *Saxifraga hieraciifolia*, in Southern British Columbia, and its Palaeobotanical Implications, An Occurrence of the Hawkweed-Leaved, 304
- Sayornis phoebe*, 14  
*saya*, 14
- Scaup, Greater, 12,582  
 Lesser, 12,582
- Scaup, *Aythya affinis*, Reproductive Rates Declined in Parkland Manitoba?, Have Lesser, 582
- Schizachne purpurascens*, 280
- Schultz, R.N., 469
- Scirpus* spp., 103  
*acutus*, 226  
*caespitosus* ssp. *austriacus*, 280  
*validus*, 449
- Scizachyrium scoparium*, 218
- Scolochloa festucacea*, 103
- Scoter, Black, 12  
 Surf, 12  
 White-winged, 12
- Scotter, G.W., Review by, 159
- Screech-Owl, Western, 14
- Scrub-Jay, Western, 311
- Sculpin, Deepwater, 642  
 Fourhorn, 643  
 Mottled, 59  
 Slimy, 59
- Sculpin, *Myoxocephalus thompsonii*, from George Lake in Whiteshell Provincial Park, Manitoba, First record of the Deepwater, 642
- Scyliorhinus retifer*, 475  
*retifer retifer*, 476
- Scyliorhinus retifer* (Garman, 1881), New to the Canadian Atlantic Ichthyofauna, The Chain Dogfish, 475
- Sea-blite, 456
- Seal, 121  
 Ringed, 433
- Sears, H.J., J.B. Theberge, M.T. Theberge, I. Thornton, and G.D. Campbell. Landscape Influence on *Canis* Morphological and Ecological Variation in a Coyote-Wolf *C. lupus* × *latrans* Hybrid Zone, Southeastern Ontario, 589
- Sebastes caurinus*, 118  
*emphaeus*, 118
- Seburn, D., Reviews by, 327,332
- Seburn, D.C. Population Structure, Growth, and Age Estimation of Spotted Turtles, *Clemmys guttata*, Near their Northern Limit: an 18-Year Follow-up, 436
- Sedge, 103,258  
 Alpine, 287  
 Awned, 285  
 Bent, 286  
 Blunt, 287  
 Bog, 287  
 Bristle, 287  
 Broad-wing, 453  
 Broad-leaved, 650  
 Brownish, 286  
 Buxbaum's, 286  
 Dark-brown, 286  
 Dunhead, 287  
 Few-flowered, 214  
 Few-seeded Bog, 287  
 Franklin's, 286  
 Garber's, 286  
 Glacier, 287  
 Goosegrass, 286  
 Green, 287  
 Hairlike, 286  
 Long-stalked, 650  
 Low Northern, 286  
 Northern Clustered, 285,452  
 Plantain-leaved, 650  
 Thick-headed, 287  
 Threadleaf, 197  
 Two-coloured, 286  
 William's, 287  
 Yellow, 286  
 Yukon, 286
- Seiurus noveboracensis*, 15
- Selaginopsis alternitheca*, 562
- Selasphorus rufus*, 14
- Semotilus margarita*, 59
- Senecio indecorus*, 280  
*jacobaea*, 536  
*sheldonensis*, 280  
*streptanthifolius*, 280  
*tundricola*, 280  
*vulgaris*, 280
- Sertularella polyzonias*, 557  
*rugosa*, 560  
*tenella*, 561
- Sertularia argentea*, 561  
*cupressina*, 560  
*fabricii*, 560  
*latiuscula*, 557  
*pumila*, 561  
*similis*, 560
- Setophaga ruticilla*, 15,206
- Shad, American, 59
- Shearwater, Flesh-footed, 11  
 Short-tailed, 11  
 Sooty, 11
- Sheep, Dall, 7  
 Domestic, 309
- Shepherdia canadensis*, 449
- Shooting Star, Few Flowered, 304
- Shoveler, Northern, 12
- Shrew, American Water, 7  
 Arctic, 83  
 Cinereus, 17  
 Dusky, 17,82  
 Masked, 17,87,246  
 Montane, 17  
 North American Pygmy, 82  
 Pygmy, 17,82  
 Short-tailed, 246,390  
 Tiny, 7  
 Tundra, 7  
 Vagrant, 82  
 Water, 82
- Shrews (*Sorex*)? Revisiting the Question Using DNA Sequence Data, Are There Two Species of Pygmy, 82
- Shrike, Northern, 7
- Sialia currucoides*, 15,110

- Sialia currucoides*, and Tree Swallows, *Tachycineta bicolor* with Monthly Air Temperatures, Comparison of Spring Return Dates of Mountain Bluebirds, 110
- Sibbaldia procumbens*, 280
- Sibbaldia, 295
- Silene acaulis*, 67
- acaulis* ssp. *acaulis*, 280
- cucubalis*, 260
- involutrata* ssp. *involutrata*, 280
- taimyrensis*, 280,449
- uralensis* ssp. *ogilviensis*, 448
- Simard, R.R., 267
- Siskin, Pine, 16,177
- Sistrurus catenatus catenatus*, 393
- Sitta canadensis*, 15,177
- carolinensis*, 177
- Skua, South Polar, 13
- Skunk, Striped, 30,227,348,380
- Smartweed, 103
- Smelt, Rainbow, 59
- Smilacina trifolia*, 454
- Smith, B.W., C.A. Dobony, J.W. Edwards, and W.M. Ford. Observations of Long-tailed Weasel, *Mustela frenata*, Hunting Behavior in Central West Virginia, 313
- Smith, C.M., Review by, 675
- Smith, P.G.R. Winter Bird Use of Urban and Rural Habitats in Ontario, 173
- Smith, T., Reviews by, 506,672
- Snag, 215
- Snakeroot, White, 650
- Snakeweed, 645
- Snipe, Common, 13,169
- Snowberry, Western, 258
- Soapberry, 460
- Solidago canadensis* var. *salebrosa*, 280
- graminifolia*, 535
- missouriensis*, 262
- multiradiata*, 280
- rigida*, 260
- rugosa*, 537
- Solitaire, Townsend's, 15
- Solomon's Seal, False, 650
- Somateria mollissima*, 12,230,608
- spectabilis*, 12
- Somateria mollissima*, Physical Condition of an Animal, Using as an Example the Common Eider, 230
- Sonchus asper*, 280
- Sora, 7
- Sorex* spp., 82,246
- araneus*, 85
- arcticus*, 83
- asper*, 85
- caecutiens*, 85
- cinereus*, 17,84,246
- fumeus*, 85
- granarius*, 85
- haydeni*, 84
- hoyi*, 17,82
- hoyi eximius*, 82
- hoyi hoyi*, 82
- hoyi montanus*, 82
- hoyi thompsoni*, 82
- hoyi winnemana*, 82
- maritimensis*, 83
- monticolus*, 17,82
- pacificus*, 84
- palustris*, 17,82
- shinto*, 85
- thompsoni*, 82
- throwbridgii*, 84
- tundrensis*, 17,85
- vagrans*, 82
- yukonicus*, 17
- (*Sorex*)? Revisiting the Question Using DNA Sequence Data, Are There Two Species of Pygmy Shrews, 82
- Sorghastrum nutans*, 218
- Sorrel, Green, 290
- Sovada, M.A., 424
- Sow-thistle, Spiny, 300
- Sparganium eurycarpum*, 168
- minimum*, 280
- Sparrow, American Tree, 16,179
- Brewer's, 7
- Chipping, 7,169
- Clay-colored, 16
- Fox, 16
- Gambel's White-crowned, 203
- Golden-crowned, 16,206
- Harris's, 203
- House, 177
- Lark, 16
- Lincoln's, 16,169
- Nelson's Sharp-tailed, 169
- Rufous-collared, 206
- Savannah, 16,169
- Seaside, 654
- Song, 7,169,179
- Swamp, 169
- White-crowned, 16,203,617
- White-throated, 16,206
- Sparrows, *Z. leucophrys*, in the Northwest Territories, Canada, Patterns of Nestling Feeding in Harris's Sparrows, *Zonotrichia querula* and White-crowned, 203
- Sparrows, *Zonotrichia querula* and White-crowned Sparrows, *Z. leucophrys*, in the Northwest Territories, Canada, Patterns of Nestling Feeding in Harris's, 203
- Spartina alterniflora*, 654
- Spears, B.L., W.B. Ballard, M.C. Wallace, R.D. Applegate, and P.S. Gipson. Coyote, *Canis latrans* – Rio Grand Turkey, *Meleagris gallopavo intermedia*, interactions, 645
- Spearwort, Creeping, 292,457
- Spergularia rubra*, 280
- Spermophilus* spp., 347,365
- parryii*, 17
- richardsonii*, 30,308
- tricemlineatus*, 308
- Sphagnum* spp., 211,393,436
- girgensohnii*, 535
- Sphagnum, 436
- Sphyrapicus ruber*, 14
- varius*, 14
- Spiraea, 459
- Spiraea beauverdiana*, 449
- Spirodesmos archimedeus*, 577
- interruptus*, 578
- Spizella arborea*, 16,179
- breweri*, 16
- pallida*, 16
- passerina*, 16,169

- Spleenwort, Narrow-leaved, 650  
*Sporobolus cryptandrus*, 425,645  
 Spruce, 203,306,362,394,566  
   Black, 1,72,130,362,436,532,590  
   Engelmann, 40,44,353  
   Red, 532  
   Sitka, 1,215  
   Sub-Boreal, 130  
   White, 1,76,130,307,353,378,532,590  
 Spurry, Purple Sand, 291  
 Squirrel, American Red, 17  
   Arctic Ground, 7  
   Flying, 193,365  
   Ground, 347,365  
   Northern Flying, 17  
   Red, 193,246,365  
   Richardson's Ground, 30,308  
   Thirteen-lined Ground, 308  
 Staniforth, J., 278  
 Starflower, Northern, 213  
 Starling, European, 15,177  
 Starwort, Boreal, 291  
   Thick-leaved, 456  
*Stelgidopteryx serripennis*, 15  
*Stellaria borealis*, 280,449  
   *calycantha*, 456  
   *crassifolia*, 449  
   *graminifolia*, 536  
   *longifolia*, 280  
   *media*, 280  
 Stephens, R.M., A.W. Alldredge, and G.E. Phillips. Aggressive Interactions of Rocky Mountain Elk, *Cervus elaphus nelsoni*, During the Calving Season Toward Mule Deer, *Odocoileus hemionus*, in Central Colorado, 316  
*Stercorarius longicaudus*, 13  
   *maccormicki*, 13  
   *parasiticus*, 13  
   *pomarinus*, 13  
*Sterna aleutica*, 13  
   *caspia*, 13  
   *forsteri*, 654  
   *hirundo*, 13  
   *paradisaea*, 13,309  
*Sterna forsteri*, Eggs in Coastal North Carolina, Marsh Rice Rat, *Oryzomys palustris*, Predation on Forster's Tern, 654  
 Stewart, D.T., M. McPherson, J. Robichaud and L. Fumagalli. Are There Two Species of Pygmy Shrews (*Sorex*)? Revisiting the Question Using DNA Sequence Data, 82  
 Stichwort, Ross', 456  
 Stickleback, Ninespine, 59  
   Threespine, 59  
 Stickseed, Western, 297  
*Sticta fuliginosa*, 61  
 Stint, Red-necked, 13  
*Stipa comata*, 25,280  
   *spartea*, 262  
   *spartea* var. *curtiseta*, 260  
   *viridula*, 262  
 Stitchwort, Yukon, 291  
 Storm-Petrel, Fork-tailed, 11  
   Leach's, 11  
 Strawberry, 380  
   Wild, 294  
*Streptopus amplexifolius* ssp. *americanus*, 280  
*Strix nebulosa*, 14  
 Struik, C.L., 601  
 Stubblefield, W.A., 119  
 Sturgeon, Atlantic, 59  
   Lake, 541  
 Sturgeon, *Acipenser fulvescens*, in a Natural Reach of the Ottawa River, Movement of Lake, 541  
*Sturnella magna*, 169,177  
   *neglecta*, 16  
*Sturnus vulgaris*, 15,177  
*Suaeda calceoliformis*, 449  
*Subularia aquatica* ssp. *americana*, 280,449  
 Sucker, Longnose, 59  
   White, 59  
 Sullivan, R.M., 424  
 Sundew, Round-Leafed, 213  
 Surfbird, 7  
*Surnia ulula*, 14,306  
*Surnia ulula*, Nest on a Man-made Structure in Alaska, A Northern Hawk Owl, 306  
 Swallow, Bank, 15  
   Barn, 7  
   Cliff, 15  
   Northern Rough-winged, 15  
   Tree, 15,110  
   Violet-green, 15  
 Swallows, *Tachycineta bicolor* with Monthly Air Temperatures, Comparison of Spring Return Dates of Mountain Bluebirds, *Sialia currucoides*, and Tree, 110  
 Swan, Trumpeter, 11  
   Tundra, 11  
 Sweet-cicely, Blunt-fruited, 296  
 Sweet-Clover, Yellow, 168  
 Sweet-vetch, Boreal, 295  
 Swift, Vaux's, 14  
 Switchgrass, 218  
 Sycamore, 646  
*Sylvilagus* sp., 314  
   *floridanus*, 591  
*Symphoricarpos occidentalis*, 258  
*Symplectoscyphus tricuspidatus*, 557  
*Synaptomys borealis*, 6  
   *cooperi*, 247  
*Syncoryne mirabilis*, 561  
*Synthliboramphus antiquus*, 13  
  
*Tachycineta bicolor*, 15,110  
   *thalassina*, 15  
*Tachycineta bicolor* with Monthly Air Temperatures, Comparison of Spring Return Dates of Mountain Bluebirds, *Sialia currucoides*, and Tree Swallows, 110  
 Tamarack, 590  
 Tamarisk, 645  
*Tamarix chinensis*, 645  
*Tamias minimus*, 17  
   *striatus*, 246,591  
*Tamiasciurus hudsonicus*, 17,193,246,365  
*Tanacetum vulgare*, 536  
 Tanager, Western, 7  
 Tanseymustard, Northern, 293  
*Taraxacum lyratum*, 280,449  
   *officinale*, 197  
   *phymatocarpum*, 464

- Tarragon, 299  
 Tattler, Wandering, 13  
*Taxidea taxus*, 308,348  
*Taxus brevifolia*, 213  
   *canadensis*, 389  
*Taxus canadensis*, Small Mammal Abundance and Diversity in Forests with and without Canada Yew, 389  
 Tea, Labrador, 213  
 Teal, Blue-winged, 12,227,314  
   Cinnamon, 12  
   Green-winged, 12  
 Tern, Aleutian, 7  
   Arctic, 13,309  
   Black, 13  
   Caspian, 13  
   Common, 13  
   Forster's, 654  
 Tern, *Sterna forsteri*, Eggs in Coastal North Carolina, Marsh Rice Rat, *Oryzomys palustris*, Predation on Forster's, 654  
 Texas, Den Site Activity Patterns of Adult Male and Female Swift Foxes, *Vulpes velox*, in Northwestern, 424  
*Thalictrum alpinum*, 280  
   *sparsiflorum* ssp. *richardsonii*, 280  
 Thallose, 214  
 Theberge, J.B., 589  
 Theberge, M.T., 589  
 Thistle, 103  
 Thompson, F.L. Jr., 190  
 Thompson, I.D., Review by 155  
 Thornton, I., 589  
 Thrush, Gray-cheeked, 15  
   Hermit, 15  
   Swainson's, 15  
   Varied, 15  
*Thuiaria altermitheca*, 562  
   *argentea*, 561  
   *articulata*, 562  
   *carica*, 562  
   *kolaensis*, 562  
   *laxa*, 560  
   *thuiarioides*, 561  
*Thuja occidentalis*, 470,590  
   *plicata*, 61,212,353,566  
*Tiarella* spp., 352  
*Tilia americana*, 590,650  
*Tillaea aquatica*, 458  
 Timothy, 168,285  
 Titman, R.D., 377  
 Tits, Great, 424  
 Toad, 380  
   American, 477  
*Tofieldia glutinosa*, 213  
   *pusilla*, 67  
 Tokaryk, T.T., Reviews by, 340,341  
 Trefoil, Birds-foot, 295  
*Trichophorum caespitosum*, 211  
*Trientalis arctica*, 213  
*Trifolium* spp., 168  
   *pratense*, 280  
   *repens*, 197  
*Tringa flavipes*, 13  
   *melanoleuca*, 13  
   *solitaria*, 13  
*Troglodytes troglodytes*, 15  
 Trout, Brook, 59  
   Lake, 59,642  
   Sea, 634  
*Tryngites subruficollis*, 13  
*Tsuga* spp., 362  
   *canadensis*, 590,622  
   *heterophylla*, 1,212,353,566  
   *mertensiana*, 1  
 Tsuji, L.J.S., 523  
*Tubularia crocea*, 561  
   *indivisa*, 561  
*Tuckermannopsis chlorophylla*, 62  
   *ciliaris*, 64  
*Turdus migratorius*, 15,177,311  
*Turdus migratorius*, Autumn and Winter Breeding Records for the American Robin, 311  
 Turkey, Eastern Wild, 609  
   Rio Grand, 645  
   Wild, 645  
 Turkey, *Meleagris gallopavo intermedia*, interactions, Coyote, *Canis latrans* – Rio Grand, 645  
 Turnstone, Black, 13  
   Ruddy, 13  
 Turtle, Blanding's, 415  
   Bog, 415  
   Eastern Painted, 415  
   Snapping, 415  
   Spotted, 415,436  
   Western Pond, 415  
   Wood, 377,415  
 Turtle, *Glyptemys insculpta*, at River Denys: A Second Population for Cape Breton Island, Nova Scotia, The Wood, 415  
 Turtle, *Glyptemys insculpta*, Population at the Northern Limit of its Range in Québec, Ecological Aspects of a Wood, 377  
 Turtles, *Clemmys guttata*, Near their Northern Limit: an 18-Year Follow-up, Population Structure, Growth, and Age Estimation of Spotted, 436  
 Twinflower, 214,352,463  
 Twistedstalk, Clasping, 288  
*Tympanuchus phasianellus*, 12,227,479  
*Typha angustifolia*, 101,168  
   *latifolia*, 103  
   x *glauca*, 103  
*Tyrannus forficatus*, 14  
   *tyrannus*, 14,169  
  
*Ulmus americana*, 218,590  
*Uria aalge*, 13  
*Urocyon cinereoargenteus*, 468  
*Urosalpinx cinerea*, 555  
*Ursus americanus*, 18,113,193,236,407,566,591,621,626  
   *americanus floridanus*, 113  
   *americanus hamiltoni*, 236  
   *americanus luteolus*, 113  
   *arctos*, 18,566  
   *horribilis*, 30  
   *maritimus*, 120,433,648  
*Ursus americanus*, Associated with Elevated Train Trestles, Mortality of Black Bears, 113  
*Ursus americanus*, Denning Chronology and Den Site Selection in the Northeastern Cascades of Washington, Black Bear, 626

- Ursus americanus*, in Difficult Locations, Methods for Capturing Free-Ranging Black Bears, 621
- Ursus maritimus*, in northeast Saskatchewan, Extralimital Sighting of a Polar Bear, 648
- Ursus americanus*, Phenotypic Variation in Skull Size and Shape Between Newfoundland and Mainland Populations of North American Black Bears, 236
- Usnea lapponica*, 62
- Utricularia minor*, 280
- Uvularia grandiflora*, 650
- Vaccinium* spp., 213,352,594  
*corymbosum*, 395  
*macrocarpon*, 436  
*myrtilloides*, 535  
*ovalifolium*, 448  
*oxycoccus*, 436  
*parvifolium*, 212  
*uliginosum*, 213  
*vitis-idaea*, 213
- Vahlodea atropurpurea* ssp. *latifolia*, 449
- Van Why, K.R. and M.J. Chamberlain. Mortality of Black Bears, *Ursus americanus*, Associated with Elevated Train Trestles, 113
- Veinotte, C., B. Freedman, W. Maass, and F. Kirstein. Comparison of the Ground Vegetation in Spruce Plantations and Natural Forest in the Greater Fundy Ecosystem, New Brunswick, 531
- Veratrum viride* ssp. *eschscholtzii*, 280
- Verbena hastata*, 278
- Vermivora celata*, 15  
*peregrina*, 15
- Vermont, Assessing an American Marten, *Martes americana*, Reintroduction in, 190
- Vervain, Blue, 297
- Vetch, American, 260  
 Tufted, 168
- Viburnum alnifolium*, 535
- Vicia americana*, 103,260  
*cracca*, 168
- Viola adunca*, 262,449  
*epipsila* ssp. *repens*, 280,449  
*langsdorfii*, 280  
*nephrophylla*, 280  
*renifolia* var. *brainerdii*, 449
- Violet, Alaska, 296  
 Dwarf Marsh, 296,460  
 Hook-spur, 460  
 Kidney-leaved, 460  
 Northern Bog, 296
- Vireo gilvus*, 14  
*solitarius*, 14
- Vireo, Blue-headed, 14  
 Warbling, 14
- Virginia, Observations of Long-tailed Weasel, *Mustela frenata*, Hunting Behavior in Central West, 313
- Virgl, J.A., S.P. Mahoney, and K. Mawhinney. Phenotypic Variation in Skull Size and Shape Between Newfoundland and Mainland Populations of North American Black Bears, *Ursus americanus*, 236
- Vole, 245,365  
 Chestnut-cheeked, 17  
 Eastern Heather, 7  
 Insular, 17  
 Long-tailed, 7  
 Meadow, 17,246,466  
 Northern, 17  
 Northern Red-backed, 7  
 Red-Backed, 246  
 Singing, 7  
 Southern Red-backed, 390  
 Taiga, 7  
 Tundra, 7  
 Yellow-Nosed, 246
- Vulpes fulva*, 380  
*macrotis*, 123,424,468  
*velox*, 30,123,424,468  
*vulpes*, 17,30,123,227,308,348,365,424,468,472,586,591
- Vulpes velox*, in Northwestern Texas, Den Site Activity Patterns of Adult Male and Female Swift Foxes, 424
- Vulpes velox*, White Color Phase of the Swift Fox, 468
- Vulpicida pinastri*, 64
- Vulture, Turkey, 11
- Wagtail, Black-backed, 15  
 White, 15
- Walde, A.D., J.R. Bider, C. Daigle, D. Masse, J.-C. Bourgeois, J. Jutras, and R.D. Titman. Ecological Aspects of a Wood Turtle, *Glyptemys insculpta*, Population at the Northern Limit of its Range in Québec, 377
- Wallace, M.C., 645
- Walleye, 542
- Walnut, Black, 218
- Wapiti, 196  
 Rocky Mountain, 197
- Warbler, Arctic, 7  
 Black-throated Blue, 389  
 Blackpoll, 15  
 MacGillivray's, 7  
 Orange-crowned, 15  
 Palm, 15  
 Tennessee, 7  
 Townsend's, 7  
 Wilson's, 16  
 Yellow, 15,206,309  
 Yellow-rumped, 15
- Warkentin, I.G., C.E. Campbell, K.G. Powell, and T.D. Leonard. First Record of Mink Frog, *Rana septentrionalis*, from Insular Newfoundland, 477
- Washington, Black Bear, *Ursus americanus*, Denning Chronology and Den Site Selection in the Northeastern Cascades of, 626
- Water-hemlock, Spotted, 296
- Waterthrush, Northern, 15
- Waxwing, Bohemian, 15  
 Cedar, 15,177
- Weasel, Least, 18,245  
 Long-tailed, 193,246,313
- Weasel, *Mustela frenata*, Hunting Behavior in Central West Virginia, Observations of Long-tailed, 313
- Webster, W.D., 654
- Wheatear, Northern, 15
- Wheatgrass, Crested, 168,281  
 Intermediate, 283  
 Siberian, 281  
 Slender, 283  
 Tall, 283  
 Western, 25,168
- Whimbrel, 13
- White, J.D., 311

- Whitefish, Lake, 59,642  
 Round, 59  
 Whitetop, 103  
 Whitlow-grass, 293  
 Lance-leaved, 293  
 Longstalk, 293  
 Yellowstone, 293  
 Whitman, J.S. Age Structure Differences in American Mink, *Mustela vison*, Populations under Varying Harvest Regimes, 35  
 Wiebe, M.O. and M.R. Lein. Response of Male Mountain Chickadees, *Poecile gambeli*, to Playback of Different Song Types, 76  
 Wiens, G., 123  
 Wigeon, American, 11  
 Eurasian, 11  
 Williams, A., 393  
 Williams, R., 634  
 Willis, C.K.R. and R.M. Brigham. New Records of the Eastern Red Bat, *Lasiurus borealis*, from Cypress Hills Provincial Park, Saskatchewan: A Response to Climate Change?, 651  
 Willow, 103,203  
 Alaska Bog, 289  
 Arctic, 289  
 Barren-ground, 289  
 Feltleaf, 289  
 Halbred, 289  
 Little-tree, 289  
 Mountain, 289  
 Northern, 289  
 Richardson's, 289  
 Round-leaf, 290  
 Snow-bed, 289,454  
 Variable, 289  
 Willowherb, Hornemann's, 296  
 Swamp, 296,461  
*Wilsonia pusilla*, 16  
 Windels, S.K., 389  
 Wintergreen, Lesser, 296  
 Wisconsin, Death of Gray Wolves, *Canis lupus*, in Porcupine, *Erethizon dorsatum*, Dens in, 469  
 Wolf, 17,120,242,364,400,550,566  
 Alexander Archipelago, 7  
 Boreal Gray, 7  
 Gray, 7,357,419,468,469,589  
 Plains, 30  
 Red, 589  
 Wolf, *Canis lupus*, Pack Structure: Conservation Implications for Recovering Populations, Limits to Plasticity in Gray, 419  
 Wolf, *C. lupus* × *latrans* Hybrid Zone, Southeastern Ontario, Landscape Influence on *Canis* Morphological and Ecological Variation in a Coyote-, 589  
 Wolverine, 18,357,364,566  
 Wolves, *Canis lupus*, in Porcupine, *Erethizon dorsatum*, Dens in Wisconsin, Death of Gray, 469  
 Wood-Pewee, Western, 14  
 Wood-reed, Nodding, 282  
 Woodchuck, 7,247  
 Woodfern, Correll's, 651  
 Evergreen, 390  
 Woodpecker, Acorn, 311  
 Black-backed, 14  
 Downy, 14,179  
 Hairy, 14,177  
 Three-toed, 14  
 Woodrat, Bushy-tailed, 7  
*Woodsia alpina*, 449  
*glabella*, 449  
*ilvensis*, 449  
 Woodsia, Northern, 451  
 Rusty, 451  
 Smooth, 451  
 Worm, Meningeal, 407  
 Wormwood, Northern, 463  
 Wren, Marsh, 169,654  
 Sedge, 348  
 Winter, 15  
 Wydeven, A.P., S.R. Boles, R.N. Schultz, and C.J.T. Doolittle. Death of Gray Wolves, *Canis lupus*, in Porcupine, *Erethizon dorsatum*, Dens in Wisconsin, 469  
*Xanthorion*, 63  
*Xema sabini*, 13  
 Yahner, R.H., 19  
 Yarrow, Woolly, 260  
 Yellow-toadflax, 298  
 Yellowlegs, Greater, 7  
 Lesser, 13  
 Yellowthroat, Common, 7  
 Yew, Canada, 389  
 Pacific, 215  
 Yew, *Taxus canadensis*, Small Mammal Abundance and Diversity in Forests with and without Canada, 389  
 Young, G.I. and R.H. Yahner. Distribution of, and Microhabitat Use by, Woodland Salamanders Along Forest-Farmland Edges, 19  
*Yucca glauca*, 645  
 Yucca, Plains, 645  
 Yukon Territory V, New Records of Vascular Plants in the, 278  
*Zapus hudsonius*, 6  
*princeps*, 6  
*Zenaida macroura*, 14,177  
 Zhang, T.Q., 267  
*Zonotrichia albicollis*, 16,206  
*atricapilla*, 16,206  
*capensis*, 206  
*leucophrys*, 16,203,617  
*leucophrys gambelii*, 203  
*querula*, 203  
*Zonotrichia leucophrys*, in the Northwest Territories, Canada, Patterns of Nestling Feeding in Harris's Sparrows, *Zonotrichia querula* and White-crowned Sparrows, 203  
*Zonotrichia querula* and White-crowned Sparrows, *Z. leucophrys*, in the Northwest Territories, Canada, Patterns of Nestling Feeding in Harris's Sparrows, 203  
*Zostera marina*, 655

## Index to Book Reviews

### Botany

- Blouin, G. An Eclectic Guide to Trees East of the Rockies, 497
- Douglas, G.W., G.B. Straley, D. Meidinger and J. Pojar. Illustrated Flora of British Columbia Volumes 1-8, 329
- Evans, C.L. The War on Weeds in the Prairie West: An Environmental History, 670
- Kershaw, L. Ontario Wild Flowers, 330
- Kirk, P.M., P.F. Cannon, J.C. David and J.A. Stalpers. Ainsworth and Bisby's Dictionary of the Fungi, 328
- Lesica, P. A Flora of Glacier National Park, Montana, 159
- Mitchell, R.S. and L. Danaher. Northeastern Fern Identifier, 669
- More, D. and J. White. The Illustrated Encyclopedia of Trees, 496
- Riley, J.L. Flora of the Hudson Bay Lowland and its Post-glacial Origins, 669
- Schnell, D.E. Carnivorous Plants of the United States and Canada: Second Edition, 496

### Environment

- Bierregaard, R.O. Jr., C. Gascon, T.E. Lovejoy, and R. Mesquita. Lessons from Amazonia: The Ecology and Conservation of a Fragmented Forest, 672
- DeGraaf, R.M. Trees, Shrubs, and Vines for Attracting Birds, 160
- Dixon, T.F. City Wilds: Essays and Stories about Urban Nature, 498
- Donovan, T.M. and C.W. Welden. Spreadsheet Exercises in Conservation Biology and Landscape Ecology, 506
- Donovan, T.M. and C.W. Welden. Spreadsheet Exercises in Ecology and Evolution, 506
- D'Orso, M. Plundering Paradise, 335
- Ducey, J.E. Birds of the Untamed West: The History of Bird-life in Nebraska, 1750 to 1875, 336
- Franklin, S.E. Remote Sensing for Sustainable Forest Management, 330
- Frelich, L.E. Forest Dynamics and Disturbance Regimes: Studies from Temperate Evergreen-Deciduous Forests, 502
- Higgs, E. Nature by Design, 505
- Johnsgard, P.A. Great Wildlife of the Great Plains, 504
- Jones, H.G., J.W. Pomeroy, D.A. Walker and R.W. Hoham. Snow Ecology: An Interdisciplinary Examination of Snow-Covered Ecosystems, 332
- Larson, D., U. Matthes, and P. Kelly. Cliff Ecology: Pattern and Process in Cliff Ecosystems, 672
- Morris, W.F. and D.F. Doak. Quantitative Conservation Biology: Theory and Practice of Population Viability Analysis, 507
- Nadkarni, N.M. and N.T. Wheelwright. Monteverde: Ecology and Conservation of a Tropical Cloud Forest, 334
- Pullin, A.S. Conservation Biology, 499
- Schwartzman, D. Life, Temperature, and the Earth, 498
- Song, S.J. Ecological Basis for Stand Management: A Summary and Synthesis of Ecological Responses to Wild-fire and Harvesting in Boreal Forests, 500
- Suzuki, D. and A. McConnell. The Sacred Balance: A Visual Celebration of Our Place in Nature, 503
- Thomashow, M. Bringing the Biosphere Home, Learning to Perceive Global Environmental Change, 159

- Watt, A. The Last Island: A Naturalist's Sojourn on Triangle Island, 505
- Wiese, F. Seabirds and Atlantic Canada's Ship-Source Oil Pollution, 332

### Miscellaneous

- Arnaudin, M.P. A Bird in the Bush: The Story of the Province of Quebec Society for the Protection of Birds 1917-2002, 508
- Baker, D.B. John Keast Lord: Materials for a Life, 338
- Berry, M.F. The Dinosaur Filmography, 341
- Browne, J. Charles Darwin, The Power of Place, 340
- Debus, A.A. and D.E. Debus. Paleomimagery, The Evolution of Dinosaurs in Art, 341
- Hodgson, B. Naturalists: A Journal, 342
- Hodgson, B. Women Travelers: A Journal, 342
- King, J. Farley: The Life of Farley Mowat, 509
- Lawrence, R.D. The North Runner, 674
- Nicklen, P. and H. Brody. Seasons of the Arctic, 674
- Stroud, P.T. The Emperor of Nature: Charles-Lucien Bonaparte and his World, 337
- Suzuki, D. When the Wild Comes Leaping Up: Personal Encounters with Nature, 339,675

### Zoology

- Barter, M.A., Shorebirds of the Yellow Sea: Importance, Threats and Conservation Status, 321
- Behnke, R.J. Trout and Salmon of North America, 318
- Brooks, R.J., D. Strickland, and R.J. Rutter. Reptiles and Amphibians of Algonquin Provincial Park, 490
- Byers, J.A. Built for Speed: A Year in the Life of Pronghorn, 661
- Catling, P.M., C.D. Jones and P. Pratt. Ontario Odonata. Volume 3 (including observations for the year 2001), 487
- Clements, J.F. Birds of the World: A Checklist, 322
- Collette, B.B. and G. Klein-MacPhee. Bigelow and Schroeder's Fishes of the Gulf of Maine, 319
- del Hoyo, J., A. Elliott, and J. Sargatal. Handbook of Birds of the World. Volume 8: Broadbills to Tapaculos, 663
- Downer, J. Weird Nature: An Astonishing Exploration of Nature's Strangest Behavior, 158
- Eder, T. Mammals of Ontario, 487
- Ernst, C.H. and E.M. Ernst. Snakes of the United States and Canada, 495
- Fishpool, L.D.C. and M.I. Evans. Important Bird Areas in Africa and Associated Islands: Priority Sites for Conservation, 664
- Gittleman, J.L., S.M. Funk, D. MacDonald, and R.K. Wayne. Carnivore Conservation, 155
- Halliday, T. and K. Adler. Firefly Encyclopedia of Reptiles and Amphibians, 327
- Heintzelman, D. All-Weather Hawk Watcher's Field Journal, 326
- Holman, J.A. In Quest of Great Lakes Ice Age Vertebrates, 494
- Houston, C.S. and W. Anaka. Birds of Yorkton – Duck Mountain, 668
- Jaramillo, A. Birds of Chile, 659
- Jones, K.A. Knowing Bass: The Scientific Approach to Catching More Fish, 156
- Kays, R.W. and D.E. Wilson. Mammals of North America, 488

- Knott, D.L. A Spring Expedition to the Falkland Islands and Antarctica, 320
- Lacey, E.A., J.L. Patton, and G.N. Cameron. Life Underground, the Biology of Subterranean Rodents, 157
- Leverton R. Enjoying Moths, 327
- Lieske, E. and R. Myers. Coral Reef Fishes: Indo-Pacific and Caribbean – Revised Edition, 662
- Love, M.S., M. Yoklavich and L. Thorsteinson. The Rockfishes of the Northeast Pacific, 323
- Manly, B.J., L.L. McDonald, D.L. Thomas, T.L. McDonald and W.P. Erickson. Resource Selection by Animals, 325
- Matthiessen, P. The Birds of Heaven: Travels with Cranes, 158
- Maxwell, B.A., J.K. Werner, P. Hendricks, and D.L. Faith. Herpetology in Montana: A History, Status Summary, Checklists, Dichotomous Keys, Accounts of Native, Potentially Native, and Exotic Species, and Indexed Bibliography, 491
- Mecklenburg, C.W., T.A. Mecklenburg, and L.K. Thorsteinson. Fishes of Alaska, 151
- Riede, K. Global Register of Migratory Species (GROMS): Database, GIS Maps, and Threat Analysis, 154
- Rossi, J. and R. Rossi. Snakes of the United States and Canada: Natural History and Care in Captivity, 666
- Russell, C. and M. Enns. Grizzly Heart: Living without Fear among the Brown Bears of Kamchatka, 662
- Saffron, I. Caviar: The Strange History and Uncertain Future of the World's Most Coveted Delicacy, 324
- Scott, J.M., S. Conant and C. Van Riper III. Evolution, Ecology, Conservation, and Management of Hawaiian Birds: A Vanishing Avifauna, 153
- Shirihai, H. The Complete Guide to Antarctic Wildlife, 489
- Sibley, D.A. Sibley's Birding Basics, 151
- Szczerbak, N.N. Guide to the Reptiles of the Eastern Palearctic, 492
- Taylor, P. The Birds of Manitoba, 660
- Urquhart, E. and A. Bowley. Stonechats: A Guide to the Genus *Saxicola*, 667
- Zug, G.R., L.J. Vitt, and J.P. Caldwell. Herpetology: An Introductory Biology of Amphibians and Reptiles, Second Edition, 493